


NetworkWorld

THE NEWSWEEKLY OF ENTERPRISE NETWORK COMPUTING



PeopleSoft stung by security glitches

By Barb Cole

Pleasanton, Calif.

The No. 3 client/server vendor PeopleSoft, Inc. is battling the same problem that has hit Netscape and others: Its existing security schemes are just too easy to crack.

In PeopleSoft's case, a window is left open because passwords are not encrypted over the network, allowing intruders to use software utilities to sniff them out and gain network access.

In addition, a master identification, which provides advanced network privileges, was stored on Windows clients in memory where it could be unearthed by hackers.

Stung by these discoveries, PeopleSoft last week shipped a patch to solve the ID problem,

SECURITY PRECAUTIONS

PeopleSoft 5.0 problems...

Passwords are stored on users' desktops in Windows memory.

Applications cannot take advantage of all the security features in the databases with which they work.

Passwords are passed over the network unencrypted.

...and fixes

PeopleTools Version 5.01, which shipped last week, destroys user passwords shortly after logons are verified.

PeopleSoft says it has now implemented enough security checks so leveraging all database security features is not an issue.

PeopleSoft will include a link to Open Horizons middleware that encrypts any communication across the net.

but the unencrypted passwords remain.

To foil intruders looking for unencrypted passwords, Peo-

pleSoft will embed an interface that links its applications to Open Horizons, Inc.'s Connec-

See PeopleSoft, page 76

Cisco falls short

Critics chastise router/switch vendor for its limited and confusing RMON strategy, a plan that lags rivals'.

By Jim Duffy

San Jose, Calif.

Cisco Systems, Inc.'s plan to add Remote Monitoring (RMON) management capabilities to some of its products falls far short of customers' needs and competitors' comprehensive initiatives.

3Com drapes RMON across its eclectic product line. See story, page 27.

Through an extension of its relationship with Frontier Software Development, Inc., Cisco last week said it will

add RMON and RMON2-like agents to its Catalyst 5000 multiple-media and 1600 token-ring switches, and resell Frontier's NetScout probes and management applications. The Catalyst

1200 Ethernet and FDDI switch already has embedded RMON from a previous arrangement between Cisco and Frontier, and will have RMON2 next year.

Conspicuously absent from Cisco's RMON initiative, however, are RMON capabilities for its bread-and-butter routers, Grand Junction switches and LightStream ATM switches. Cisco must also reconcile the RMON implementation of its Catalyst 3000 (formerly Kalpana) Ethernet switches — which use agents, probes and applications from Axon Networks, Inc. — with that of the other Catalyst switches.

The different RMON implementations could raise sticky interoperability issues for customers.

"I haven't had very good luck with interoperability between RMON vendors," said Donald Varey, senior network specialist

See Cisco, page 75

3Com taken with token-ring switch mart

By Michael Csenger

Santa Clara, Calif.

3Com Corp., squashing speculation that it might buy its way into the token-ring switching market, next week will unveil a home-grown workgroup switch and reveal plans for a future backbone switch.

Sources said 3Com will introduce the LinkSwitch-TR, a switch for token-ring users that is comparable to the company's LinkSwitch 1000 switch for Ethernet workgroups. It is expected to support about a dozen token

See 3Com, page 75

There's a wide road ahead for narrowband ATM services

By Tim Greene

The ivory-tower debates about whether anybody really needs narrowband Asynchronous Transfer Mode are over: Except for a few holdouts, vendors and carriers are willing to gamble

that T-1 ATM will sell.

Encouraged by pricing that competes with frame relay, users want the service now, and vendors are getting ready to give them what they want. By this time next year, T-1 ATM should be available in most regions of the country.

Of the regional Bell operating companies, Ameritech Corp., Bell Atlantic Corp. and SBC Communications, Inc. already offer T-1 ATM service on

See ATM, page 76

PENTIUM PRO PREMIERES



Speed:

The base Pentium Pro is 16 times faster than the fastest Pentium chip.


Cache: More cache is included in the chip, allowing for better performance.

Server vendor support: AST, Compaq, HP, NetFrame, Tricord and others.

For a story on how the Pentium Pro will affect your network and a roundup of servers based on the chip, see page 14.

ATM MART MOVING AT T-1 SPEED

Low-speed ATM is expected to be a major market driver over the next three years based on ports shipped.



SOURCE: VERTICAL SYSTEMS GROUP, OEOHAM, MASS.
Find more ATM resources on-line at <http://www.nwfusion.com>. From the main menu, select News+ then Front Page.

In-Site

Distributed MCI app feather in DCE cap

By Michael Cooney


Austin, Texas

When it came to keeping the customer satisfied, MCI Communications Corp. chose DCE.

The carrier recently completed a distributed application project that links more than 5,000 end users at 10 U.S. customer service centers, making it one of the largest Distributed Computing Environment network "cells" in the country.

"In the past, all of our centers operated independently,"

MCI's Arnold says there was no other technology that could do what DCE promised... and now delivers.





SCHUSSING THE PINE-DOTTED ROCKIES AT
11,000 feet brings a lump to the throat and an
appetite to the belly.

With IBM wireless networking,
the hunger for good food at whatever altitude



can now be satisfied, with cash or credit.

By literally backpacking in point-of-sale
terminals with radio antennae, IBM has helped
managers of Breckenridge and Keystone Resorts
offer gourmet meals and service more than two

miles above sea level. A constant flow of sales
and inventory data is now possible – in blizzard
or sunshine. And for perches like the AlpenGlow
Stube, the highest four-diamond restaurant
in the world, a steady offering of their famous



Refresh

Pinecone Pâté is now assured.

Wide Web at http://www.distribution_hosting.ibm.com

To learn how IBM retail and distribution solutions can help your business succeed at its particular point on the planet, call 1 800 IBM-3333, ext. 1A200. Or visit our home page on the World



Solutions for a small planet™




Until now, this is what

RAID controllers looked

like to most small LANs.

**Build A Better Server
With Adaptec.**

This is what you've been waiting for. The new Adaptec® AHA®-3985 and AHA-3985W PCI RAID adapters. Supporting RAID levels 5, 1, 0, and 0/1, they have all the functionality of microprocessor-based RAID controllers at half the price.



Adaptec PCI RAID adapters. Affordable,
real-time data recovery beyond backup.

By building on our PCI leadership, we've developed an innovative,

less expensive architecture. Unlike conventional RAID controllers, Adaptec PCI RAID adapters have a unique PCI-to-PCI bridge and on-board RAID coprocessor that reduces the need for costly microprocessors, memory controllers and cache RAM. Designed specifically for the PCI bus, Adaptec PCI RAID adapters provide a direct data path between SCSI devices and host memory which eliminate double buffering of data.

What makes us even hotter is our Hot Swap and Hot Spare features for



Adaptec
IOWare
PRODUCTS

real-time data recovery beyond backup. And, Adaptec CI/O™ software lets you remotely monitor SCSI array status from any Windows®-based networked client.

For the Adaptec RAID IOWare® Guide and a free Adaptec CI/O demo disk, call 1-800-804-8886 ext. 6333.* It'll be easy to see why you won't have to raid the corporate coffers to get into RAID.

adaptec®
I/O. NOW MORE IMPORTANT THAN EVER.

News+

The Front Page:

Download RMON MIBs and a paper on the RMON issues facing network managers.

Find out how vendors are securing client/server applications.

The Technical Sections:

A Network World Fusion special! In exclusive Q&A's, Microsoft executives tell how they'll prove the company is serious about enterprise networking. In Local Networks.

Industry Watch: Curt Monash wonders how Robert Heinlein would write a guide to computer marketing.

Forum

Your side: A trucking company installs monitoring devices in its vehicles that keep detailed records on its employees' habits. How closely should companies monitor workers? Talk about it in nwfusion.talk. Select "Employee monitoring."

NetRef

Technology Resources: Worried that you're missing the boat on ATM? Study up with the resources we've pulled together.


Professional Development: New seminars
DirectConnect: Download demo software
Network World Central: Get in touch with us

this week's pick

If you want to learn more about objects and distributed computing, a good place to start is Los Alamos National Laboratory's Sunrise project page, where you'll find plenty of primers and links. Start at <http://www.aci.lanl.gov/sunrise/apps-ets.html>.

HOW TO GET ON TO NETWORK WORLD FUSION

At the welcome screen, click on Registration and follow the instructions. Subscribers, keep your NWF number — highlighted on the front cover's mailing label — handy during registration. Non-subscribers must fill out an on-line registration form.



HOW TO REACH US

CALL: (508) 875-6400 FAX: (508) 820-3467

WRITE: Network World, 161 Worcester Rd., Framingham, MA 01701

INTERNET: nwnews@nww.com

NETWORK HELP DESK: Having trouble resolving a technical problem, locating resources or getting a vendor to follow up on a promise? Contact the Network Help Desk at (800) 622-1108, Ext. 487, or network@world.std.com.

SUBSCRIPTIONS: nwcirc@world.std.com

REPRINTS: In quantities of 500-10,000. Call (612) 582-3800.

MARKET LINE: For details about future editorial projects, call (508) 820-7557.



John Patrick, IBM's vice president of Internet applications, promotes his company's technology for selling copyrighted material over the 'Net. *Page 10.*

News

- 6 **Banyan plots out new tools**, but can it get the job done?
- 6 **IBM ports its client/server DB2 version to Windows NT.**
- 8 **Novell casts Web strategy** for NetWare customers.
- 8 **IBM hopes to recharge OpenDoc for Windows.**
- 8 **Sale of PerfectOffice** threatens ties to NetWare.
- 10 **Start-up to minimize** traffic from data warehouse access tools.
- 12 **Microsoft buys a middleware firm** to forge mainframe links.
- 14 **AT&T calls on cable** companies to help capture local loop.
- 14 **What does the Pentium Pro chip mean for networking?**

WANs & Internetworking

- 17 **Risking its lead in net management**, SunSoft will not deliver EM until late 1996.
- 17 **AT&T promises to add** multimedia sizzle to switched Ethernet environments.
- 20 **'Net providers switch on** frame relay, claim speedier response times.
- 20 **Netlink FRAD upgrade** guarantees delivery of SNA traffic from remote offices.
- 20 **OmniPoint 2 standard** promises to blast away nagging carrier service level inconsistencies.

SPECIAL FOCUS
High-speed LANs

Some hints on choosing between switched and shared net options.
Page 34.

- 27 **Intel adds Windows NT** to its LAN management menu.
- 27 **3Com RMONs itself** with integrated management strategy.
- 28 **NetPro steps into** NetWare directory territory.
- 30 **Palindrome moves beyond** NetWare backup management to enter Windows NT field.
- 33 **Bay Networks stocks up** on stackable hubs.

Client/Server Applications

- 37 **Sybase boosts performance** and scalability with its SQL Server 11 database.
- 37 **Novell decks out Tuxedo 6.1** to manage large-scale applications.
- 37 **Desktop data conferencing** and video products make meetings easier and more productive.
- 38 **Ooh la la! French software** company moves to the U.S. with a development tool set.

Electronic Commerce

- 43 **Selling on the Web is** no cakewalk, but experts claim it just takes care and planning.

Technology Update

- 45 **An impending standard** may allow interoperability between wireless handsets and PBXs.

Management Strategies

- 62 **Electronic surveillance can** injure the trust between management and employees.
- 62 **Microsoft offers up** course design instructions for on-line teachers.



Features

From NetWare to eternity: Surf the Internet with one of these

four TCP/IP gateways for NetWare. *Page 49.*

Frame relay meets ATM: Carriers close in on bringing two great data services together. *Page 57.*



Opinions

- 24 **Daniel Briere and Christine Heckart** blast FCC for upcoming frame relay tariffs.
- 28 **Skip MacAskill and Melinda Le Baron** say RMON is in fashion for switched nets.
- 39 **Marc Myers** applauds Microsoft on the choice of Software AG as its OLE partner.
- 43 **Mark Gibbs** aims to lower profits on the 'Net.
- 46 **Editorial:** The bottom line on SystemView.
- 46 **Alan Pearce** critiques AT&T policy and politics.
- 47 **Ben Rothke** looks at the industry bug plague.
- 77 **Back to Reality:** Networking industry could be gagged by anti-immigration bogey.
- 77 **CyberSpeak:** Is Cisco stretching itself too thin?

Network Help Desk. *Page 45.*

In-Box. Letters from our readers. *Page 47.*

Editorial and advertiser indexes. *Page 74.*

NetworkWorld's Mission: To provide news and analysis that help network IS professionals deliver the network computing infrastructure and distributed applications required to meet evolving business needs.

News briefs, November 6, 1995

Apple carts out new server tools

■ Apple Computer, Inc. last week began bundling virus protection, asset management, fax support and network analysis software with its line of PowerPC Workgroup Servers. The Cupertino, Calif., computer vendor also added Adobe Systems, Inc.'s Page-Mill World-Wide Web page authoring tool to its selection of Web page construction products that make up Apple's Internet Server Solution.

In store from EMC

■ EMC Corp. this week will announce products and services to provide mainframe-class storage facilities for client/server LAN environments. The EMC Symmetrix 5000 Enterprise Storage Platform will be enhanced to include simultaneous support for mainframe and heterogeneous PC- and Unix-based LAN servers. Previously, the product only supported mainframe storage. The company also announced a consulting service to help users migrate from mainframe storage facilities to client/server ones.

Pricing information was not released.

2000: A computer odyssey

■ IBM last week said that if users have not already started planning for how their systems will respond to the year 2000, it may be too late. For years, business software has represented years using only two digits, such as 95 rather than 1995. This will create tremendous problems when the millennium hits, especially in applications that make monetary forecasts.

THE YEAR 2000

To help, IBM is offering a document titled "The Year 2000 and Two-Digit Dates: A Guide for Planning and Introduction" on the World-Wide Web at <http://www.software.ibm.com>. The firm will also offer software tools and consulting services.

Power shift at the FCC

■ President Clinton last week named Kathleen Wallman, chief of the Common Carrier Bureau at the Federal Communications Commission, as the new White House deputy general counsel. Wallman will be replaced by Regina Keeney, current Wireless Bureau chief, best known for running the FCC's auctions of wireless personal communications services licenses.

Oracle, AT&T gang up on the 'Net

■ Technology powerhouses Oracle Corp. and AT&T last week said they will soon begin jointly selling Oracle's Web-enabled database tools and AT&T's WorldNet Internet access services. The idea is to give companies software tools to create interactive Web sites and high-speed, secure connections of those sites to the Internet, an AT&T spokesman said.

IBM spruces up gateway

■ IBM last week said it has added new TCP/IP routing capabilities to its 3172 channel-attached LAN-to-mainframe gateway. The 3172 IP Channel Communications Program Version 1 software lets the box route TCP/IP data from Token-Ring, Ethernet, FDDI or, in the future, Asynchronous Transfer Mode LANs, to applications on the mainframe. The software supports the Routing Information Protocol and can communicate with as many as 16 mainframes linked via IBM's fiber-based Enterprise Systems Connection channels.

The software will be available Nov. 17. Pricing was not announced.

But it's only a beta release

■ NetWare support newsgroups are starting to heat up with users complaining about problems involving the just-released NetWare Client32 for Windows 95, the first client code from Novell, Inc. specifically supporting Windows 95.

The problems are typical of most beta releases: some hardware incompatibility, some configuration problems, unexplained crashes and workstations freezing up. Despite the beta bugs, most users seemed fairly happy with the speed of the client and its support for Windows 95.

Banyan piles on the products

Company should have its hands full delivering full slate of integration offerings.

By Peggy Watt

San Jose, Calif.

Banyan Systems, Inc. last week described an ambitious slate of new products, ranging from StreetTalk integration with non-VINES servers to a new desktop-based application launcher.

The plans were met by a user and analyst community that

hopes the company can deliver in a timely manner but also fears that the Westborough, Mass., net operating system vendor is stretching its resources too thin.

Banyan executives speaking at the semiannual Association of Banyan Users International conference here promised to deliver by mid-1996.

■ New versions of Enterprise Network Services on Hewlett-Packard Co.'s HP-UX 10 and Siemens Nixdorf Information Systems, Inc. Unix.

■ A StreetTalk-based application launcher, called Click to Application.

■ Client access to Unix- and Microsoft Corp. Windows NT-based file and print services from VINES clients.

The ENS products are a set of VINES services, including directory and messaging, that Banyan has ported to run on other operating systems using those systems' file and print services.

Ed Cloutier, Banyan's vice president of strategic relations, cited "the Windows NT effect" — the growing influx and influence of NT servers, which prompted Banyan to find more ways to integrate NT with VINES and to eventually implement StreetTalk on Windows NT.

Banyan already supports NT as a VINES desktop through the VINES IP. Cloutier calls the latest initiative "StreetTalk-enabling" resources on NT and Unix servers. Windows NT resources will appear in the desktop StreetTalk, but users do not have to worry about Windows NT's domains.

Banyan's determination to accommodate Windows NT is well founded, users said.

"Integrating Windows NT is a big issue. I'd like to see it soon," said Rick Ulmer, access network computing consultant with Bell Canada, Ltd., which maintains a network of 450 VINES servers and more than 40,000 clients. And he believes the company can deliver. "I think Banyan's pretty much there," Ulmer said.

All the products are in development except Click to Applications, which is still in design, Cloutier said.

"A lot of these new products build on technology we already have," said Donna Angiulo, vice president and general manager of Banyan's directory solutions business unit.

Some questioned the wisdom of Banyan's decision to freeze development of ENS for SCO Unix, the largest supplier of Intel-based Unix. Banyan will still support the product, initially released in late 1992 but will not revamp it to run on updates to SCO Unix beyond Version 4.2, Cloutier said. Users can obtain more copies of ENS for SCO and swap to a license for ENS for another Unix version, he added. ■

A FRIEND IN NEED...

Network World Fusion conferences (<http://www.nwfusion.com>)

Question of the week: The administrator of a 5,000-user E-mail net isn't happy with the company's current messaging software and wants help finding a new package. What do you recommend — and what do your virtual colleagues think? From the Forum menu, select conferences, Help Desk, then Topic 21 — "E-mail: LAN based and Mobile."



GeoLAN/500.

The State Of The Art In ATM Super-Switching Hubs.

HOT SWAPPABLE

As the first hub to cost-effectively integrate multiple technologies to support shared LAN, switched LAN, and ATM connectivity, the GeoLAN™/500 NonStop® super-switching hub is an affordable starting point for your migration to high-bandwidth networking.

GeoLAN/500 is scalable from 440Mbps to over 10Gbps throughput. Enough to handle the most demanding enterprise network applications.

It's designed for security and serviceability, with integral switching, full

UNSTUPIDABLE

redundancy, and hot swappability for all common components. For the next ten years of NonStop®, mission-critical network operation— even during upgrades and routine maintenance. Plus plug-and-play compatibility

GeoLAN/500 is available as a standalone hub or in the tower configuration shown at left.

for our Access/One® customers. All starting at just \$250/port.

Learn how to cost-effectively upgrade to super-switching hubs. Call for our LAN Cost-Of-Ownership study.

1-800-777-4LAN

<http://www.ub.com>

FREE "SWITCH TO THE FUTURE" SEMINARS.

CALL 1-800-797-2881

HOUSTON	NOV. 28
CHICAGO / OAK BROOK	NOV. 30
LONG BEACH	DEC. 5
BELLEVUE	DEC. 6
SAN FRANCISCO / SANTA CLARA	DEC. 7

World Headquarters: UB Networks,
3900 Freedom Circle, Santa Clara,
CA 95054, USA. + (408) 496-0111
or fax + (408) 970-7337. Access/One is a
registered trademark and UB Networks and
GeoLAN are trademarks of Ungermann-
Bass Networks, Inc. ©1995 Ungermann-
Bass Networks, Inc. NonStop is a registered
trademark of Tandem Computers Incorporated in
the U.S. and other countries. All rights reserved.



UB Networks

NonStop® Networking.

Novell looks to snare users in the Web

Offers users tools for bundling NetWare-based Web servers.

By Kevin Fogarty

Boston

Novell, Inc. last week announced at Internet World the first phase of a plan to make the Worldwide Web an alternative entry point to NetWare networks.

The NetWare 4.1-based Web server will initially provide an easy way to build an internal or public Web site that supports the security technology found in NetWare Directory Services (NDS). Later versions will let companies set up a secure way to give end users, including those surfing in from remote sites, access into NetWare servers via a Web browser.

WEB SECURITY

Novell plans to add three layers of security to its Web server:

- **Secure Sockets Layer:** Netscape security protocol running under HTTP that adds data encryption, server authentication and secure messaging to a TCP/IP connection.

- **Secure HyperText Transfer Protocol:** Enterprise Integration Technologies' protocol that adds message-level security on top of HTTP.

- **Secure Containers:** A method of wrapping a file in an envelope of security and rules that govern how and by whom the file can be used. The envelope remains with the file no matter how many hands it passes through.

The product, which will initially run on TCP/IP nets, was expected to support IPX networks out of the gate. But Novell will not complete its IPX gateway until early next year, so company officials decided to ship a single-

CORRECTION

Information in the table for the review "Ready, Set, Go Remote" (Oct. 16, page 41) was incorrect. The Xylogics Remote Annex 4000 supports, in addition to the boxes checked, AppleTalk, SLIP, CSLIP, PPP, PPP with PAP, PPP with CHAP, a dialer, a port redirector, as well as SecurID, Kerberos and Enigma security options. The Emulex ConnectPro Plus also works with SecurID.

way and runs on NetWare 3.X.

A key feature of both products is Remote Common Gateway Interface (RCGI), an extension to the Web CGI development language that opens a gateway to other operating systems, said Vic Langford, vice president and general manager for Novell's Internet Commerce Division. Using RCGI, Webmasters can put calls in Web pages for passing off data requests to applications running on SunSoft, Inc.'s Solaris and SunOS, as well as The Santa Cruz Operation, Inc.'s UnixWare.

Future versions of Novell's Web server will let users access their networks securely across the Internet by adding support

for Web security protocols to the server (see graphic).

The plan is to make documents stored on NetWare servers accessible through the Web while controlling access to them using NetWare security, said Tim Sloan, an analyst at the Aberdeen Group, Inc. consultancy in Boston. Rather than having to duplicate files onto the Web server, Novell's plan is to leave files on user's home servers and let the Web server use NDS to find them, he said.

Even without higher levels of security, the first version of the Web server is easy enough to use and versatile enough to make it worthwhile, said John Dubiel, manager of planning and tech-

nology at Boston Edison Co., which is beta-testing SiteBuilder. Installation took about 5 minutes and the server has not hiccuped since, he said.

The RCGI capability also looks attractive because it makes NetWare servers more useful as entry points to back-end databases running on Unix or other operating systems, Dubiel said.

The NetWare Web server is due to ship Dec. 21 for \$995. AIC's SiteBuilder will also be available in December for \$1,495, which includes a Web-building package and IP Access, a server-based dynamic IP addressing module.

©AIC: (800) 425-1112; Novell: (800) 638-9273.

Component software

Novell hands IBM the job of porting OpenDoc to Windows

By John Cox

Somers, N.Y.

IBM last week said it is taking on the work of porting the OpenDoc component technology to Microsoft Windows.

The decision dispels some of the uncertainty that has clouded the OpenDoc project for the last few months as the original developer, Novell, Inc., reviewed whether OpenDoc fit with its new corporate strategy. But IBM faces an uphill battle to win a space for OpenDoc on Windows 95 and Windows NT desktops

and in third-party applications.

The decision also means a delay in bringing OpenDoc to Windows. Novell had already released several well-received beta versions of the OpenDoc software developers' kit (SDK) and planned the commercial release around year-end. Release 2, which was due later in 1996, would let OpenDoc parts interact over the net. Now IBM plans to release a beta version of the OpenDoc SDK by June 1996 and the final product by September.

OpenDoc comprises an API,

libraries and utilities based on IBM's System Object Model (SOM). With OpenDoc, software developers can create components, called parts, that can be shared and reassembled into larger applications. OpenDoc was created by Component Integration Laboratories, Inc., which is jointly funded by Apple Computer, Inc., IBM and Novell through the latter's acquisition of WordPerfect Corp. The sponsors have been porting OpenDoc to their respective operating systems.

IBM has been contacting beta users of the Windows OpenDoc SDK, talking with third-party application developers, and is planning to accelerate its OpenDoc evangelization work, technical conferences and training.

IBM has submitted OpenDoc

- A white paper describing the philosophy behind OpenDoc
- One Apple engineer's impassioned plea to support OpenDoc as a way to stop Microsoft
- A look at software for OpenDoc/OLE interoperability

To access: Point your Web browser at <http://www.nwfusion.com>. Select News+ then Client/Server Applications.



to the Object Management Group for acceptance as an industry standard, based on OMG's Common Object Request Broker Architecture (CORBA).

"IBM [now] can take the high road and tell customers, 'Regardless of what object model you choose, you can use OpenDoc to build components for OLE or CORBA environments,'" said Don DePalma, director of software strategy services at Forrester Research, Inc. in Cambridge, Mass.

Novell is shedding the unit to focus on its core networking business. In an E-mail message to reporters, Novell Senior Vice President for Corporate Marketing Christine Hughes called the PerfectOffice sale "the last in a series of actions to implement our strategy to refocus our business on networking."

Novell will hold on to GroupWise and the applications that integrate with it: the SoftSolutions document management application, the Envoy document viewer and the InForms electronic forms package. ■

Although OpenDoc is still in beta, it is demonstrating capabilities not found in OLE. Developers today can build OpenDoc parts, which are compatible with the SOM object model; run these on separate AIX, OS/2 and Windows 3.1 computers; and have the parts interact as if they were on one machine.

Microsoft has yet to release even a spec for Network OLE, which is intended to let OLE objects run over a net. The firm is expected to announce the spec soon, but implementations are one to three years away. ■

Novell slaps For Sale sign on application suite

By Kevin Fogarty

Provo, Utah

The status of a Novell, Inc.'s application suite that was to have been tightly integrated with NetWare was thrown into question last week as the NOS vendor announced that it is bailing out of the suites market.

No one knows who will pick up the desktop office suite Novell slapped a For Sale sign on last week, and, as a result, no one knows if future versions will have any network hooks at all.

Also uncertain is the fate of the integration code called PerfectFit. While Novell could theoretically use it to link NetWare with Microsoft Corp.'s Office and Lotus Development Corp.'s SmartSuite, the firm has not yet made any decisions, said Jeffrey Waxman, executive vice president and general manager of the Novell Applications Group.

Novell will keep the right to use PerfectFit to link Novell products such as the GroupWise electronic mail package more tightly to NetWare, but those plans are also incomplete, he said.

"Within Novell, we obviously want to use it to integrate our own products," Waxman said. "We would probably maintain a relationship with the buyer, but we want to be out of the applications business entirely."

Talks are on

Novell officials said the company is negotiating with two unnamed parties to sell its Business Applications Group, which includes the PerfectOffice suite of WordPerfect, InfoCentral, Presentations and Quattro Pro.

Novell is not only selling off the shipping versions of the products, which include some

Customer service in the palm of your hand.

Name

Company

Address

Phone Number

Send in this card for a free video about how COMPANION
Wireless Communication System strengthens your customer service.

NORTEL
A World of Networks

© 1995 Northern Telecom. Nortel and COMPANION are trademarks of Northern Telecom.

162C



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 234 RICHARDSON, TX

POSTAGE WILL BE PAID BY ADDRESSEE

NORTEL

SALES AND MARKETING INFORMATION CENTER
DEPT. 4364-M/S C0702
P.O. Box 833858
RICHARDSON, TX 75083-9861



If your people aren't at their desks, where does that leave your customers?

■ With a COMPANION Wireless Communication System, your people can communicate immediately with customers and colleagues from anywhere in the workplace. ■ Working with your current phone system, it gives you all the features, call control and voice quality of your desk phones, from boardroom

Right where you want them.

to stock room. ■ COMPANION portable phones provide instant accessibility, a new standard of service and a competitive advantage -- right in the palm of your hand. ■ For more information on enterprise mobility and a free COMPANION video, reach Northern Telecom at 1-800-4NORTEL (dept 162C) or on the Internet at <http://www.nortel.com>. ■



NORTEL

A World of Networks

*Enterprise Networks • Wireless Networks • Broadband Networks
Switching Networks • Network Applications*

Tool cleans up data warehousing apps

By Barb Cole

Menlo Park, Calif.

A start-up company here is developing software aimed at making large data warehousing applications run more efficiently across corporate nets.

Sagent Technology, Inc. is readying a decision-support tool that does the bulk of its query processing on a server, minimizing the amount of data passed back to client computers for processing.

Decision-support tools are typically client-based applications used to tap into central storehouses of information known as data warehouses. While these tools are helpful for retrieving data, usually in a work-group setting, heavy use of them across the enterprise can bog down network performance.

As a result, a new crop of decision-support tools similar to those developed by Sagent are emerging that support enterprise-class data warehousing applications. These tools are often based on a three-tier architecture in which data is only pre-

sented on the desktop, while query processing is done on an application server and the database is stored on a separate machine.

"These tools are pliant enough that administrators may avoid stupidly passing too much data over the network," said Bob Moran, an analyst at Aberdeen Group, Inc., a market research firm in Boston.


The as-yet-unnamed Sagent offering will have native connections to popular databases, so users will be able to perform

high-end analysis on relational data without moving it into a separate database, according to Perry Mizota, vice president of marketing at Sagent.

Initially, databases from Informix Software, Inc., Oracle Corp. and Sybase, Inc. will be supported.

Users will also be able to access numerous other data stores through the Open Database Connectivity protocol. The software will run on Windows clients and Windows NT servers, Mizota said.

Start-up gets a running start



Sneak peek

Notes 4.0 dashes to the finish line with new Navigator features in tow

By Doug Barney

If building Notes Release 4.0 has been like running the Boston Marathon, Lotus Development Corp. just reached Heartbreak Hill, some 20 miles into the race.

The company has shipped Test Build 2 (TB2) and started up what it hopes will be the last

major climb before the production issue of the product is released later this year.

Proud of their progress, Lotus officials stopped by *Network World* last week to demo the product and dropped off a copy of the latest beta release. (Look for a review in an upcoming issue.)


TB2 includes a number of features never before seen, the most dramatic of which is the InterNotes Navigator.

Notes' client access to the World-Wide Web has several requirements: the InterNotes Navigator browser on the client; settings to convert URL to Notes doclinks; and reconfiguring the name and address book to include the InterNotes server, a Notes Companion product that ties the groupware product to the Web.

The overall system also requires a WEB.EXE file on the server that allows it to talk to the 'Net and convert HyperText Markup Language documents into Notes format.

The browser should feel familiar to anyone used to Netscape Communications Corp.'s Web tools or other popular browsing products. When users view a Web page, the context-sensitive Notes action items automatically change to options such as Home, Open, History, Reload, Recommend, Forward and Bookmark.

While its features are impressive, the browser is little more than a Notes database with a bitmap interface tailored to



Users can play Siskel and Ebert by ranking Web sites.

Sagent's tool will compete with Information Advantage, Inc.'s DecisionSuite and Prodea Software Corp.'s Prodea Beacon, both of which support three-tier warehousing applications.

Because Sagent's offering is designed to keep users from having to write their own queries and reports, it will also face off

against tools such as Business Objects, Inc.'s Business Objects and Cognos, Inc.'s Impromptu. Mizota said the Sagent offering will support SQL, but it would extend the limitations of the standard database language with functions, such as rankings, that are not currently supported in SQL. ■

New publishing containers face great technical divide


EPR opens up DigiBox while IBM stuffs Cryptolopes.

By Ellen Messmer

Giant IBM and tiny Electronic Publishing Resources, Inc. (EPR) last week each unveiled at Internet World encryption containers for selling copyrighted information over the Internet, both hoping to fuel a new era in electronic commerce.

Each technology allows vendors to sell copyrighted information to one buyer, who can pass it along in encrypted form to a friend or colleague who may also choose to buy it (NW, Oct. 16, page 1).

EPR's DigiBox secure container, however, is quite different from IBM's product, called Cryptolope. This raises the question of whether the Internet will soon be littered with different cryptographic envelopes, requiring multiple clients.



IBM's Patrick pushes the Cryptolope.

This interoperability issue last week prompted the Information Industry Association to form an Electronic Rights Management Group to push for voluntary open standards.

IBM early next year will set up a utility on its InfoMarket on-line World-Wide Web service for stuffing Cryptolopes with copyrighted information. These content-packed Cryptolopes can only be decrypted after a registered InfoMarket user has agreed to pay the charges associated with obtaining it, said John Patrick, IBM's vice president of Internet applications.

Analyst Robert Weber, principal at Boston-based Northeast Consulting Resources, Inc., said IBM's Cryptolope and EPR's DigiBox, both secure containers, function differently.

"IBM is using a wide-area search engine to locate content on its service, and the Cryptolope is designed to phone home to the IBM clearinghouse for payment processing once the InfoMarket subscriber agrees to the terms," said Weber.

EPR's DigiBox, a secure container with administrative controls, has more flexible options for arranging payment, irrespective of transport.

Novell, Inc.'s Internet Commerce Division last week voiced support for EPR technology. ■

**WE COULDN'T
DECIDE
WHETHER
TO TELL YOU
ABOUT THE
STACKABLE THAT
OUTFUNCTIONS
THE COMPETITION,
OR THE ONE THAT
UNDERPRICES
THEM.**

Decisions, decisions. Do we rave that the Digital MultiStack System has the most robust functionality in the industry? That it delivers local, remote and Internet access—not to mention wireless—so it's ideal for even the most widespread enterprises? Or should we talk dollars and cents: a starting price less than \$50 per port, well below HP, 3COM and Bay Networks? Should we talk about Digital MultiStack's exceptional scalability? (It lets you add routers, switches, access servers, traffic analyzers, bridges and hubs as needed. Up to 16 hot-swappable hubs and 232 ports. So your network stays up and running, yet grows as your company does.) Or would you rather hear that our 10BaseT repeaters come with a lifetime warranty? Should we remind you that only Digital gear can be stacked or racked or chassis mounted or distributed between floors? And then managed effortlessly as a single domain with HUBwatch,™ Digital's low-cost management application? And what about an easy migration path to virtual networking? Only Digital MultiStack has one, thanks to enVISON:


LUCKILY, IT'S THE SAME ONE.

Digital's blueprint for the future of networks. Gee. With so many compelling reasons to pick a Digital MultiStack

digital™ System, it seems there's

only one choice after all. For

more information contact your



authorized Digital reseller or call us at 1-800-457-8211. Or e-mail to tbg@seetra.enet.dec.com.

©1995 Digital Equipment Corporation. Digital, the DIGITAL logo, HUBwatch, Roamabout, Routeabout, DECpacketprobe, DECrepeater, DECswitch and PESwitch are trademarks of Digital Equipment Corporation. All other products are trademarks or registered trademarks of their respective companies.



Microsoft embraces the mainframe

By John Cox

Redmond, Wash.

The company that brought us Flight Simulator and Windows General Protection Faults is getting into the business of selling mainframe software.

Microsoft Corp. has acquired Netwise, Inc., a tiny Boulder, Colo., middleware vendor that specializes in products that connect DOS and Unix applications with mainframe CICS and IMS TM applications. The immediate benefit for Microsoft customers is the ability to forge two-way links between NT-based BackOffice applications, such as SQL Server and SNA Server, and mainframe transaction applications.

"This is a significant move," said Robert Marsh, a consultant in Atlanta who specializes in integrating BackOffice with SNA and Application System/400 networks. "They have been producing excellent products [such as SNA Server] around the edges of large enterprise networks. Now with the TransAccess family, Microsoft is right there in the mainframe itself..."

Microsoft's practice of leaving interoperability with mainframe applications up to third-party partners has met with strong resistance from enterprise customers, according to Bobby Cameron, director of software strategy research at Forrester Research, Inc. in Cambridge, Mass.

"Buying Netwise means [Microsoft is] under pressure," he said. "Customers want to access data and run transactions on legacy systems without changing those systems. And they want to go through CICS and IMS to maintain things like security and referential integrity."



Microsoft's Voth foresees tools generating OLE objects instead of SQL Server stored procedures.

Not quite there yet

But nirvana is a long way off, analysts cautioned.

"The goal is to call mainframe applications as if they were just another OLE object," said Betsy Burton, research director of strategic data management at Gartner Group, Inc. in Stamford, Conn. "But there's a lot of work that needs to be done before that can happen. This won't become a reality in terms of Network OLE, [which will let OLE objects interact over a network], until 1998."

The Netwise products support a two-way connection, so the mainframe applications can act both as servers and clients to NT-based applications. A key feature of these products is they connect to the CICS or IMS transaction systems, which control mainframe COBOL applications. These applications, in turn, access the mainframe databases.

"In the mainframe, the application code is a major part of the

databases as the preferred method for discussion, it will offer an easier way, too. With Release 4.0, users will be able to set up and manage threaded discussions employing only E-mail.

Because so many documents are created by a group, Lotus has built the Document Library Template. This creates a review cycle for documents prior to public posting.

TB2 is in the hands of some 10,000 testers, and with all of them pounding on it, Lotus hopes to give Notes customers a bug-free Christmas present. ■

While Lotus pushes Notes

security picture," said John Mann, director of client/server computing at The Yankee Group, a Boston-based technology research company. By using a transaction interface to data, TransAccess also lets application developers change back-end databases and servers without

affecting end users.

"Transactions are a much cleaner way to access mainframe data [than direct SQL access]," Mann said.

Today, the TransAccess Application/Integrator can generate compiled Dynamic Link Libraries that can be called by Microsoft Visual Basic applications to execute mainframe processing. The Application/Integrator

Microsoft gets wise on middleware

Here's what the acquisition of Netwise brings to the table:

- ▶ **TransAccess Application/Integrator:** Tools for linking LAN-based Windows and Unix applications - via CICS or IMS TM - to COBOL-based mainframe programs.
- ▶ **TransAccess Application/Integrator Workbench:** Software that lets the Microsoft SQL Server database execute mainframe-based stored procedures and gives mainframe transaction programs access to SQL Server data.
- ▶ **TransAccess DB2/Integrator:** PC and mainframe code that automatically translates Open Database Connectivity (ODBC) calls from desktop query tools into DB2 SQL calls.
- ▶ **TransAccess Legacy/Integrator:** Software that links ODBC calls to assorted mainframe databases, such as Adabas, CA-IDMS and VSAM.

Workbench lets Microsoft SQL Server activate mainframe stored procedures. Conversely, mainframe programs can access data on the Microsoft database. And the Netwise products currently can use SNA Server as a gateway to mainframes.

Microsoft has acquired all the technology assets of Netwise and will retain nearly all of its 49 employees, including about 25 engineering, sales, marketing and support staff. The staff and products will constitute, under Microsoft's Developer Division, a new product unit at the company's Redmond headquarters. Voth said Microsoft will support the existing installed base.

The acquisition, completed just over a week ago, was structured as an asset acquisition. Voth would not disclose Netwise's sales. Gartner Group's Burton estimated them to be about \$7 million in the most recent fiscal year.

©Microsoft: (800) 426-9400.

StrataCom adds FRAD to the switch mix

By Tim Greene

San Jose, Calif.

By the end of next year, StrataCom, Inc. will upgrade the software for its IGX, IPX and BPX switches to enable users to support LAN, voice and legacy traffic without using separate frame relay access devices (FRAD).

The company has already taken the first step in that direction by shipping switch software that enables frame relay port cards to terminate frame relay links supporting LAN traffic.

Enhancements that will make it possible to support voice and legacy traffic are scheduled for next year, according to Byron Henderson, StrataCom's director of access products.

In a traditional StrataCom configuration, LAN traffic bound for a router at a switching site would have to pass through a FRAD to the switch, then pass through a second FRAD out to the router (see graphic).

With the new capability, that same traffic is converted from cells back to frames in the switch and fed to a router connected directly to a frame relay port.


With frame relay interworking, the switch can port LAN traffic directly to a router at the central site. So the second FRAD becomes unnecessary, making for a more streamlined network architecture, Henderson said.

"You don't need access devices at each end," said Jennifer Pigg, an analyst with The Yankee Group in Boston.

Philip Whitehouse, communications engineer for Central Maine Power Co., whose network includes 14 IPXs, said his company is installing the newly enabled FRAD cards next month.

"It will allow us to port the remote [FRAD] directly into the IPX for data. You still have to

Hold that FRAD



StrataCom is adding interworking software to its frame relay switches, allowing them to terminate voice, LAN and legacy traffic. Currently, a FRAD is needed alongside the switch to perform that task.

GRAPHIC BY TERRI MITCHELL

have another [FRAD] to do voice," Whitehouse said.

StrataCom said that with the upgrades it plans for next year, both voice and legacy data traffic, such as SNA and X.25, will also be terminated on the switch without any need for the second FRADs.

Central Maine is also revising its network architecture by installing separate hardware — StrataCom FastPad FRADs — at remote sites to consolidate voice and data traffic over frame relay lines to switching sites, allowing the company to get rid of separate data and voice lines. "I'm about 600 bucks per month to the good by doing this," White-

house said.

Next year, when StrataCom makes similar offerings for voice and legacy data, users will be able to reap more benefits. "You will get more efficient, consolidated management of different types of traffic onto both the access devices and the switches," Pigg said.

Because StrataCom sells its own FastPad FRADs, it can offer StrataView Plus, a single management platform for both FRADs and switches.

StrataView Plus allows what StrataCom calls autorouting, which defines the endpoints for traffic and lets the network define the actual connection depending on traffic load at the time.

Since both the FRADs and switches operate under the same software, StrataCom can also offer FrameClass traffic prioritization to sort traffic and rank it for priority: voice, delay-sensitive traffic such as SNA, and non-delay-sensitive traffic. ■

Lotus

Continued from page 10

three-pane view — folders, InBox, Preview — the system lets you choose from a variety of letterheads.

A message can look like it was tacked to a bulletin board, taped to a wall or just came from the post office.

Messages can also have mood stamps, including flames, a happy face, or messages such as "confidential," "official" and "joke."

While Lotus pushes Notes

Yes, tell me more about VIVID Yellow Ridge.

I want more information on how I can have Ethernet Switching
and migration to ATM at the same time.



1-800-DO-VIVID



NAME

TITLE

COMPANY

ADDRESS

CITY

STATE

ZIP

TELEPHONE

FAX

NW



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES


BUSINESS REPLY MAIL
FIRST CLASS MAIL PERMIT NO. 8110 HERNDON, VA

POSTAGE WILL BE PAID BY ADDRESSEE

Newbridge Networks Inc.
Attn: VIVID
593 Herndon Parkway
Herndon, VA 22070-5241

**BUY THIS
ETHERNET
SWITCH,**

**AND GET THIS
ATM-READY SWITCH
ABSOLUTELY FREE.**



The VIVID® Yellow Ridge™ is a high-performance Ethernet Switch. Plus, it has a built-in ATM port so you can connect to an ATM switch at 155Mbps to perform LAN emulation today. No added software or hardware is needed. Don't settle for a dead-end solution. Insist on the Ethernet Switch with the free ATM advantage. From Newbridge®, the international leader in ATM. Call 1-800-DO-VIVID (1-800-368-4843) to learn more. On VIVID web site <http://www.vivid.newbridge.com> Internet: Ether_Switch@Newbridge.com



NEWBRIDGE

North and South America, 1 800 343-3600 or 1 703 834-3600 | Europe, Middle East and Africa, 44 (0) 1633 413602 | Asia Pacific, 1 613 591-3600

Athens • Atlanta • Auckland • Bahrain • Beijing • Boston • Brussels • Buenos Aires • Caracas • Chicago • Dallas • Denver • Geneva • Hong Kong
Johannesburg • London • Los Angeles • Mexico City • Miami • Minsk • Montreal • Moscow • New Delhi • New York • Paris • Rio de Janeiro • Rome
St. Petersburg • San Francisco • Santiago • Seattle • Shanghai • Singapore • Sydney • Tokyo • Toronto • Vancouver • Washington

Processing the impact of the Pentium Pro

By Ben Heskett

Santa Clara, Calif.

Intel Corp.'s introduction of a high-octane processor last week has sent ripples throughout the network industry. The processor will serve as an engine for higher performance servers that can handle more sophisticated applications.

The unveiling of the Pentium Pro (p6), the delivery of powerful new database and operating system software, and the emergence of clustering technology, make it clear that the tools of the server game are changing.

"A quad-processor Pentium Pro is basically a mainframe," said Lew Paceley, Intel's marketing director for the p6.

The Pentium Pro — available in single- and multiple-processor configurations — is expected to be the foundation for a variety of servers that may be powerful enough to challenge minicomputers, Reduced Instruction Set Computing (RISC)-based machines and other high-end systems (see story, this page). Pentium Pro-based machines may also help companies unlock the power of advanced software.

"We've been trying to stuff 20

pounds of software into a 5-pound bag. The p6 will let the virtues of Solaris shine through," said Steve MacKay, vice president and general manager of Solaris products at SunSoft, Inc.

the chip, rather than external to it, makes the Pentium Pro ideal for running the new wave of 32-bit applications on the market.

Analysts say p6-based servers may not become pervasive until

Wonder where all those defective Pentium chips went? Intel is embedding them in gold-plated, snowflake-shaped, genuine Intel Inside Christmas ornaments. For only \$7.95, you can buy them on-line at <http://www.intel.com/intel/intelis/shop/ornament.html>.

The power of the new processor may also make it possible for companies to consolidate servers to simplify LAN management.

"Because of the greater performance, you might be able to do some consolidation. So even with processor-heavy applications, you're not going to have to have to run multiple servers," said Michael Simpson, a product-line manager at Novell, Inc.

Intel inside

The least powerful Pentium Pro offers 16 times the power of Intel's previous processor incarnation, the Pentium, and other models are even faster. And the existence of Level 2 cache within

late 1996 or early 1997. With the advent of the Pentium Pro, however, a drop in the price of Pentium processors — and subsequently, Pentium servers — is expected.

Once Pentium Pro servers are available, software vendors expect the machines to be a performance boon.

"With the Pentium Pro, customers can build low-cost, fault-resilient applications that scale throughout the organization. And they can do this using PC servers," said Richard French, vice president of the Intel Unix products division at Oracle Corp.

Oracle next week will demo a

Inc. has recently turned acrimonious, he said, regulators might question AT&T and an RBOC — which are still barred from certain business deals together under the original AT&T breakup — from dealing with the same partner.

Planning a break-in

AT&T is also planning to turn to wireless local-loop technologies to quickly and inexpensively break into the access market.

"Because of the strength of the local monopolies, [new local players] need a strategy to spend as little capital as possible" in order to compete, said Richard Bodman, AT&T senior vice president for corporate strategy and development, in an interview with *Network World* last week.

The AT&T local strategy will include wireless, services resale and facilities construction; the company intends to soon begin a state-by-state evaluation of local markets, Bodman said. Which tack to take in each market will "fold out differently in every state" depending on the competitive climate there, he said.

Senior Editor Joanie Wexler contributed to this article.

in Delran, N.J.

Oracle rival Sybase, Inc. also plans a version of its database, SQL Server, for the Pentium Pro but declined to say when it would be available. As for the database's performance, Sybase officials said it's too soon to tell how it would run on the new chip.

"SQL Server is closely optimized to the processor, and we'll be working with Intel to exploit every ounce of the power in the Pentium Pro," said Bruce Armstrong, vice president of database server products at Sybase.

On the operating system side, vendors licked their chops at the possibilities.

The next generation of Windows NT, code-named Cairo, will rely on clustering and multiprocessing, Microsoft officials said, two things users will come to associate with the Pentium Pro.

Senior Editors Barb Cole, Kevin Fogarty and Peggy Watt contributed to this story.

Servers fuel up with Pentium Pro

A avalanche of new server products accompanied the launch of Intel Corp.'s powerful Pentium Pro chip this week.

Vendors said they are trying to leverage the benefits of improved performance and speed of the Pentium Pro, but they acknowledged the possibility that a network may need a complete overhaul because of the new power.

"We're trying to find a balance point between completely revamping the technology set so that the customers don't feel like it's a lot of new stuff that they've got to completely reevaluate, retest and recertify, and yet bring the new technology to the table," said Chris Norman, AST Computer, Inc.'s director of marketing for server products.

Some are finding the move to Pentium Pro to be complicated. Compaq Computer Corp. has delayed the launch of its Pentium Pro-equipped PCs from later this year until the first quarter of 1996 due to problems when the new processor was tested with a variety of network cards.

Most vendors are shooting for the first quarter of 1996 for shipping the new servers.

Announcements include:

■ Unisys Corp. will introduce five new products in the first quarter of 1996.

The SFR Pentium Pro rackmount superserver model, SFE fault-resilient model, SME quad-processor model, SVD Pentium Pro entry-level dual-processor model, and CMT expandable mini-tower feature RAID compliance, environmental monitoring and management software that supports a variety of operating systems. Prices range from \$2,600 to \$19,000.

■ AST Computer joined the fray with the announcement of its Manhattan servers, also available in the first quarter of 1996.

Quad-processor Manhattan models are expected to ship in the second quarter.

■ Tricord Systems, Inc. is developing a new line of its PowerFrame enterprise servers based on the Pentium Pro processor. The servers are due out in 1996.

■ In a related announcement, Sequent Computer Systems, Inc. developed a high-powered linking technology that will let users hook up more than 250 processors at once. Sequent in late 1996 will unveil its NUMA-Q architecture, which is targeted toward the high end of the market and features the high-speed interlink.

Others that will join the Pentium Pro-powered server fray include: Data General Corp., Digital Equipment Corp., Hewlett-Packard Co., IBM and NetFRAME Systems, Inc.

AT&T, Time Warner eye joint attack on local service mart

By David Rohde

Bedminster, N.J.

AT&T officials last week confirmed they have held discussions with the Time Warner Cable division of Time Warner, Inc. about a joint attack on the local telephone market.

The discussions come amid published reports that AT&T is also discussing deals with Continental Cablevision, Inc. and Cablevision Systems Corp. Helping fuel this activity is AT&T Chairman Robert Allen's recent disclosure that the carrier is considering facilities-based entry into the local market (*NW*, Oct. 30, page 1).

A hookup with a troika of cable companies would echo Sprint Corp.'s strategy of partnering with three cable firms. In another similarity, both AT&T and Sprint have spent huge sums obtaining broadband wireless licenses from the federal government. These licenses could further help the firms break into the local loop.

"We're in discussions with a

number of companies regarding local services and access," said spokesman Dave Johnson at AT&T's Network Operations Center here. "Time Warner is one of these companies."

Industry sources believe AT&T will probably not have to structure any cable deal as tightly as the Sprint Telecommunications Venture, which is a formal joint venture with separate management.

"AT&T is going to pursue a wide range of local options because it wants to get into the local loop as quickly as it can," said Daniel Briere, president of TeleChoice, Inc., a consulting firm in Verona, N.J. "And for the cable companies, the AT&T brand is very attractive."

The talks between AT&T and Time Warner are "exploratory in nature," cautioned a cable industry source.

A Sprint spokesman pointed to potential legal hurdles if AT&T attempts to emulate Sprint's moves. While Time Warner's partnership with USWEST,

Think Big. Start Small.



Introducing BayStack.

Because you don't have to be big to need big network technology.



BayStack. Big. Small. No matter what size your network, it has a lot riding on it. So to be certain it can handle the load, build it with BayStack.

BayStack has it all: routing, switching, 10Base-T hubs, 100Base-T hubs and network management—all in one stackable system, all based on open standards. You can put together exactly what you need, using the same technology we build into the world's largest networks.

Plus, you get big-network reliability, with redundant links, Dial Back-up and redundant power. And with Optivity®, you can manage all the components as a single unit—even remote sites. Even with optional RMON.

And get this: it costs less than you'd expect. So call 1-800-8-BAYNET EXT. 38 for a free BayStack video and brochure. Because when you start with BayStack, your network has the potential to really take off.



10Base-T Hub. Up to 10 segments and 260 ports in each managed stack.



100Base-T Hub. Greater bandwidth to servers and high-power workstations.



Ethernet Workgroup Switch. Increased throughput for existing 10Base-T LANs.




Access Node Router. Full protocol support and high availability for remote offices.



TCP/IP Applications For Windows.

Network Your Desktop To The World With Chameleon.



BEST VALUE.

Chameleon is a TCP/IP Windows desktop that offers more applications than any other product. It provides you with a comprehensive Windows solution for TCP/IP networking.

SIX INTEGRATED SOLUTION SUITES.

Chameleon desktop applications are integrated for powerful cross-functional capabilities. Drag-and-drop any information on the network between applications at the click of a button.

SEAMLESS ACCESS TO CORPORATE INFORMATION RESOURCES.

Chameleon includes more applications that allow you to access information on Unix,

mainframes, minicomputers, PC-based LANs and WANs, and the Internet.

OFFICE, HOME, AND REMOTE NETWORK ACCESS.

Connect to your network and the Internet via LAN or dialup access with one easy-to-use software package. Send and retrieve email, download files, print documents, login to remote hosts, and run client/server applications. Connect your PC to the world with Chameleon.

NetManage Chameleon includes WinSock TCP/IP and is 100% DLL/VXD. Chameleon requires only 6KB memory and configures in just 5 minutes.



New Version!
4.5

OVER 40 FULLY INTEGRATED APPLICATIONS INCLUDED:

- Host Access
 - Telnet: VT100, VT220, VT320, TVI, Wyse, TN3270, TN5250, Visual Script Editor & Player, X Windows*
- File & Printer Sharing
 - NFS Client & Server*
 - FTP Client & Server
 - LPR/LPD
- Electronic Mail & Messaging
 - SMTP Mail with MIME
 - IBM PROFS
 - Phone Tag, Tag It
 - Calendar/Scheduler
- Internet Access
 - WWW Client & Server
 - Gopher
 - Newsreader
 - Archie
 - Whois
- Group Collaboration
 - ECCO Personal & Group Information Management*
 - InPerson Network Whiteboard
- Desktop Management
 - Ping, Finger, Name Resolver
 - DNS Client & Server
 - R-commands
 - PC Net Time
- TCP/IP Communications
 - Winsock
 - 100% DLL TCP/IP Stack
 - LAN: Ethernet, Token Ring
 - Dialup: SLIP, CSLIP, PPP & ISDN
 - And More...

*Optional

UPGRADE TO 4.5 FOR ONLY \$95!

NETMANAGE™

Network Your Desktop To The World

(408) 973-7171

e-mail: sales@netmanage.com

World Wide Web: www.netmanage.com





NetWare® 4

AFP
Symmetric
Multiprocessing
Comes of Age



Why is AcerAltos the best open server on the market?



Server Comparison

	AcerAltos 7000/p Model 1100	AST Manhattan P5100
CPU Type:	100MHz Intel® Pentium®, dual-CPU capable	100MHz Intel Pentium, dual-CPU capable
Standard/Maximum RAM:	32MB/256MB	32MB/256MB
I/O Bus Type:	PCI, EISA	PCI, EISA
CD-ROM Drive	Quad-Speed CD-ROM Standard	Double-Speed CD-ROM
Hot-Pluggable Bays:	8 Standard	6 Standard
Total Drive Bays:	12 Standard	9 Standard
Power Supply:	350 Watt	300 Watt
Cost:	Over \$1,200 less*	

You can sell more server for the money...



with more power and expandability...

to keep your customers coming back for more.

The value of a great line of computers.

AcerAltos™ gives you a lot to sell. An open-systems platform for applications tested and certified for all the leading operating systems, including Novell® NetWare® and NetWare 4.1 SMP. Powerful Acer® Server Manager software that makes your server and your job more manageable than ever before. Backed by a three-year on-site warranty.** All from a company that makes the servers many other computer companies sell. For price/performance and customer appeal, AcerAltos is a clear winner.

* Estimated distributor selling price provided by IDC.
**Some restrictions and exclusions apply.

Specifications subject to change without notice. Acer and the Acer logo are registered trademarks and AcerAltos is a trademark of Acer America Corporation and Acer Inc. The Intel Inside logo and Pentium are registered trademarks of Intel Corporation. All other brands and product names are trademarks or registered trademarks of their respective companies. ©1995 Acer America Corporation. All rights reserved.

Acer 

Call 1-800-240-ACER
for a distributor near you.

NETWARE 4.1 SMP

CONTENTS

Network Multiprocessing Comes of Age 4

Multiprocessing Meets the Growing Need for Information

NetWare 4.1 SMP—A Look Under the Hood 11

Novell's New Product Delivers Increased Performance

Is NetWare 4.1 SMP Right for Your Company? 16

Evaluating Your Applications Can Help You Decide

NetWare 4.1 SMP—Available from Novell's Partners 21

The OEM Approach

Images: Magiera / fuel



4 NETWARE 4.1 SMP

Network

Multiprocessing

As information systems managers or network administrators, you're trying to keep pace with your users' growing need for information where, when and how they need it. Many of you are stretching the capabilities of your information infrastructure by implementing resource-intense database, document management and multimedia applications to

give your users access to information in more user-friendly formats, such as voice and video. In addition, as your company grows you are probably adding more and more users to existing servers. Adding these services places more

Multiprocessing

Meets the Growing

Need for

Information

demands on your network servers. Servers that previously supported only file and print services with a manageable number of users, now offer a wide variety of services and productivity applications.

Typically, the solution is to add more servers to the network. But with today's tight budgets, that's often difficult. What's needed is a solution that gives you the

availability of software solutions that enable you to take advantage of the faster hardware. This has also been the situation in the multiprocessing market. Hardware vendors have been offering leading-edge multiprocessing computers for some time, which have met limited success until recently. This has been due in a large part to the lack of software—including operating systems and applications—that exploit the multiprocessing architecture.

Hardware solutions have often outpaced the availability of software solutions.

necessary processing power to meet your users' growing demands today and tomorrow. Fortunately, that solution is now available. It's called symmetric multiprocessing (SMP).

Symmetric Multiprocessing —A Brief History

Since the early days of the PC industry, hardware vendors have worked at a dizzying pace to provide you with more powerful, less expensive computer hardware. This trend has helped many of you implement your company's enterprise-wide networks and has also played a key role in ushering in the information age.

There has, however, been a drawback to this rapid pace of hardware development. Hardware solutions have often outpaced

Cooperation Breeds Solutions to Meet Customer Demand

Today things have changed—hardware, application and operating system vendors are all working together to provide you with comprehensive multiprocessing solutions. The industry is moving toward a common multiprocessing standard. In addition, several vendors are continuing to offer their own multiprocessing architectures, giving you a variety of options. And application and operating system vendors are developing software products that use these hardware features to provide you with solutions that leverage the processing power and scalability of multiprocessing computers.

This cooperation and the resulting proliferation of multiprocessing solutions is great news for those of you seeing increased demands being placed on your information infrastructure or simply wanting the comfort that your network can grow as your business grows. By incorporating these new multiprocessing hardware and software solutions into your network computing environment, you can benefit from the improved scalability and performance of multiprocessing.

DELL POWEREDGE
Servers Optimized for
Reliable Network
Performance



DELL® POWEREDGE™ SP-2
DUAL PROCESSOR
CAPABLE SYSTEM
133MHz PENTIUM® PROCESSOR
• 16MB Parity Memory
• 512KB Cache
• 2x2GB SCSI HDD
• Adaptec 2940 SCSI Controller
• 15LS Monitor (15" CRT, .28mm)

- 3Com PCI EtherLink 10/100MB NIC
- 6X SCSI CD-ROM
- SafeSite™ Server Management Software
- Dell BusinessCare™ Service

\$7758* Order Code #300818

**CALL FOR A CONFIGURATION
CUSTOMIZED TO YOUR NEEDS.**

*Non-discountable promotional price good only until 1/15/96.

RARELY WILL YOU SEE ACCOUNTING AND MIS IN SUCH TOTAL AGREEMENT.

In the world of servers, economy and reliability needn't be mutually exclusive.

That's because we've engineered a number of innovative fail-safe devices into our PowerEdge™ servers to help stop problems before they start.

Our Dell® SafeSite™ server management software monitors the primary elements of the server and can alert you — even page you — as to the nature and urgency of the problem. Parity memory helps detect data errors before they become problems.

Each server is Novell® certified, and rigorously tested. And our PowerEdge SP-2 servers are backed by our BusinessCare™ program that includes a three-year warranty¹ with an option for four-hour mission-critical on-site response!² So call Dell for reliable servers. Or have the guys in accounting do it for you.

For a complete copy of our Limited Warranties, please write Dell USA LP., 2214 W. Braker Lane, Building 3, Austin, TX 78758. ¹This on-site parts and labor service is provided by Digital Equipment Corporation, and is available with Dell PowerEdge SP and XE systems only and is available in 29 metropolitan areas. For additional information, call Dell's TechFax™ line at 1-800-950-1329 or write Dell USA LP., 2214 W. Braker Lane, Suite D, Austin, TX 78758-4053. Prices and specifications valid in the U.S. only and subject to change without notice. Novell is a registered trademark of Novell, Inc. The Intel Inside logo and Pentium are registered trademarks of Intel Corporation. ©1995 Dell Computer Corporation. All rights reserved.

DELL®

TO ORDER, CALL

800-666-9911

<http://www.us.dell.com/>

Keycode #54001

Novell Leads the Symmetric Multiprocessing Charge

With a 66 percent share of the network operating system market, Novell® plays a critical role in how symmetric multiprocessing affects millions of NetWare® users worldwide. Novell prides itself on listening to its customers. And over the last two years, the company has heard from an increasing number of you about the need for multi-

among today's hardware, application and operating system vendors to provide you with effective multiprocessing solutions.

Key to the SMP multiprocessor architecture is the way it manages shared resources. In a single-processor system, tables and files in memory do not need protection against simultaneous writes by the central processing unit (CPU) since each thread is processed in sequence. In a multiprocessor environment, however, tables must be shared by various processes simultaneously at the server, so the shared data must be protected. The SMP architecture accomplishes this through the use of "locks." Locks manage memory operations so that only one processor or device can change the target location memory during the same hardware cycle.

NetWare 4.1 SMP incorporates the use of a pre-emptive kernel to provide a completely symmetric environment for SMP-aware applications, while providing backward compatibility for existing applications.

A New Era in Symmetric Multiprocessing

The industry is at an exciting point in the history of computing. Several market trends have come together at the right time to provide the solutions you need for the increased demands being placed on your information infrastructure. The proliferation of high-performance multiprocessing hardware, Novell's new add-on multiprocessing service to its NetWare 4.1 operating system and the availability of multiprocessing applications now allow you to effectively incorporate multiprocessing capabilities into your networks, addressing your company's information needs today and tomorrow. ■

To meet your multiprocessing needs, Novell now offers NetWare 4.1 SMP.

processing support in NetWare to meet growing scalability and performance requirements.

To meet your needs, Novell now offers NetWare 4.1 SMP™. This add-on service to NetWare 4.1 is designed to give you increased scalability and performance, improved server bandwidth and compatibility with existing applications—all available on industry-standard hardware. To accomplish these design requirements, Novell relied on its technical expertise and that of its partners. Novell also worked closely with its original equipment manufacturer (OEM) partners to offer NetWare 4.1 SMP in a way that optimizes product integration, service and support.

Understanding SMP

Symmetric multiprocessing is a form of multiprocessing that is becoming common

The PC servers
that require *the* least service
are backed by
the best service
in the business.
Go figure.



THE DIGITAL PRIORIS™ PC SERVERS

What three things do people want most in a PC server? Reliability. Reliability. And reliability. Which is why we created the Digital Prioris line of PC servers.

Take our HX models, for example, which have fault tolerance features

like drive arrays, ECC memory, redundant cooling systems and power supplies. And we didn't stop there. To ensure you can count on every Prioris PC server now and well into the future, individual components—and the entire system—are painstakingly tested and then tested some more. What's more, every Prioris model is certified to run Novell® NetWare® 4.1 SMP. And with NetWare 4.1 SMP, you can take full advantage of the Prioris HX's multiprocessing

capabilities. You even get a comprehensive three-year on-site warranty backed by the best service and support organization. Not that we think you'll ever need it.

Call 1-800-DIGITAL for your nearest reseller or visit our Web Site at www.pc.digital.com.

digital
PC





*You never stop running, and you've been multiprocessing for years.
Isn't it time your network caught up?*

Introducing the NetFRAME® ClusterServer™ with symmetric multiprocessing. You work hard and you do lots of stuff at once, but you're always on the job. Doesn't that sound like what every enterprise needs? We thought so. So while symmetric multiprocessing is the perfect answer for plenty of applications running on NetWare® 4.1 (such as large databases and groupware, for starters), at NetFRAME we know that continuous network availability is just as important. Which is why our ClusterServer offers you both. SMP with complete system data integrity and maximum uptime. What's more, its highly scalable architecture grows to meet your needs in the future. For more information, visit our World Wide Web site (<http://www.netframe.com>), send e-mail to peter_judson@netframe.com or call us at 1.800.SERVERS today.

NetFRAME
For the long run

NetWare 4.1 SMP—A Look

W

hen buying
a high per-
formance

Under the Hood

sports car, most people look under the hood to get a real sense of the car's capabilities. The same is true when evaluating multiprocessing products. With the promise of increased performance and scalability, it's important to have a thorough understanding of a product's capabilities. This article looks at Novell's multiprocessing solution—NetWare 4.1 SMP. It also explores the advantages of Novell's multiprocessing design approach.

What is NetWare 4.1 SMP?

NetWare 4.1 SMP is Novell's latest solution

Novell's New

Product Delivers

Increased

Performance



to address your requirements for increased processing power and scalability in the NetWare environment. The product is an add-on service to native NetWare 4.1 that gives NetWare the ability to support up to 32 processors in one SMP server.

The product consists of an SMP NetWare Loadable Module™ (NLM™) and associated files that need to be added to the server. If you are purchasing a new multiprocessing system from one of Novell's OEM partners, NetWare 4.1 SMP may already be installed.

NetWare 4.1 SMP is Novell's latest solution for increased processing power and scalability.

Under the Hood

Under the hood of NetWare 4.1 SMP, Novell uses a design approach that incorporates an SMP kernel to the operating system. This approach offers excellent scalability, dramatic improvements in performance and backwards compatibility with existing NetWare 4.1 NLMs. This approach also provides automatic load balancing for the best possible scalability and performance gains.

Novell has added SMP support to many of the NetWare 4.1 core components and modules, including CLIB, ODI, NLSP and RSA encryption. By enabling these functions to run simultaneously on several processors, client requests and server activity can run in parallel. And since these processes are offloaded from the main processor (processor 0), more overall system capacity is available to handle non-SMP-aware activities. This increased bandwidth enables you to do more

on a single server, potentially delaying the purchase of additional servers and increasing the capabilities of your computing environment.

Increased Performance

When NetWare 4.1 SMP and SMP-aware applications are added to NetWare 4.1, additional performance is achieved. By comparison, a server with one processor can only complete a finite set of work. Each process you add to the server, decreases the processing power available for other processes. NetWare modules, services and applications—using a single processor—generate many threads that must be executed serially or one thread at a time. Because these services and applications have become more resource-intense, a single processor can become overloaded executing processes one thread at a time.

However, when additional processors are added to the system, processes can be executed on several processors at the same time. Since applications are executed on several processors simultaneously, the system can accomplish more work in a shorter amount of time, increasing performance and operating much more efficiently.

Novell's preliminary benchmarks indicate that NetWare 4.1 SMP increases performance for file and print operations, and significantly enhances SMP-aware application performance. These benchmarks, currently being performed, will be available soon.

Improved Scalability

As your business grows and more demands are placed on your computing environment, it would be ideal if your network operating system could grow as well. Until now, the answer was to add single-processor servers to your network. NetWare 4.1 SMP solves this problem by allowing you to incrementally add processors to your servers as more performance is needed. This gives you the

To benefit from NetWare 4.1 SMP, you need the right equipment. To learn more, you need a pen.

Check any of the boxes below for free in-depth information about NetWare 4.1 SMP[®] and third-party servers that will help you maximize the processing power of your network.

- NetWare 4.1 SMP
- Acer
- AT&T GIS
- Compaq
- Dell Computer Corp.
- Digital Equipment Corp.
- Fujitsu ICL
- Hewlett Packard
- IBM
- NetFRAME
- Olivetti
- Tricord Systems
- Unisys Corporation
- Zenith Data Systems

How many workstations are at this location?

- 1-24
- 25-49
- 50-99
- 100-499
- Over 500

What is your role in the purchasing process?

- Approve
- Evaluate and recommend
- Decision made elsewhere

What is your purchase time frame?

- Less than 2 months
- 2-3 months
- 4-6 months
- Longer

Are you a reseller? Yes No

Do you have a preferred reseller? Yes No

Company _____

City _____ State _____

Name _____

Title _____

Company _____

Address _____

City _____ State _____ Zip _____

Phone _____ Fax _____

©1995 Novell, Inc. NetWare and Novell are registered trademarks and NetWare 4.1 SMP is a trademark of Novell, Inc. All other names are the trademarks of their respective holders.



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES


BUSINESS REPLY MAIL


FIRST-CLASS MAIL PERMIT NO. 7971 AUSTIN TX

POSTAGE WILL BE PAID BY ADDRESSEE

NOVELL, INC.
PO BOX 202558
AUSTIN TX 78720-9889







Upon reflection, there's no better way to manage the cost of running your network.




Presenting HP NetServers with the NetServer Navigator on CD-ROM. The cost-effective way to manage your network.

When you stop and think about it, the real cost of your network isn't the purchase price. It's everything you pay for afterward.

Precisely why you should consider an HP NetServer, with its industry-leading Manageability Suite. By simplifying

server installation, configuration, support and management, HP significantly reduces your cost of network ownership. Of course, our new low pricing makes an HP NetServer a lot less expensive to own in the first place. For more information, call us today at 1-800-533-1333, Ext. 9558 or visit our web site at <http://www.hp.com/go/netserver>. You'll never look at the cost of running your network the same way again.



HP NetServers
Manage everywhere, from anywhere.

**hp HEWLETT®
PACKARD**

\$2,149¹
HP NetServer LC
• 192MB Max RAM
• 12GB Max Internal Mass Storage
• 6 I/O Slots (2 PCI)
• 66MHz Intel 486 processor

\$3,579²
HP NetServer LF
• 32GB Max Internal Mass Storage
• Hot Swap Capability Standard
• 9 I/O Slots (2 PCI)
• 66MHz Intel Pentium processor

\$5,199³-NEW
HP NetServer LH
• Dual Processor Capable
• 192MB Max ECC Memory
• Hot Swap Capability Standard
• 75MHz, 100MHz and 133 MHz Intel Pentium processor

\$8,499⁴-NEW
HP NetServer LS
• Quad Processor Capable
• Dual PCI "Peer" Bus Implementation
• 768MB Max ECC Memory
• Disc Hot Swap and Duplexing Standard
• 100MHz and 133 MHz Intel Pentium processor

HP NetServer Navigator, Manageability Suite:
• Configuration Assistant
• Diagnostic Assistant
• Information Assistant

HP NetServer Assistant
Complete software tool-set to help monitor and manage servers and the network. Standard feature of HP NetServer LF, LH and LS models.

HP Remote Assistant
Complete remote management of its status. \$995 list I/O card upgrade for all HPNetServer products.



scalability you need for growth, without having to buy additional single-processor servers. In addition, because NetWare 4.1 SMP is an add-on service, it easily integrates into your new or existing NetWare 4.1 computing environment.

Backwards Compatibility

NetWare 4.1 SMP was designed so that you can continue to use your existing NetWare 4.1 NLMs and applications. Although existing applications won't experience the dramatic performance gains of SMP-aware applications, they will run on an SMP server. This is an important feature if you are a current NetWare user and plan to implement SMP into your existing environment.

While maintaining support for legacy

NetWare 4.1 NLM applications, NetWare 4.1 SMP also provides an application programming interface (API) set for developers to write SMP-aware applications. The API set enables multithreaded applications to leverage NetWare 4.1 SMP, providing optimal performance benefits and scalability.

NetWare 4.1 SMP Delivers

Just like today's high-performance sports cars, Novell's NetWare 4.1 SMP delivers on the promises of multiprocessing. The unique combination of performance, scalability, backwards compatibility and increased server bandwidth makes NetWare 4.1 SMP a good solution for meeting the growing demands that are being placed on your network computing environment. ■

NetWare is Becoming a Popular Development Platform for Growing Internet Server Market

American Internet is one of several companies developing Internet servers based on NetWare 4.1 SMP. According to Throop Wilder, president and CEO of American Internet, "NetWare is an ideal platform for our Internet products. It will give our customers the performance, scalability and ease of use they will require as Internet use continues to explode."

More Robust Solutions Needed

Today, many Internet servers are based on public domain code that doesn't meet the reliability, scalability and performance requirements of today's high-volume Internet use. In addition, single-processor servers—while powerful enough for many of today's demands—will not be enough to meet tomorrow's expected growth.

NetWare 4.1 SMP for High Performance and Scalability

Internet customers need a solution with the high performance and scalability that can meet expected growth and increased demands for information. American Internet found that NetWare 4.1 SMP is an ideal development platform. "Our products are written to take advantage of multiprocessing servers to allow our customers to scale their Internet servers as demand for information grows," stated Wilder. "In addition, most Internet transactions are file-based and NetWare is very efficient when handling files. This gives customers a boost in performance."

Internet Solutions

American Internet plans to ship two products based on NetWare 4.1 SMP. The first is a World Wide Web server NLM planned for release in November. The second is an integrated Web server suite of products, code named Destiny, that will provide mail, Web, domain name and FTP services. Destiny is scheduled to be available the first quarter of next year.

"We've heard that it's hard to develop NetWare applications," added Wilder. "We have not found that to be true. We have a great development staff that is going gangbusters developing these products on the NetWare platform."

Wilder expects the World Wide Web server to see success in Fortune 2000 companies as an internal Web server, giving employees easy access to company information. And he expects the Destiny product to become popular among the growing number of Internet providers.

"Our job is to provide solid, high-performance, scalable and easy-to-use Internet servers to our customers," added Wilder. "NetWare 4.1 SMP is helping to make that happen."



"Say over the next few years my business doubles.
What I need is a server that can easily grow right along with me."



IBM Solution # 28176-T



a.k.a. "Dual-Processing"



- Dual-processor enabled
- Netfinity™ – part of the SystemView® family
- 6 PCI/EISA slots
- 27GB storage
- 256KB of L2 cache
- 90MHz Pentium processor
- Up to 256MB memory
- Built-in CD-ROM drive
- SCSI-2 fast and wide
- Fax ID# 60085


For info, call 1 800 772-2227. Or try our web site at <http://www.pc.ibm.com>

Now you don't have to go on an equipment shopping spree the minute your business starts to grow. Not if you have the affordable IBM PC Server 320, that is. Its dual-processing capability increases your performance by simply adding a second Pentium® chip.¹ So

productivity goes up, but costs stay relatively the same. What's more, upgrading goes something like this: open, click, snap.² If only the rest of your business ran as smoothly. The IBM PC Server 320. Another reason why there is a difference.[™]

IBM
®

¹Second Pentium chip sold separately. ²Some hardware/software configurations may be necessary. ³In Canada, call IBM's HelpFax at 1 800 465-3299 (ask for document #45200). IBM and SystemView are registered trademarks and Netfinity and "There is a difference" are trademarks of International Business Machines Corporation. Pentium is a registered trademark of Intel Corp. ©1995 IBM Corporation.



Is NetWare 4.1 SMP

Right for

To help you decide if NetWare 4.1 SMP is right for your computing environment, evaluate the types of network applications that you are using now or plan to implement over the next three to five years. If you're like most companies, your users are creating and demanding access to greater amounts of information every day. And they want it in more user-friendly formats.

Greater demand for data means that you'll most likely implement or expand your use of databases, groupware, routing, management and Internet access applications. All of these applications are resource-intense, meaning

Evaluating

Your Applications

Can Help

You Decide

they place greater processing demands on your network operating system and servers.

Applications that Benefit from SMP

If your organization is running large database applications, number-crunching applications, a large number of groupware clients or other resource-intense services, your organization can benefit significantly from NetWare 4.1 SMP.

Leading the SMP-aware application charge are the database and groupware

from NetWare 4.1 SMP. Today, Novell's E-mail, scheduling and task management software—GroupWise™—is SMP-aware. The product's central component—GroupWise Post Office—takes full advantage of NetWare 4.1 SMP to increase the performance for users who rely heavily on E-mail to communicate. Two additional modules will soon be available that further improve the performance of GroupWise.

Improve Performance of Existing Applications

By adding NetWare 4.1 SMP to a NetWare 4.1 multiprocessing server, you can also realize performance gains with your existing applications. This is because Novell has added multithreading support to the core components and modules that are involved in the underlying functions of NetWare 4.1. These modules include CLIB, ODI, NLSP and RSA encryption. Since these processes are now offloaded from the main processor (processor 0), more overall system capacity is available to handle non-SMP-aware activities. This increased bandwidth enables you to do more on a single server, increasing the capabilities of your computing environment with your existing applications.

Meeting the Growing Demand for Information with NetWare 4.1 SMP

Whether you're planning to meet your company's growing demand for information by adding new SMP-aware applications to your multiprocessing servers or just want to improve the performance of your existing applications while evaluating your future needs, NetWare 4.1 SMP is right for you. The product has the support of the industry's leading application and hardware vendors to provide the solutions you need today and in the future. ■

Greater demand for data
means that you'll most
likely implement or expand
your use of resource-intense
applications.


vendors, some of which provide SMP-aware applications today. Novell also expects future applications in the areas of Internet access, advanced storage management, directory-enabled applications and systems management to be available.

Database applications from vendors like Oracle, Sybase and Btrieve Technologies, Inc. leverage NetWare 4.1 SMP to allow the system to handle a greater amount of work. This translates into being able to add more users per server or allowing users to accomplish more on the same server.


Because of their resource-intense nature, groupware applications also greatly benefit



Novell's NetWare 4.1 SMP OEM Partners



BEFORE YOU COMMIT TO
ONE MORE PC-BASED SERVER,
TAKE THE TIME TO TALK TO US.



If you'd rather:

- ▲ Support one server instead of four or more PC-based SMP servers
- ▲ Manage less than 2 hours of downtime per year, instead of more than 20 for each PC-based server
- ▲ Handle hundreds of file/print users and still have the horsepower to run business-critical applications like database, data warehousing, imaging, multimedia or groupware
- ▲ And do it all at a lower cost

Then you should consider the Tricord® PowerFrame Enterprise Server and Novell®'s NetWare® SMP.
Before you commit your money - and your resources - find out more. 1-800-TRICORD.

612-557-9005, Fax: 612-557-8403, <http://www.tricord.com>
Tricord is registered trademark of Tricord Systems, Inc. Product names mentioned herein may be trademarks and/or registered trademarks of their respective companies. ©1995 Tricord Systems, Inc. All rights reserved. Specifications subject to change.



THE SERVER COMPANY

NetWare 4.1 SMP—

Available from

Novell's Partners

To provide tight integration with multi-

processing hardware, improve performance, reduce time to market and provide the best possible support, Novell is making NetWare 4.1 SMP available as an OEM product. Novell has partnered with industry-leading hardware platform vendors to provide the most tightly integrated hardware and software solutions possible. These partners have tuned and optimized NetWare 4.1 SMP to ensure compatibility and improve performance on their server platform.

To provide the best possible support, Novell's OEM partners were part of an extensive testing process



The OEM

Approach

NETWARE 4.1 SMP—AVAILABLE FROM NOVELL'S PARTNERS

Company Name	Server Platform Name	Contact Information
Acer	AcerAltos 7000/p Series	800-SEE-ACER
AT&T GIS	AT&T Globalyst S40 Server	800-447-1124
Compaq	Compaq ProLiant 4500 / 4500 R Compaq ProLiant 4000 / 4000 R Compaq ProLiant 2000 / 2000 R	800-345-1518
Dell Computer Corporation	Dell PowerEdge SP Dell PowerEdge XE	800-274-3355
Digital Equipment Corporation	Priaris Hx 590DP Priaris Hx 5100 MP/2, Hx 5100 MP/4	508-264-6493
Fujitsu ICL	Fujitsu ICL teamserver Fujitsu ICL superserver	44-181-565-7997
Hewlett Packard	HP NetServer 5/100 LH2 HP NetServer 5/133 LH2 HP NetServer 5/100 LS2 HP NetServer 5/100 LS4 HP NetServer 5/133 LS2 HP NetServer 5/133 LS4	800-752-0900
IBM	IBM B640-1Y0 (IBM PC Server 320) IBM B640-1YT (IBM PC Server 320) IBM B640-MX0 (IBM PC Server 320) IBM B640-MXT (IBM PC Server 320) IBM B640-MYO (IBM PC Server 320) IBM B640-MYR (IBM PC Server 320) IBM B640-MYT (IBM PC Server 320) IBM B640-OYO (IBM PC Server 320) IBM B640-OYT (IBM PC Server 320) IBM B642-0Z0 (IBM PC Server 720) IBM B642-1Z0 (IBM PC Server 720) IBM B642-2ZS (IBM PC Server 720) IBM B642-4ZS (IBM PC Server 720)	800-772-2227
NetFRAME	NetFRAME ClusterServer 8540 NetFRAME ClusterServer 8520 NetFRAME ClusterServer B510	800-SERVERS
Olivetti	Systema SNX 200/RS Systema SNX 400/RS	509-927 5800
Tricord Systems	Tricord PowerFrame Enterprise Server	612-557-9005
Unisys Corporation	PW2 Advantage Series Model SFE PW2 Advantage Series Rackmount Server PW2 Advantage Series Model SME PW2 Advantage Series SVD Dual Processor Pentium Models	408-434-2848
Zenith Data Systems	Z-SERVER MX	800-582-0524

and are very familiar with NetWare 4.1 SMP, as well as their hardware configurations. The OEM partners and their reseller's technical support staff will provide support for installation, performance optimization, hardware configuration and other technical issues. Novell will work with its partners to provide support for issues that are related to the NetWare 4.1 SMP operating system.

Choosing a Solution

To help you choose the solution that is best for you, the table above provides important

information about Novell's OEM partners and their multiprocessing hardware platforms. Contact information is also provided above so you can begin enjoying the benefits of multiprocessing computing as quickly as possible. ■


For details on NetWare 4.1 SMP and our partners, call 1-800-844-6661. Or, Internet access via <http://www.netware.com/partners/smp/smpmenu.htm>

©1995 Novell, Inc. All rights reserved. All product names are the trademarks of their respective holders.

When you need an industrial strength server... Call Unisys!

Do your servers have what it takes to meet the growing demands of today's mission-critical applications? If not, call Unisys.

Unisys PC LAN servers, like our SFR Rackmount, bring an outstanding combination of processor scalability, flexible storage capacity, convenient peripheral expansion and fault resiliency, vital for your critical applications. With single, dual, quad-processor



and rackmount models, we offer one of the industry's

most complete families of Intel-based, PC LAN servers.

All of that is complemented with a complete line of robust desktop and notebook clients, with configurations built to your order *and* single-point-of-contact, *worldwide* service and support! Can *your* server vendor do that?

To find out what industrial strength really means, **call us at 1-800-874-8647, ext. 590.**

UNISYS

© 1995 Unisys Corporation.

THE INFORMATION MANAGEMENT COMPANY

Just try to outgrow it.



It's a noble goal for any company


But buy a single-processor server and outgrowing your network would be too easy...and too costly. Buy a Zenith Data Systems multiprocessor server however,

and you'll find outgrowing it practically impossible. Our line of Novell® Netw

4.1 SMP compatible multiprocessor servers give you a great starting (or end) point regardless of your process

needs. Need more power over time?

Up to four Pentium® processors can increase the power of ZDS multipro



sor servers. Each server is based on an open architecture, so you

pentium™ PROCESSOR

can upgrade and

custom configure them at any time with more storage, more memory or increased I/O performance. Because finding a multiprocessor server to fit your network today is easy. Finding one that'll fit your network tomorrow isn't.

SPECIFICATIONS

Z-SERVER WG; One or two 75, 90 or 120MHz Pentium processors, 256KB L2 cache, up to 256MB ECC memory, up to 16GB internal storage, PCI and EISA slots. Z-SERVER MX; Up to four 100MHz Pentium processors (1MB L2 cache per processor), up to 768MB ECC memory, "Hot Plug" drive bays for up to 24GB internal storage, PCI and EISA slots.

1-800-316-3210
<http://www.zds.com>

ZENITH
DATA SYSTEMS

Make The Connection™

Copyright © 1995 Zenith Data Systems Corporation. Zenith Data Systems is a registered trademark of Zenith Electronics Corporation. Intel Inside logo and Pentium logo are registered trademarks of Intel Corporation. Windows is a registered trademark of Microsoft in the United States and other countries. Novell and Netware are registered trademarks of Novell Inc. Specifications are subject to change.

WANS & Internetworking

Covering: Network Architectures • Net Management • Mobile Computing
Local/Long-Distance Services • Routers • Muxes and other CPE

Briefs

■ **Attachmate Corp.** last week announced Version 3.1 of its integrated **IRMA TCP/IP Suite** that includes a Netscape Navigator Version 1.2 Internet browser, improved terminal emulation graphics displays and simpler desktop installation procedures.

IRMA TCP/IP Suite provides complete TCP/IP host emulation services for PCs needing access to IBM 3270 or 5250 applications and Digital Equipment Corp. VAX and Unix hosts.

IRMA TCP/IP Suite is available for \$265.

Attachmate: (800) 426-6283.

■ **Progenet Corp.** is offering a free license of its **Fusion LAN-to-mainframe file transfer software** to users of Computer Associates International, Inc.'s XCOM and Sterling Software, Inc.'s Connect:Direct file transfer packages. Microsoft Corp. and Progenet jointly developed **Fusion**, which enables large file transfers between Windows NT and Windows 95 clients and IBM mainframes.

Progenet: (516) 248-2000.

■ **Seagate Enterprise Management Software, Inc.** has rolled out software that allows users of its **NerveCenter** event correlation engine to quickly monitor, diagnose and correct enterprise network problems.

Called behavior models, the software can reduce the need to configure complex polling, event condition and automated action required to manage network devices.

Vendor-independent models are included with **NerveCenter**; vendor-specific models for Bay Networks, Inc. and Cisco Systems, Inc. gear are included in **Seagate Assist**, software for trend analysis, fault management and performance monitoring.

The behavior models are shipping now. **NerveCenter** costs \$15,000 for an enterprise license, and **Seagate Assist** costs \$6,000. Seagate: (408) 342-4500.

Stalled product release eclipsing SunSoft efforts

May be costing the company mind-share in battle with HP.

By Jim Duffy

Mountain View, Calif.

SunSoft, Inc. may be losing momentum in network and systems management because its high-end product will not ship to end users until late 1996.

SunSoft was expected to ship Solstice Enterprise Manager (EM), an object-oriented, distributed management platform, to end users earlier this year, according to analysts, a former SunSoft executive and published reports (NW, May 22, page 45). But SunSoft is still in the 1.X release cycle of EM, versions that are only targeted at OEMs and developers.

The end-user release, dubbed EM 2.0, has been pushed out to late 1996 due to complicated product development, according to SunSoft. They would not acknowledge, however, that the product is at least a year

behind schedule.

"I'm not sure how to account for that," said Brian Biles, SunSoft's group marketing manager for enterprise management products, when reminded that SunSoft disclosed plans back in January to ship the product this year.

"All 1.X releases are chassis and motor [developments] aimed at OEMs and developers, not the full luxury interior that large IT shops would want," he added.

A former insider disagreed. Denis Yaro, executive vice president of marketing and service development at systems integrator SSDS, Inc., was vice president and general manager of SunSoft's enterprise management products group back in January when SunSoft launched the Solstice product line. Two weeks ago, at the Enterprise Manage-

Market shift



HP has vaulted ahead of SunSoft in the number of management platforms shipped, an indication that SunSoft may be losing steam in this market.

SOURCE: IDC, FRAMINGHAM, MASS.

ment Summit in Dallas, he reiterated SunSoft's plans at that time to ship EM to end users by mid-1995.

"This stuff has to percolate some more," Yaro said. "It was not as easy as we hoped it would be."

Analysts say SunSoft has been less than forthright about the status of EM and other Solstice products over the past nine months.

"I actually checked my [schedule] and it still says fourth-quarter 1995 for the end-user release [of EM]," said Jim Herman, vice president of Northeast

Consulting Resources, Inc. in Boston. "[SunSoft] seems to be engaging in a case of selective amnesia, forgetting that that's when they had promised this thing would be ready."

Others agree. "As I recall, the user version was supposed to have been rolled out quite a while ago, like the middle of this year," said John McConnell, president of McConnell Consulting, Inc. in Boulder, Colo.

The delay in releasing EM 2.0 seems to be eclipsing any momentum that SunSoft has in network and systems management, Herman and McConnell said. That momentum is due in large part to rival Hewlett-Packard Co.'s slipups with the Tornado version of OpenView (NW, Jan. 23, page 1).

But despite HP's problems, SunSoft is losing market share to the company. HP stole the leadership position in enterprise management from SunSoft in the first half of this year, according to the latest figures from International Data Corp. (IDC) in Framingham, Mass.

HP's OpenView now accounts for 35% of the enterprise management platforms shipped to date in 1995, while SunSoft accounts for 33%, IDC reports (see graphic). SunSoft had been the 1994 market leader with a 30% share, while HP had 28%.

Nonetheless, there still might be a ray of hope for SunSoft. EM 2.0 is targeted at HP's Synergy release of OpenView, which is not expected to hit the market until 1997.

But with EM 2.0's delay, SunSoft's window of opportunity is starting to close.

"Whether SunSoft has taken their opportunity or not is hard to say," McConnell said. "They certainly haven't helped themselves." ■

AT&T goes after data networking

By David Rohde

New York

AT&T last week said switched Ethernets will soon be able to give wide-area multimedia calling capability to Unix client workstations. But it will take about a year to extend the same capability to more popular Windows clients.

That was the message for net administrators as AT&T last week unveiled its new Multimedia Communications Exchange (MMCX) server. The announcement signals the highly anticipated foray by the emerging independent AT&T communications equipment firm into full-scale data networking (NW, Oct. 23, page 68).

Analysts said the



Top executives of Cisco, Bay, Cabletron, 3Com, HP and Insoft last week joined a team from AT&T Global Business Communications Systems headed by GBCS President Patricia Russo (middle row, left) to introduce the Multimedia Communications Exchange server at New York's Museum of Television and Radio.

MMCX server is the first product to give users the flexibility to conference-in on- or off-site participants to share a real-time data or video application,

while at the same time letting others simply monitor the call by phone.

The server sits on a switched LAN and simultaneously grabs calling features through an

ISDN link with AT&T's Definity private branch exchange system.

Due for general release in the first quarter of 1996, it will support up to 20 conferences of six endpoints each. A second release supporting the T.120 conferencing standard in addition to Windows clients is due by the end of next year.

Version 1 of the MMCX is already used by McDonald's Corp. to share store designs among headquarters staff in Oak Brook, Ill., and a regional office

See AT&T GBCS, page 25

Network World Fusion

Grab technical specs and diagrams related to T.120, a videoconferencing standard, from Network World Fusion. Link to <http://www.nwfusion.com>. From the main menu, select News+ then WANS & Internetworking.



The Fast EtherLink 10/100 is available in both PCI and EISA versions.

The Fast EtherLink 10/100 network adapter

The Fast EtherLink® 10/100 network adapter is the fastest running, standards-based networking card you can buy. In fact, this powerful card has faster throughput than any other, thanks to 3Com's Parallel Tasking® technology—whether you're running at 10 or 100

Mbps. Plus it lets you jump gracefully from Ethernet to Fast Ethernet automatically. It's no surprise that the fastest networking card comes from a networking company. From adapters to hubs to switches, on 3Com® continues to provide you with the most complete Fast Ether-



adapter. Fastest of its species.

workgroup solution. And right now, we'll send you an evaluation kit, which includes a Fast EtherLink 10/100 EISA or PCI adapter for just \$79. We'll also get you going with Fast Ethernet for free through our Fast Start program.* Buy 30 Fast EtherLink 10/100 adapters and receive

a free LinkBuilder® FMS™ 100 hub. Just call **1-800-NET-3Com**. When it comes to networks, no one runs faster than 3Com.



By Tim Greene

Frame relay cruises down the info highway

By Tim Greene

To cope with the boom in business and the resulting slowdown in response times, Internet service providers are injecting frame relay switching into their network backbones.

Besides speeding performance, the switching also lets the companies offer users virtual private internets. Most recently, UUNET Technologies, Inc. and Netcom On-Line Communication Services, Inc. bought frame relay switches from Cascade Communications Corp.

Other providers have been using frame relay longer and have developed other services. PSI International, Inc., for example, has had Cascade frame relay switches in its network since 1992 and today offers its InterFrame service of permanent virtual circuits (PVC). CompuServe, Inc. uses its StrataCom, Inc. frame relay switches, in place since the late 1980s, to enable IP Link, its virtual private IP network service introduced earlier this year.

A 60-40 split

CompuServe's network traffic is made up of about 60% frame relay and 40% X.25 over its StrataCom IPX switches.

The architecture of many Internet service providers' networks consists of T-3 dedicated lines tying together network routers. But frame relay switches are a way to speed up those nets and improve reliability, according to Tim Wilson, a senior consultant for Decisys, Inc., a consultancy in Sterling, Va.

Kevin Boyne of UUNET said his company started putting Cascade B-STDX frame relay switches into its backbone last spring, giving UUNET switching ability that it had previously leased from telephone carriers.

"As we grew, we decided we needed our own for scalability and quality," Boyne said.

Users could notice faster response times, depending on where they are transferring data to and from. "If you are connecting with a fast service over the Internet, you will notice an improvement," he said. If you are connecting with a slower site outside the UUNET network, "You can wait faster."

PSINet has had frame relay in its network since 1992. "As we started to grow, the router-to-


router infrastructure was becoming a management problem," said Jeff Shapard, senior product manager for PSINet's corporate services marketing.

Beyond that, it became a performance problem. "You end up having a large number of hops from one side of the network to the other, and that degrades performance," he said.

PSINet now has between 80 and 100 switches in its net

Not just routers anymore

Internet access providers are adding switches to their network fabrics to improve network performance and add service features.



GRAPHIC BY SUSAN J. CHAMPEY

designed to get traffic to a switch in one hop, send it across the T-3 ATM backbone and deliver it to a router one hop from the user.

The switches let PSINet manage the individual user's traffic over PVCs. For example, the switches can throttle back a Usenet feed if the user has a more important file transfer coming in from a business partner.

They can also sort out inbound traffic headed for a corporate World-Wide Web site from intracorporate communications and give the internal traffic priority.

The switches also let PSINet offer PVCs among remote offices or business partners to establish virtual private internets within the PSINet network. ■

Netlink FRAD upgrade boosts LAN, SNA delivery

By Michael Cooney

Framingham, Mass.

Netlink, Inc. this week will introduce new software for its central-site frame relay access device (FRAD) that promises fast, reliable delivery of SNA and LAN traffic from remote offices.

The software, called SafeLinx, runs on Netlink's OmniLinx FRAD and features control techniques that let users control bandwidth and prioritize mixed LAN and SNA traffic. The new features will guarantee the performance of mission-critical applications on frame relay nets.

"First-generation SNA FRADs really haven't addressed response-time consistency or bandwidth allocation issues, which has deterred users from migrating large leased-line SNA network users to frame relay," said Roger Walton, vice president of marketing with Netlink. "With over 60% of U.S. data traffic still SNA-based, there is a need and a market for intelligent FRAD devices."

Netlink is positioning SafeLinx to change that discrepancy. The product supports two new

features, Adaptive Burst Rate and Multi-level Bandwidth Allocation, that help users adjust bandwidth and eliminate performance bottlenecks.

Adaptive Burst Rate controls the frame relay "burst window." This lets traffic associated with large TCP/IP file-transfer or client/server applications get through the same frame relay committed information rate (CIR) pipe as SNA traffic without squeezing SNA traffic out. This feature can sense when traffic needs to burst above a particular CIR and control that traffic, as well. It can then throttle back when necessary.

Let's get specific

Multi-level Bandwidth Allocation lets users prioritize traffic by specific device. For example, for an SNA application, users can designate a certain SNA physical unit to have bandwidth priority over other SNA physical units in the net. Conversely, for TCP/IP traffic, users can set specific ports or sockets as having higher priority or more bandwidth allocation than other devices.

"The new OmniLinx features ensure consistent, reliable response times for mission-critical SNA applications, while letting users fully exploit frame relay capabilities," said Anura Guruge, an independent analyst based in New Ipswich, N.H.

Others noted that SafeLinx's features bring Netlink in line with other FRAD vendors, such as Hypercom, Inc., that have prioritization and bandwidth allocation support in their FRADs.

The SafeLinx software runs on Netlink's OmniLinx 4000 hardware. In its base configuration, the OmniLinx 4000 can support two T-1s and two LAN interfaces, either token ring or Ethernet.

The box can be expanded to support as many as eight T-1s. OmniLinx is positioned as a central-site FRAD, linking multiple sites running TurboFRAD, Netlink's remote branch-office device that already runs SafeLinx software.

The box is compliant with IETF RFC 1490, so it can link to any other RFC 1490-compliant box. RFC 1490 defines how multiprotocol devices communicate over frame relay nets.

Also, the OmniLinx 4000 can be managed either via a host-based NetView system or from any Simple Network Management Protocol-based platform.

OmniLinx 4000 with SafeLinx software is available now starting at \$4,000. Existing users can upgrade for \$600.

©Netlink: (508) 879-6306.

Public network integration to pay user dividends

By Joanie Wexler

The prognosis for getting consistent network service levels across multiple carriers' systems, and do so at a reasonable price, improved last week.

An ongoing effort by the Network Management Forum (NMF) to automate and integrate carriers' service management systems has yielded a set of standards called OmniPoint 2. These standards take technical specifications previously nailed down by the NMF and bundle them with new global implementors' agreements.

The packages are known collectively as solution sets. They are intended to plug potential gaps in service consistency, lower the cost of delivering service, and help carriers get services to market more quickly.

Each set will work by describing a specific business requirement, such as service ordering, billing, trouble-ticketing or bandwidth management (see graphic), as well as the technical implementation needed in equipment supporting that function. Six sets are available

now, and four more are to be ready in 1996.

This behind-the-scenes work by carriers to get their systems communicating in a common, automated way should result

inations Co. and systems suppliers Hewlett-Packard Co., Newbridge Networks, Inc., Ericsson L.M. and Ascom are among those who have hopped on the OmniPoint bandwagon, accord-

Speaking the same language

These six solution sets for getting carriers' systems to talk to one another are complete; four more will emerge in 1996.

Solution set	Description
Multinetwork Bandwidth Management	Allows dynamic changing of bandwidth from a single management system (including customers') across any net type.
Leased Circuit Management	Ties together carrier and customer management systems so they can share data such as performance and alarm reports.
Switched Service Feature Administration	Automates process of changing a customer's line record in multivendor switches.
Switch Interconnection Management	Provides a common way of managing a network of switches and network connections.
Generic Alarm Monitoring	Provides a general-purpose alarm; should save time in problem-solving.
LAN Alarm Interface	Enables a CMIP-based management system to monitor SNMP-based alarms.

SOURCE: NETWORK MANAGEMENT FORUM, MORRISTOWN, N.J.

in faster service delivery and lower prices for users — provided most carriers and their suppliers buy in.

Global carrier MCI Commu-

nications Co. and systems suppliers Hewlett-Packard Co., Newbridge Networks, Inc., Ericsson L.M. and Ascom are among those who have hopped on the OmniPoint bandwagon, accord-

See Integration, page 25

StrataCom In Private

Global expertise in high-speed wide area networking

Stay public? Go private? Opt for the latter and the commitment becomes real. So pick your partner carefully. Our customers did. And we're it. Because we deliver in private where others fall short. Future-proofed. Smart-priced. High-speed WANs. FastPADs.[™] IPX.[®] BPX.[™] What you want today. With plug-in scalability for seamless migration to hybrid networks tomorrow.

We install the best private high-speed WANs in the world. And more of them. You want to talk in private? Talk to us.



1-800-537-7707

©1995 StrataCom, Inc. StrataCom and IPX are registered trademarks and FastPAD, BPX and The FastPacket Company are trademarks of StrataCom, Inc.

Smart Hub.

*Nothing beats the security, flexibility
and reliability of a modular enterprise hub.*

Smart Switch.

*But more users running mission-critical
applications require the high-speed
connectivity of the switch.*


Together, We're Talking Genius.

*Leave it to Cabletron, the pioneers of
smart hub technology, to combine the
two for a dynamic network that's 100%
manageable, 100% fault tolerant.*

Introducing the **MMAC[®]**
SMARTSWITCH[™]

Everything you love in a hub, but lost in the switch.

CORPORATE HEADQUARTERS
35 Industrial Way
Rochester, NH 03866-5005
(603) 332-9400
Internet: <http://www.ctron.com>



cabletron
systems
The Complete Networking Solution™

FCC blesses carrier price collusion

Hi, MCI! Your friends at AT&T here. Just wanted to let you know about our upcoming changes to our frame relay rates. Thought you might want to follow our lead. Silly to have secrets or real price competition between

friends. After all, this is the communications industry."

Sound improbable? Well, it isn't. In fact, the FCC has given its official blessing to this type of frame relay price collusion by mandating that each carrier file a

frame relay tariff.

The move flies in the face of the government's desire to foster the growth of the information superhighway. You see, adding a tariff requirement for frame relay services is the first step toward mandating tariffs for ATM and other public data offerings, as well.

What does this mean for the superhighway? A 2-foot-tall speed bump across all six lanes, followed by a meandering

detour through downtown Washington, D.C. According to the ruling, every frame relay service provider now has to file tariffs. Of course, it makes little difference that the major carriers made frame relay rates public this year. A rate sheet is just a page or two of the white stuff, with no THUNK value when it's dropped on someone's desk. A tariff, now there's an impressive THUNK!

Here are a few of the impacts of this brilliant decision:

- The carrier's cost of providing frame relay will now increase. After all, a lot of important people have to read and approve a tariff. Oh, and there are lots of expensive lawyers, too.
- It will take a long time for carriers to adjust pricing to keep pace with market changes. After all, the government needs plenty of advanced warning about how the free market is going to adjust to changes in supply and demand.
- The cost of frame relay services will eventually rise. Why not? Each carrier can now signal — and well in advance — any planned increases in pricing. This way, one provider can subtly ask all the other providers, "Hey, if I raise my prices a few percentage points, will you follow?" If you don't believe this, just look at the upward trend in private-line pricing over the last four years.



Daniel Briere
and Christine
Heckart

In fairness, the top 1% of users benefit from tariffs. These are the users with enough buying power to negotiate custom tariff deals.


The other 99% of customers don't gain from this process. In a free market, even relatively small end users can play one carrier off of another during the standard bidding process, and they may squeeze out a few additional concessions or discount points. These users will lose the ability to bargain the price down.

Carriers cannot afford to create custom tariffs for the middle market; it is too expensive a process. They will create custom tariffs for the largest users, but as this increases the carrier's cost of doing business, it reduces profit margins and over time results in a need to increase pricing. Who pays? The small or midsize user that has to buy directly off of the tariff.

The very behavior that tariffs were originally designed to eliminate, namely price collusion, is precisely the behavior that tariffing creates.

Hello? Is anybody home?

Briere is president and Heckart is director of broadband with TeleChoice, Inc., a consultancy in Verona, N.J. They can be reached at danny_briere@telechoice.com or christine_heckart@telechoice.com. They share this space with Scott Bradner, whose column will appear next week.



The people who invented Desktop ATM just re-invented the price.



Desktop 100 and 155. As low as \$500 per adapter and \$1000 per switch port.

Now you can get the performance of ATM at the price you've been waiting for. With Desktop ATM from FORE.

Start for as little as \$1,500—\$500 per adapter and \$1,000 per switch port. Choose Desktop 100 or 155. Copper or fiber. For PCs, Macs, and UNIX workstations. And you'll get the unmatched advantages of ATM—speed, scalability, and quality of service.


Best of all, the company breaking the ATM price barrier is FORE, the leader in ATM technology with more LAN switch ports installed than all other competitors combined.

So why settle for lower performance alternatives? Call 1-412-933-6244 today to connect with ATM for as little as \$1,500. It's a small price to pay for the ultimate in network performance.

©1995 FORE Systems, Inc. FORE Systems is a registered trademark of FORE Systems, Inc.



At the Forefront of ATM Networking



If they
were any more
reliable,
you'd have the first
CSU/DSUs
that fetched
slippers.



It's not like they're
man's best friend,
but they will keep you out
of the **dog house**.

Run the ever-reliable AT&T Paradyne CSU/DSUs and you'll notice a sudden decline in office cursing and maybe even get a pat on the back. Because consumers ranked our CSU/DSUs No.1 in customer satisfaction in IDC's Key Influencers in the purchase of digital access products. And they did it again when we dominated ComputerWorld readers' I/S .Brand Preference Study. It actually made us rather proud because we won categories like: Best Technology, Best Price/Performance, Best Service and Support and Most Preferred to do Business With.



So you know *which* CSU/DSUs to buy, but what about *when* to buy them? Well if you're not using a CSU/DSU that connects you to the latest network services, you probably aren't running as efficiently as you could be. And that's bad. Our re-seller network specialists would be glad to discuss your system requirements and help you find a more economical solution. Just give us a call at 800 482-3333 ext. 329.

Want some
free goods?
Find your phone. Call
800 482-3333

ext. 329 to make an appointment and get your free "Everything you ever needed to know about CSU/DSUs, but didn't really know who to ask" kit. Full of lots of good stuff to get you on your way to being connected. Or find us on the 'net: <http://www.paradyne.att.com>.



The broadest line
of CSU/DSUs,
from substrate to T1

ACCOLINK® 3100
Family of T1 CSU/DSUs

For customers who want to connect their router network at speeds higher than 56K from a single T1 link.

- Cost effective, high-speed access
- One-, two-, and four-port models
- E1A-530, RS-449 or V.35 data transmission
- Standard DSX-1 drop-and-insert port (letting voice and data share a single line) on two- and four-port models

COMSPHERE® 3615 DSU

For customers with routers connecting to Frame Relay networks, it provides, (1) an integrated dial module (PSTN or SW56) for dialing around a failed Frame Relay access link and a diagnostic path for the DSU and router, (2) Bandwidth-on-Demand with a second SW56 link for the router, or (3) disaster recovery, giving a back-up SW56 path for the router to its closest peer router or recovery site.

- Unsurpassed flexibility and reliability
- Standalone or carrier card versions
- 2/4 wire SW56 Kbps versions

COMSPHERE® 3550 DSU

For customers who want an economical, multirate DSU with full remote network management capabilities.

- Easy to install
- Superior reliability
- Standalone or carrier card versions
- Support for standard IBM multiport SNA applications

COMSPHERE® 3510 DSU

For customers who want a low-priced, multirate DSU for applications that don't require centralized network management.

- Standalone or carrier card versions
- Flexible point-to-point and multipoint operations
- Fault isolation through standard Loopback diagnostic tests



To fetch the
free stuff,
turn back.

©1995 AT&T Paradyne. COMSPHERE and ACCULINK are registered trademarks of AT&T. All other products and services mentioned are the trademarks, service marks, registered trademarks or registered service marks of their respective owners.

 **AT&T Paradyne**

Integration

continued from page 20

well operating companies have been slower, but they may be moving around.

NYNEX Corp. is encouraged by International Telecommunications Union standards included in OmniPoint 2.

"That will make implementation more possible. We may take advantage of them," said Hamid Modarressi, executive director of NYNEX science and technology.

A measure of NYNEX's distance from OmniPoint is that it is not a member of NMF. Rather, it goes through its switch vendor, Newbridge, which is a member.

BOCs' stance

The RBOCs are likely to put in place automated services management standards with other carriers as they become deregulated and enter the long-distance market.

Other local service providers such as GTE Corp., which already has a global presence, and Bell Atlantic Corp. — have seen the light.

"Going forward, the service providers have to use standard interfaces [among systems]," said Bernie Maier, manager of systems planning at Bell Atlantic, a staunch OmniPoint supporter.

"Otherwise, in the long run, it costs us more to provide service, it will delay service, and we won't be able to accommodate users who want to do their own provisioning," Maier said.

For its part, AT&T has been implementing bilateral agreements with each member of its WorldPartners Alliance.

The company had no comment on OmniPoint per se, but "tight partnerships are costly and time-consuming," said Richard Bodman, AT&T senior vice president for corporate strategy and development in an interview with *Network World* last week.

"AT&T is very interested in standards for getting carriers and users to interconnect," he added.

When different carriers' systems don't talk to each other, "you can't keep tabs on the quality of service you're offering," said Elizabeth Adams, NMF managing director.

Willets pointed out that many carriers, and the RBOCs in particular, have been on a downsizing kick to trim costs. "But you can't do that ad infinitum. You need to do things 'smarter' at some point."

He anticipates it will take two to four years before OmniPoint standards are implemented widely enough across platforms to be useful. n

Livingston touts lower priced ISDN products

May force competitors to also consider using AT&T chip.

By Jim Duffy

Pleasanton, Calif.

Livingston Enterprises, Inc. last week announced three new ISDN remote access products that it claims cost thousands of dollars less than competitive offerings, courtesy of a new hardware implementation.

Livingston unveiled an end-to-end ISDN offering that includes central-site, branch-office and desktop routing products for IP and IPX networks. The products are the first to use AT&T's new T7903 ISA-Multiport Wide Area Connection ISDN chip, which incorporates ISDN functionality on a single integrated circuit, said Bruce Byrd, Livingston director of marketing.

For the central site, Livingston rolled out PortMaster ISDN Communications Server, which offer five or 10 ISDN Basic Rate Interfaces to support as many as 20 concurrent users or remote site LANs.

For the branch office, Livingston unwrapped PortMaster ISDN Office Router, which features one ISDN BRI.

And for the individual user at the small or home office, the company brought out PowerLink128 ISDN Modem, a card for ISA-based personal computers that connects users to ISDN services via a single BRI.

AT&T helps cost cause

Byrd claims these products are priced from \$100 to as much as \$6,000 less than offerings from Ascend Communications Corp., Cisco Systems, Inc., Telebit Corp., 3Com Corp. and Xylogics, Inc. Analysts say the dramatic savings are due to the AT&T chip.

"Most of Livingston's competitors have their own silicon, but they're going to have to look at [the AT&T device]," said Michael Howard, president of Infonetics Research Institute, Inc. in San Jose, Calif. "It provides a new lower price point for all of them to match."

While pricing might attract some users, others would be interested anyway because they need to upgrade their transmission facilities.

"We have a lot of people doing high-intensity stuff over 14.4K and 28.8K bit/sec [connections], and they get pretty upset" with performance, said


Prices for PortMaster ISDN Communications Server start at \$4,690. It will be available later this month.

PortMaster ISDN Office Router, meanwhile, costs \$1,195, while PowerLink128 ISDN Modem is tagged at \$299. Both products will be available in December.

& Livingston: (800) 458-9966.

Remote control

Remote node port shipments (greater than 3 ports) in the first half of 1995



AT&T GBCS

Continued from page 17

in Fairfax, Va., chopping out the delay involved with shipping diskettes and hard copies. McDonald's can conference-in lawyers or other outside professionals simply by telephone, said AT&T staffers who have worked on the project.

Because client support in Version 1 is limited to Hewlett-Packard Co. and Sun Microsystems, Inc. Unix workstations, AT&T initially will target the new server to high-performance users.

But the long-term goal laid out at a press conference here by Patricia Russo, president of AT&T's Global Business Communications Systems (GBCS) unit, is to enable users to "purchase and manage a single enterprise network instead of two" — one for data and one for voice.

To move toward this goal, each potential user's record within the MMCX server is associated with all conceivable types of addressing. "We're giving a phone number to the desktop and relating it to the IP address," said Karyn Mashima, vice president for advanced communications systems at GBCS. Ultimately, the company hopes to build unified directory services for customers' voice and data applications, she added.

AT&T officials contrasted their approach with that of

Northern Telecom, Inc., which has built a line of Asynchronous Transfer Mode switches under the Magellan banner separate from its Meridian 1 PBXs and Digital Multiplex Switching central office systems. "Nortel's strategy is essentially a data-only strategy," said Carl Pavarini, vice president of GBCS.

The MMCX server supports switched Ethernet and ATM platforms from Bay Networks, Inc., Cabletron Corp., Cisco Systems, Inc. and 3Com Corp., each of whom last week said it was partnering with AT&T to advance the multimedia effort. AT&T officials said they were not yet prepared to make a commitment to support switched token ring.

AT&T is insisting on the guaranteed bandwidth afforded by switched rather than shared LAN protocols to protect the quality of service, said Kevin Oye, director of strategic planning and business development for GBCS. In turn, router and hub vendors are looking to bring the voice network's ease of call setup to data applications, said Mike Levy, senior vice president of advanced market development for Bay.

AT&T will provide the hardware — an industrial-class Pentium server with specialized boards — as well as server and client software for a cost of \$35,000 to \$80,000. Video endpoint gear will be provided by InSoft, Inc. n

BusinessBriefs

Cisco Systems, Inc. announced an agreement to purchase Network Translation, Inc., a privately held maker of network address translation and Internet firewall equipment.

The investment is intended to broaden Cisco's offerings for users that need to map between private network addresses and Internet addresses.

Financial terms of the deal were not disclosed. The transaction is expected to close by the end of this month.

Former Legent Corp. executives will lead French software developer Nat Systems, Inc.'s move to the U.S. this fall. The executives, who include former Legent Chief Executive Officer John Burton, will help move the company's headquarters from Paris to Reston, Va. Nat Systems builds software development toolkits, including products for the Microsoft Corp. Windows environment. Burton and the other executives left Legent when it was bought by Computer Associates International, Inc. this summer.

Fore Systems, Inc. and Premisys Communications, Inc. last week announced a collaboration to come up with ways to integrate data, voice and video traffic from traditional premises equipment over Asynchronous Transfer Mode wide-area links (NW, Sept. 18, page 1). Fore will sell Premisys' IMACS ATM concentrator, and the companies will work toward incorporating the Fore ForeThought networking software's switched virtual circuit capabilities.

Network Express has signed a definitive agreement to acquire Fivemere, Ltd., an Aldershot, England-based provider of ISDN products.

Fivemere has an installed base of 10,000 sites in 20 countries for its ISDN digital circuit backup equipment. The company had revenue of \$8.6 million in 1994.

Network Express said the Fivemere buy will broaden its geographical revenue base and help it tap the financial services market. The deal is expected to conclude by the end of this month.

"Most of Livingston's competitors have their own silicon, but they're going to have to look at [the AT&T device]," said Michael Howard, president of Infonetics Research Institute, Inc. in San Jose, Calif. "It provides a new lower price point for all of them to match."

While pricing might attract some users, others would be interested anyway because they need to upgrade their transmission facilities.

"We have a lot of people doing high-intensity stuff over 14.4K and 28.8K bit/sec [connections], and they get pretty upset" with performance, said



FREE AT LAST

ADVANCED ETHERNET SWITCHING IS NOW AFFORDABLE FOR EVERYONE.

INNOVATION LOWERS THE COST OF PERFORMANCE.



If you're caged in by bandwidth constraints, but can't justify Ethernet switches at \$6,000 to \$10,000 per unit, freedom is finally at hand. The key: the NV7500 from NetVantage. It combines sophisticated VLSI technology and elegant engineering to deliver the high-end performance you need for only \$1,595. And as thousands of installed units have demonstrated, innovation also delivers high reliability.



NOW ONLY \$1,595!

100 FULL-FEATURED ETHERNET SWITCH

SMALLER, SIMPLER, SMARTER.

Despite its small price and small size, the NV7500 packs the advanced features normally available in only the most expensive switches: features such as error-free architecture (with a 120,000 frame-per-second forwarding rate), Spanning Tree IEEE 802.1d support, SNMP management and easy scalability.



COMPETITIVE MODEL

It even trumps the competition with advantages like interface modularity and a 16,000-address capacity.

INTERFACE OPTIONS FOR INVESTMENT PROTECTION.

In its base configuration, the unit is a fully featured 8-port 10BASE-T switch — designed to evolve with your network requirements.

A choice of interface option cards allows plug-and-play migration to 100BASE-T, FDDI or ATM for as little as \$699.

STACKABLE TO 64 PORTS.

 Hands down, the NV7500 is the value leader in workgroup switching, but is not limited to that role. A stacking ring option enables easy growth for backbone applications in multi-vendor networks. A maximum stack of 8 units (64 ports) is manageable as a single switch, with no performance degradation.

With the NV7500, NetVantage proves that high-performance switching needn't be a costly investment — nor a risky one. Just ask about the NetVantage "No-Risk" start. It will launch your flight to bandwidth freedom with a 30-day free trial.



800-776-8401

 **NetVantage**

Local Networks

Covering: Operating systems • LAN management
Hubs • Switches • Adapters and other equipment

Briefs

ISDN*tek next week will announce a suite of credit card-sized PC adapters that support ISDN Basic Rate Interface links and will include network drivers for Internet access, remote LAN access and several call-center protocols. The cards are priced starting at \$395.

ISDN*tek: (415) 712-3000.

Hewlett-Packard Co. last week unveiled a scanner that can attach directly to a token-ring or Ethernet network running Novell, Inc. NetWare. The HP ScanJet 4Si, which can scan as many as 15 pages per minute, eliminates the need to dedicate a networked PC to a scanner.

The scanner is priced at \$2,995 for Ethernet and \$3,199 for token-ring nets.

HP: (800) 752-0900.

Integrix, Inc. of Newbury Park, Calif., last week unveiled two scalable processor architecture (SPARC)-based Internet servers at Internet World in Boston. The CS20E and CS1000 servers are designed for companies that want to give end users access to the Internet from their desktops as well as for Internet service providers. The servers run Solaris 2.4 and feature both Ethernet and ISDN connections.

The CS20E base configuration is priced at \$8,995. An optional SEC160 expansion chassis, which offers room for another six interface cards, is priced at \$1,995. The higher end CS1000 starts at \$17,995.

Integrix: (800) 300-8288.

Agile Networks, Inc. last week said that its ATMizer 125 Asynchronous Transfer Mode switch has passed interoperability testing with ATM-attached routers from Bay Networks, Inc. and Cisco Systems, Inc. Interoperability between routers and ATM switches is key to running ATM-based virtual LANs. Testing was conducted at the New Hampshire Interoperability Lab and at several customer sites using 155M bit/sec ATM links between Agile's switch and routers that served to connect different VLANs.

Agile: (508) 263-3600.

Products from third parties enhance VINES

By Peggy Watt

San Jose, Calif.

Banyan Systems, Inc. and Attachmate Corp. last week announced a joint development and marketing agreement for enterprise connectivity products, heading a string of VINES-related product introductions at the annual Association of Banyan Users International (ABUI) conference here.

Banyan will license and resell Attachmate's ZIP SNA gateway product and EXTRA Personal Client for Windows.

EXTRA, available for Microsoft Corp. Windows 3.X, Windows 95 and Windows NT, gives desktop users basic browsing and bookmark tools to access the Internet, mainframes, and Unix

See VINES, page 28

LAN MANAGEMENT MIX

Product	Description	Price	Availability
Intel LANDesk Server Manager Pro	Supports NetWare and Windows NT servers; integrates with Microsoft's Systems Management Server.	\$1,499	Nov. 18
Intel LANDesk Workgroup Manager	"Lite" tool for managing small Windows NT and NetWare environments.	\$999 per server for 30 nodes	Now
Intel LANDesk Virus Protect	Preview of comprehensive scanning product.	Free through the Web; full scanning product upgrade available in 1996	First half of 1996
Novell Managewise 2.0	LAN management tool upgrade that includes NDS integration; better SNMP support; links to OpenView, NetView, SunNet Manager; performance history database; remote management capabilities.	\$795 for five users; \$12,995 for 1,000 users	Now

Intel tries its hand at NT management

By Kevin Fogarty
and Ben Heskett

In a move designed to cement its place as a leading LAN management vendor, Intel Corp. last week announced it would add Windows NT management capa-

bilities to its NetWare-centric LANDesk Manager suite.

As expected, the company will ship a Windows NT server monitoring agent and a cut-down version of LANDesk Manager for small NT nets by the end of next year. It also will ship a full-function Windows NT LANDesk Manager suite next year (NW, Oct. 30, page 1).

Intel's announcements followed by just one week Novell, Inc.'s long-awaited rollout of Managewise 2.0, an enhanced version of the NetWare management bundle made up of LANDesk Manager and Novell's NetWare Management Service (NW, Oct. 23, page I).

The recent Managewise version includes greater use of NetWare 4.1 features but adds little from Intel, which has suddenly increased its focus on management of Microsoft Corp. nets.

"Intel sees the need to bridge [NetWare and NT], which is something other vendors are looking to do, too," said Clare Garry, an analyst with the Gartner Group, Inc. consultancy in San Jose, Calif. "That gives Intel a better chance in the market."

Intel entered the management market with some trepidation and allied with Novell to give it something to fall back on in case LANDesk Manager failed to win on its own, according to Garry. Now that Intel has become a leading LAN management vendor, the company is expanding its efforts by focusing on heterogeneous LAN environments, she said.

LAN management product pileup

Independent of the intriguing Intel Corp. and Novell, Inc. LAN management announcements, ON Technology and McAfee have each introduced new versions of their LAN management tools.

ON Technology of Cambridge, Mass., aired Audit-Track 2.5, an updated software auditing package.

The server-based software, which lets users track software usage across a net, can now be used to export report data to files and combine audit report printouts from various sites. Version 2.5 costs from \$595 for 25 users to \$4,995 for 1,000 users.

Separately, McAfee announced Saber LAN Workstation 5.5, a new version of the LAN tool obtained as part of the Saber Software acquisition in August.

The latest version of the software combines Saber's existing desktop management technology with McAfee's SiteMeter metering software, SiteExpress software distribution, NetRemote remote control software and ServerStor backup management module, which was recently purchased from Mountain Network Solutions.

Saber LAN Workstation is now available for \$47.50 per node for 1,000 nodes.

ON Technology: (800) 767-6683; McAfee (408) 988-3832.
Ben Heskett

3Com adds RMON across its line

By Michael Csenger

Santa Clara, Calif.

Accepting the challenge to tie together its assorted acquired product lines, 3Com Corp. today will introduce tools that unify the monitoring and troubleshooting of all 3Com net elements.

The company is integrating Remote Monitoring (RMON) support across all of its product offerings — extending the RMON-like SmartAgents that

have resided on 3Com-designed products over the past 18 months. 3Com is also rolling out the RMON Client Application for its Transcend network management system.

Users of Transcend will be able to gather information collected by RMON agents on original 3Com gear as well as on products from Chipcom Corp. and other 3Com acquisitions that already support RMON.


The new Transcend application is based on Axon Corp.'s software, which has been integrated into Unix 3.1 and Windows 4.1 versions of the 3Com management platform.

"This is going to save us a lot of time and money," said Michael Green, director of technology for Williams-Sonoma, Inc., a retailer based in San Francisco. Green installed the RMON software about two weeks ago, and said it provides an excellent overall view of his 3Com equipment-based net.

See 3Com, page 33

The RMON advantage

RMON monitoring and analysis lets net management staffs oversee more users and LAN segments.



GRAPHIC BY TERRI MITCHELL

SOURCE: MCCONNELL CONSULTING, BOULDER, COLO.

See Intel, page 30

NetPro takes on NDS management

Company grows beyond its Banyan roots and makes the move into the Novell arena.

By Kevin Fogarty

Scottsdale, Ariz.

NetPro Computing, Inc., which has roots in the Banyan Systems, Inc. VINES management market, last week announced its move into the Novell, Inc. NetWare arena.

MORE ON-LINE

Network World Fusion is your directory for more information on NDS, including:

- ▶ How to restore NDS files after a crash
- ▶ A look at Novell's plans for NDS
- ▶ An administrator's diary of upgrading to NetWare 4.X

Link to <http://www.nwfusion.com>. From the main menu, select News+ then Local Networks.



The company has begun shipping a utility called DS Expert that monitors and troubleshoots Novell's directories based on NetWare Directory Services (NDS). The Novell technology is a distributed database of information concerning users and resources on a NetWare 4.X network.

The database is divided into sections called partitions, each of which can be replicated to multiple servers for redundancy's sake.

While distributing replicas improves network performance, the process of tracking them and making sure they are up-to-date can be difficult.

DS Expert is designed to address this issue. The product consists of a Windows-based console and server-based agents that feed information about the sta-

tus of NetWare directories to the console.

It allows users to simultaneously view multiple partitions and check them for corruption or synchronization problems. It monitors the replication process and sends an alert if the process is interrupted.

DS Expert also keeps track of the number of replicas that exist of each partition and notifies net managers if there are too few backup copies or if a server is housing too many replicas.

The management software can also help net managers pin down the source of a problem using a tracing function called Multi-Server DS Trace.

The product could fill a need for NDS users, who have praised the directory service technology but have criticized Novell for its lack of NDS management tools.

Novell has released a number of NDS management utilities but has left the market mainly to third parties such as NetPro and Preferred Systems, Inc., the latter of which shipped the first NDS management utility.

DS Expert costs \$1,299, which includes agents for two servers as

well as the console software. Additional agents cost \$499.

Separately, NetPro released Admin ToolBox 3.0 for Windows, an update to its flagship product of utilities for VINES administration.

This version is Windows 3.X-based, adds 28 new utilities and can process 25,000 StreetTalk names at once, up from 3,000 in the previous release, according to Corbin Glowacki, product manager.

Pricing starts at \$1,406 for the first 200 users.

NetPro: (800) 998-5090.

Senior Editor Peggy Watt contributed to this story.

VINES

Continued from page 27

and VAX systems. ZIP SNA provides mainframe access from LANs.

Attachmate will provide technical support for Banyan's channel partners, and both of the companies will evolve the products. The agreement builds on a similar arrangement for Banyan to resell host connectivity products from Digital Communications Associates, Inc., which Attachmate acquired.

Around ABUI

In other ABUI news, LANshark Systems, Inc. of Columbus, Ohio, released CD-Direct for Windows NT, a CD-ROM redirector, and an update to its Sharkmail E-mail for VINES.

CD-Direct integrates Win-

dows NT servers into VINES so users can share CD-ROMs across environments, said Scott Sharkey, LANshark president and chief executive officer.

The product surpasses the 2G-byte limit of most VINES CD-ROM products, and pricing begins at \$995 for 10 connections.

Sharkmail III complies with Microsoft's Messaging Application Programming Interface (MAPI) so users can mail-enable MAPI applications. The product also supports Lotus Development Corp.'s Notes, so users can employ Sharkmail as their Notes interface. The update includes Sharkmail Re-

ABUI is opening a new Web site at <http://www.abui.org>, providing ongoing forums with Banyan executives as well as information about the company and user group activities.

mote, a remote access component, and synchronization and encryption functions. Sharkmail III pricing begins at \$1,195 for a 25-mailbox license.

Fastlane Technologies, Inc. of Nepean, Ont., introduced the Windows-based network administration tools Final 4.0 and NetWizz.

The company has added more than 120 modules, including new FTP and TCP/IP ones that let net managers build their own management applications. The price drops from \$4,425 to \$895 with this version, scheduled to ship in January.

NetWizz provides user management functions so net man-

agers can change user profiles and attributes.

It is priced at \$99. Version 2.0, scheduled to ship in January, also provides enhanced custom programming functions.

Incognito Software, Inc. of Vancouver introduced Web Server for VINES 1.0, completing its suite of Internet tools and applications for VINES.

The product provides secure connectivity, including a built-in firewall, a single IP address, auditing and diagnostic tools, and central access control, according to Patricia Stedman, Incognito vice president of sales and marketing.

Pricing will be announced upon the product's release in December.

& LANshark: (614) 751-1111; Fastlane: (613) 727-5353; Incognito: (604) 688-4332.

NET RESULTS

Look to RMON for better switch management

As switching proliferates through networks to address bandwidth shortages, the lack of robust built-in management capabilities in switches has emerged as a significant concern.

Switch management is problematic in that each switch port represents a discrete LAN. If you wish to monitor a specific LAN in a simple switch, it becomes impossible because you must remove the device that you wish to monitor to gain access to its port. The good news is that help is on the way from Remote Monitoring (RMON) technology.

Last week, Cisco Systems, Inc. became the latest campus LAN player to unveil its RMON plans when it announced it will work with Frontier Software to integrate RMON into Cisco's switch line. Companies such as Bay Networks, Inc., Cabletron Systems, Inc. and 3Com Corp. are already on the RMON bandwagon.

RMON products can reach out to devices across a switched net, get a reading on their status and feed information back to a central console.

But these products — which involve the continuous gathering of statistics — can do more harm than good if not installed correctly.

Typically, this involves additional hardware that makes sure the management application does not draw on resources that a switch would otherwise use to handle the exchange of traffic.

LANNET Inc. is one vendor that has come up with a sensible RMON implementation, taking advantage of its MultiNet switch's internal architecture to leverage its RMON implementation. LANNET's Switch Remote Monitoring (SMON) technology is one of the cleanest and most comprehensive Ethernet switch management offerings on the market today. It not only allows users to capture overall traffic patterns, but also provides visibility into virtual LANs.

These capabilities are made possible by LANNET's Cellenium architecture, which is based on a time-division multiplexing bus, in combination with a SMON module within the MultiNet switching hub. Since all traffic handled by the switch must cross this 1.28G bit/sec bus,

MultiNet provides users with a centralized point for traffic monitoring and packet capture.

The SMON probe is both passive and transparent, in effect eavesdropping on all traffic that crosses the bus. It operates independently from the switching modules, allowing them to use full processing and memory systems for data forwarding.

As new management capabilities need to be added, LANNET can simply add more software to SMON. Other vendors using a distributed approach may have to update both hardware and software on every switching module, costing users both time and money.

There are no management standards for switching, so the SMON offering from LANNET is proprietary, except for its standard RMON pieces.

But it's a good example of how vendors can maximize use of a device's architecture to deliver needed functionality to users.

As switching technology evolves into a backbone technology of choice, management technology will have to keep pace. Users with switching requirements should look beyond performance and port count. If management is limited or missing, then they should look elsewhere.

Skip MacAskill is a senior research analyst and Le Baron is a research director in Gartner Group, Inc.'s Network Computing Infrastructure group. They can be reached by E-mail at inquiry@gartner.com or by phone at (203) 316-1111.

Skip MacAskill and
Melinda Le Baron

Systems, Inc. became the latest campus LAN player to unveil its RMON plans when it announced it will work with Frontier Software to integrate RMON into Cisco's switch line. Companies such as Bay Networks, Inc., Cabletron Systems, Inc. and 3Com Corp. are already on the RMON bandwagon.



Solstice lets you control Network without leaving your desk.



Now you can have all the benefits of distributed computing with centralized control. And save huge amounts of administration time and money. Because our Solstice™ AutoClient™ solution eliminates almost all individual desktop administration. And puts desktop management on the server, where it belongs. You load the operating system and software only once, and desktops access it as needed. You maintain and troubleshoot from one location. You eliminate desktop backups and data restoration.

And Solstice AutoClient reduces network traffic so dramatically that each server can handle up to three times more clients. Without sacrificing desktop performance. To know more, contact us at <http://www.sun.com/> or 1-800-SUNSOFT, prompt #1.

Sun
THE NETWORK IS THE COMPUTER™

Xylan is among first to roll out token-ring switch

By Michael Csenger

Calabasas, Calif.

Xylan Corp. has joined the elite cadre of vendors actually delivering token-ring switches.

The company's Token Ring Switching Module (TSM) supports as many as six separate rings, switching traffic from one ring to another according to virtual LAN address assignments. The module fits in Xylan's five- and nine-slot OmniSwitch chassis, providing a total of 24 and 48 rings, respectively. (Each chassis has one slot reserved for a high-speed FDDI or Asynchronous Transfer Mode trunk.)

"Virtual rings" are a key feature of Xylan's design, letting users segment overloaded rings without having to go through the administrative hassle of assigning them new ring numbers.

Token-ring vs. Ethernet

In token-ring switching, unlike Ethernet switching, most end devices are not given a dedicated link. Token ring is more expensive than Ethernet, and it is an inherently more efficient protocol. So the goal in token-ring switching is to reduce the number of devices per ring and then switch rather than route between rings.

Also unique to Xylan's switch design is the ability to translate between token-ring and Ethernet media access control (MAC) addresses. This lets token-ring and Ethernet devices share the same servers.

"When you get into ATM LAN Emulation, for instance, one of its limitations is that a server must be either token ring or Ethernet," said Douglas Hill, Xylan's vice president of marketing. "But you want something like an E-mail server to be open to everyone on the net. Because we do MAC-layer translation, we can make your Ethernet traffic look like token ring, or vice versa, to work around ATM LAN Emulation on the backbone."

No big complaints

Xylan's early customers have found no major problems with the firm's token-ring implementation.

"I've ripped out the guts of my network and replaced it with one switch, and I expected a lot more trouble than I found," said Norman Tinowitz, network administrator for Timberline Software in Beaverton, Ore.

"I'm getting some abnormal ring purges, but no data corruption or downtime to worry about."

Tinowitz replaced six Cross-Comm Corp. routers on a LAN backbone with an OmniSwitch equipped with two token-ring modules.

Timberline settled on Xylan's OmniSwitch because it cost about \$30,000 less than Cross-Comm's recommended upgrade. "I didn't have to evaluate a lot of other options after that," Tinowitz said. "We looked at Cabletron but didn't like what we found as much as Xylan's technology and price. They're a new company, so we recognized that there was some risk but decided to go for it."

The token-ring switching module is available now for \$8,850.

©Xylan: (818) 880-3500.

Intel

Continued from page 27

The opportunity could be great since neither Novell nor Microsoft has paid much attention to delivering tools for managing nets running the other's LAN software.

However, the fact that Intel made its NT management announcement right after Novell issued a new version of Managewise without any Intel-

Palindrome takes a step forward with NT backup

By Ben Heskett

Naperville, Ill.

Palindrome Corp. last week unveiled a new version of its LAN backup software, the first edition supporting Windows NT networks.


Backup Director 4.0 marks the Seagate Software Co. subsidiary's move beyond the market for Novell, Inc. NetWare backup management tools.

The product runs on a Windows NT server and can be configured from an NT- or a Windows-based management console.

The 32-bit multithreaded application can be used to back

up data from NT or NetWare servers, as well as from clients running Windows and Windows

BACKUP DIRECTOR 4.0



Uses a Windows 95-like file folder.

Icons alert the user to backup problems immediately and tell the user how to handle the situation.

Uses a hierarchical network directory scheme.

services, and detects and corrects for corruptions and other errors during the backup process.

Backup Director 4.0 can also read user information from the Windows NT Registry and NetWare Directory Services, which allows end users to back up or restore their own files, or to identify by user name files that should be restored.

Company officials said the product could be used to transfer files between NetWare and NT servers by backing them up from one server and restoring them on the other.

Dennis Casey, an analyst with Strategic Research Corp. in Santa Barbara, Calif., said Palindrome has offered the first "data management class" backup product for the Windows NT platform.

Several Palindrome competitors, including market leader Cheyenne Software, Inc., have already shipped backup products for NT, but those offerings lack many of the best features found in the companies' NetWare versions, Casey said.

"[Palindrome] has maybe taken a little longer to get there, but they've put out a more robust product," he said. Casey noted that Version 4.0's media management features put it ahead of the competition.

Palindrome has also bundled with the product a backup storage hub from Hitachi Data Systems to sell as a drop-in dedicated backup traffic management device.

Version 4.0, available now, is priced at \$995 for the single-server version and at \$1,595 for a multiserver version.

©Palindrome: (800) 288-4912.

MORE ON-LINE
See how an Australian university is building its own LAN management suite on Network World Fusion. Link to <http://www.nwfusion.com>. From the main menu, select News+ then Local Networks.



Business Briefs

The Salutation Consortium last week released an open interface specification that lets office copiers, printers, fax machines, desktop applications and network services announce themselves to other devices across a LAN. The Salutation Specification, developed by the cross-industry consortium, is designed to let any device either initiate or respond to a query about data formats and data characteristics.

The specification is available via the

World-Wide Web at <http://www.salutation.org/salute/>.

Digital Equipment Corp. in Maynard, Mass., last week announced the appointment of Avi Fogel as vice president of global marketing for its Network Products Business. Fogel will be responsible for product marketing, product management and field marketing. He comes to Digital after founding in 1990 the North American subsidiary of LAN-

NET Data Communications, Ltd., where he was president and chief executive officer until September 1994. He then built the parent corporation's global

marketing and business development organization, and served as the executive vice president until the company's acquisition by Madge Networks, Inc. this summer.



Fogel



On the Net, millions can see your company.



Millions can see your products.



And millions can see if something goes wrong.

May we interest you in a web site insurance policy?

The global exposure you get on the Internet can be a two-edged sword. It can be a big "welcome" sign or, if things don't go right, a frustrating "out to lunch" sign.

We can help. Whatever platform you're on, whether you're using laptops or super computers, the IBM Internet Connection Family of client and server software will ensure your business thrives on all the attention you'll get.

It will also help you handle attention you don't want. With award-winning security products and proven firewall applications that will help protect your electronic business.

Leveraging existing systems is crucial as well. Soon the Internet Connection Family will offer both DB2® and

Can your computer company do this?

CICS™ gateways to connect your systems and your business applications to the World Wide Web and the Internet.


What's more, IBM offers you a full complement of hardware, along with worldwide support and consulting services. You can also use the many resources of the IBM

Global Network for access to the Internet. Or to help you in developing and administering your company's web site.

Visit us at <http://www.raleigh.ibm.com/netad.html> or call 1 800 IBM-3333, ext. IA 010 to learn more about how your business can get the most out of the Net with the least amount of risk.



Solutions for a small planet™



Runs over
Distinct[®] TCP/IP,
Microsoft[®]
TCP/IP and
Novell[®] LAN
Workplace

Distinct[®] TCP/IP Tools/NFS

- *Emulators:* VT and TN3270
- *File Transfer:* FTP Client, FTP Server, TFTP
- *File Sharing:* NFS Client*, NFS Server
 - *Mounts drives in Windows or DOS boxes
- *Printer Sharing:* Network Printing from any Windows or DOS application, LPR, LPD
- *Email:* Powerful Email application using SMTP, POP2/POP3

- *Internet:* Gopher, Email, Finger, Whois
- *Network Management:* Network Monitor, SNMP Agent, BOOTP Server, Ping, Network Configuration
- *Serial Connectivity:* SLIP, CSLIP, PPP
- *LAN Connectivity:* Ethernet, Token Ring, ISDN

Distinct TCP/IP Tools/NFS includes Distinct TCP/IP Run Time, combining the best in VxD and DLL technology. Distinct TCP/IP requires only 4KB of memory; is WinSock compliant, installs in less than 5 minutes and automatically detects your existing network operating system.

Specifications are subject to change without notice. Distinct's name and logo are registered trademarks of Distinct Corporation. All product and company names mentioned above are trademarks or registered trademarks of their respective owners. © 1995 Distinct Corporation.

distinct
<http://www.distinct.com>
Email:mktg@distinct.com
Fax: 408.366.2101
Phone: 408.366.0153
Phone: 408.366.8933

TCP/IP-TO-SNA INTEGRATION

- Please send more information on how the **Apertus' Datastar** cracks the case for TCP/IP-to-SNA network integration
- Please send me your *free* white paper on TCP/IP-to-SNA Network Integration.

NAME _____ TITLE _____

COMPANY _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

TELEPHONE (_____) _____ FAX (_____) _____

NWW 11/6/95

For fastest action, call 1-800-333-0855



NO POSTAGE
NECESSARY IF
MAILED IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 20772 MINNEAPOLIS, MN

POSTAGE WILL BE PAID BY ADDRESSEE

Response Center

10701 Hampshire Ave S
Minneapolis, MN 55438-9981



Bay Networks stocks up on stackable hubs

By Jim Duffy

Santa Clara, Calif.

Bay Networks, Inc. has unveiled a stackable 10Base-T hub that, together with some repackaged switches and routers, will be part of a new low-end offering.

Called BayStack, the low-end package includes the new BayStack 10Base-T hub and stackable versions of Bay's existing Ethernet workgroup switch, 100Base-T hub, Access Node and Access Node Hub routers. Bay also rolled out new Optivity management software for monitoring and controlling BayStack devices.

Analysts said BayStack, targeted at workgroups and remote office sites, is a response to stackable offerings from rivals 3Com Corp. and Hewlett-Packard Co.

"In Bay's channels, this is overdue. It's a good business move for them," said Charlie Robbins, vice president of communications research at Aberdeen Group, Inc. in Boston.

The new BayStack 10Base-T hub supports 12 to 24 RS-45 repeater ports and dual media adapter slots. As many as 10

BAY PRODUCTS

Product	Price
BayStack 10Base-T hub	\$899-\$1,549
EZ Internetwork	\$99
EZ LAN	\$99

*All products are available now.

BayStack 10Base-T hubs can be stacked for a total of 260 ports, which can be segmented across three LANs.

The BayStack 10Base-T also sports an optional network management module for Simple Network Management Protocol-based monitoring of all 10 hubs in the stack and the three segments configurable with the stack. The hubs also feature

a Management Extension port, which enables the management module to monitor hubs up to 100 meters away.

Still, users are disappointed that BayStack does not actually connect device backplanes. "It'd be nice to eliminate external connections," said Zeke Crater, team leader of net support for Queens Medical Center in Honolulu. "And I would have liked to have seen an integrated package that could share a high-

speed backplane."

The new Optivity software packages, meanwhile, are called EZ Internetwork and EZ LAN. Both run on Windows workstations. EZ Internetwork provides discovery plus fault, performance and configuration management for BayStack routers. EZ LAN provides discovery, fault, configuration and installation, and agent update management, for BayStack hubs.

©Bay: (408) 988-2400.

LOOKING TO SOLVE THE MYSTERY OF TCP/IP-TO-SNA INTEGRATION?



Apertus Cracks the Case of Inefficient Access to IBM Host Resources.

The clues are all too obvious. Increased CPU overhead, expanded memory requirements, interactive traffic slowing down file transfers with the host. Sure signs the TCP/IP side of your network is suffering from IBM host access inefficiencies.

The Datastar provides a truly enterprise-strength client/server solution for integrating SNA and TCP/IP.

- Over 50,000 TN3270, TN3270E, TN5250 simultaneous sessions in an Apertus virtual gateway complex.
- Fault tolerance — guarantees user access to data.
- Multiple network connections (Token Ring, Ethernet, FDDI) and host protocols (SNA, BSC, TCP/IP).

With all these capabilities plus hot swappable modules and SNMP management to keep your network up and running, TCP/IP-to-IBM host access is optimized and network costs are dramatically reduced.

For more information on how Apertus' ultimate TN3270 server solution solves the case of TCP/IP-to-SNA integration, call 1 800 333-0855, or catch us on the Internet: <http://www.apertus.com>.



APERTUS®

ENTERPRISE - STRENGTH SOLUTIONS

Available now for Unix and in September for Windows, the new Transcend applications cost \$9,495 and \$3,495, respectively. RMON agents are included in many products now and will be rolled into all others over the next year as standard product features. RMON2 support will be added early next year.

©3Com: (408) 764-5000.

ASK FOR
OUR FREE
WHITE
PAPER
Optimizing
TCP/IP-to-SNA
Network
Integration

Special Focus

HIGH-SPEED LANS

CHOICES

Here are some quick and simple rules to follow when deciding where to put Ethernet, fast Ethernet, FDDI and ATM technologies in your network.

Net environment

Most stations are contributing 10M bit/sec or less of traffic, and the user is not experiencing media congestion.

Most stations are contributing 10M bit/sec or less of traffic, and the user is experiencing media congestion.

A small number of stations are contributing more than 10M bit/sec of traffic.

A large number of stations are each expected to contribute more than 10M bit/sec of traffic during peak periods, where the total amount of traffic is less than 100M bit/sec.

A group of elite workers — end users who have a high degree of computer literacy and are likely to be involved in video applications — and a network adapter card change-out is planned.

GRAPHIC BY TERRI MITCHELL

Technology choice

Shared Ethernet

Switched Ethernet

Switched Ethernet for most clients and switched fast Ethernet for the few servers or stations that need to exceed 10M bit/sec

FDDI

25M bit/sec ATM

SOURCE: CIMI, VORHEES, N.J.

ture that eliminates packet collisions, and the ability to run on four pairs of Category 3, 4 or 5 wire — but it lacks widespread vendor support.

Don't forget to share

While switching seems to be the industry's current darling, fast Ethernet vendors pointed out that it is easier to manage a shared LAN than a switched one. In a shared environment, a net manager can attach a probe — such as Network General Corp.'s Sniffer — to any hub port and capture all of the network traffic.

This is not possible in a switched environment because there is no central place on the network to tap in and collect a sampling of all the data.

Despite its management shortcomings, switching wins hands down over fast Ethernet, according to many observers.

"If you have a switched 10M bit/sec Ethernet environment, you've eliminated a collision domain," said Tom Bain, a research analyst at META Group, Inc., a consultancy in Reston, Va. "No matter what I do with shared fast Ethernet, I'll still have collisions."

Another fast Ethernet limitation is that there are no routing interfaces available yet for 100Base-T, said Skip MacAskill, a senior research analyst at Gartner Group, Inc. in Burlington, Mass. That means traffic cannot be routed between fast Ethernet LANs, he said.

"The fast Ethernet backbone has improved the reaction time of our network, and it has been able to maintain that even as our user community grows," said Jerry Zickrick of ProBusiness.

To fully implement fast Ethernet, users must invest in new adapters, hubs, switches and, in some cases, wiring. In addition, MacAskill said there has been a noticeable lack of interoperability and compatibility testing among vendors' fast Ethernet gear.

Also, fast Ethernet is hampered by distance limitations: Its

copper interfaces only support distances of 100 meters between an endstation and a repeater, and 10 meters between repeaters. This prevents fast Ethernet from being a good backbone technology choice, analysts said.

Thomas Nolle, president of CIMI Corp. in Voorhees, N.J., said he does not see an elegant place in the network to put shared fast Ethernet. He prefers FDDI for a shared 100M bit/sec technology because of its deterministic, token-passing quality.

"If you need to go to 100M bit/sec, you want to be able to utilize as much of it as possible," he said. "Shared fast Ethernet is effectively about 58M bit/sec when you consider collisions and overhead, whereas FDDI is effectively 95% utilization — so you're better off with FDDI."



"I don't think shared fast Ethernet is worth squat. Very rarely would you find a situation where shared 100M bit/sec was sensible. But if a user really wants it, FDDI is better technology than shared 100M bit/sec Ethernet."

Thomas Nolle

Adding ATM

Many industry observers are predicting that ATM switching will become prevalent as a high-speed backbone technology in late 1996 or early 1997.

Some of ATM's benefits include its cell-based switching scheme that protects traffic from the latency problems it faces over shared media. Analysts also said ATM scales easily and will allow for seamless LAN and WAN integration.

Then again, ATM standards are not yet completed, equipment needs to be swapped out to upgrade from legacy LANs, and most ATM products on the market are quite expensive.

Zickrick even said he plans to migrate from his shared fast Ethernet backbone to ATM over the next few years.

"I've got my fingers crossed that ATM becomes a viable backbone alternative before we start maxing out our fast Ethernet backbone and experiencing any kind of delays," he said. ■

Negotiating the fast LAN technology maze

Where do switched Ethernet, fast Ethernet, FDDI and ATM fit in your net environment?

By Jodi Cohen

Deciding whether to go with a shared or switched fast LAN technology once you start to max out your shared Ethernet or token-ring LAN is a tough call.

Users and analysts involved in implementing high-speed LANs have learned the benefits of each. While shared technologies, such as fast Ethernet, 100VG-AnyLAN and FDDI, offer 10 times the performance of 10Base-T, switching technologies, such as switched Ethernet and Asynchronous Transfer Mode, provide network devices with prized dedicated bandwidth.

However, there are trade-offs to each, and knowing which fast LAN technology to choose is critical for solving network performance problems and avoiding costly purchasing mistakes.

Switched vs. fast Ethernet

Ethernet sites typically run into either of two general types of performance problems: They run out of collective or individual LAN capacity. The first problem — media congestion — crops up simply because there are too many stations on the LAN generating too much traffic. The second problem usually arises at an individual server that is supporting multiple users

whose interaction with the server starts pushing the limits of the 10M bit/sec Ethernet link.

Companies finding they have a media congestion problem with stations that do not need to run more quickly than 10M bit/sec are better off going with switched Ethernet, analysts said.

By installing an Ethernet switch, users can provide stations with dedicated 10M bit/sec bandwidth without changing network adapter cards.

ATM is also a good desktop technology for certain situations, according to analysts. Companies that have several key power users — those running multimedia applications and the like — and that are planning a change from network adapter cards should evaluate 25M bit/sec ATM (ATM25). An Ethernet or token-ring switch that supports a few ATM25 ports can be a good choice here.

But as switching comes to the desktop, a move to switched fast Ethernet at the server might need to follow, according to analysts. Switched fast Ethernet, which provides a dedicated 100M bit/sec pipe, will increase net performance over Ethernet by a factor of 10 while eliminating network collisions.

However, some vendors and



About 65% of all desktop devices will never justify ATM connections, according to CIMI, a consultancy in Voorhees, N.J.

predicting that ATM switching will become prevalent as a high-speed backbone technology in late 1996 or early 1997.

Some of ATM's benefits include its cell-based switching scheme that protects traffic from the latency problems it faces over shared media. Analysts also said ATM scales easily and will allow for seamless LAN and WAN integration.

Then again, ATM standards are not yet completed, equipment needs to be swapped out to upgrade from legacy LANs, and most ATM products on the market are quite expensive.

Zickrick even said he plans to migrate from his shared fast Ethernet backbone to ATM over the next few years.

"I've got my fingers crossed that ATM becomes a viable backbone alternative before we start maxing out our fast Ethernet backbone and experiencing any kind of delays," he said. ■



HDMS plus - High Density Management System

- Each chassis holds 32 28.8 Kbps V.34 or V.32bis and lower modems.
- Among the lowest cost per port in the industry.
- Intelligent Network Controller can call remotely if problem occurs; temporarily fix problems or bypass defective modems.
- More reports, alerts, alarms, statistics, events and security levels than any other system on the market. All in real time.
- Inbound and outbound security-password connection security, group restrictions, dial restrictions, fixed and variable call back numbers and more.
- Unmatched 5 year warranty.

Eight years without a breakdown. It's enough to give our competitors one.

Your day is crazy enough. The last thing you need is an unreliable dial-up management system.

Introducing HDMS™ plus.

HDMS plus delivers a guaranteed (yes, guaranteed) connect rate of 99.23% for nearly perfect system availability for critical applications. It has the industry's largest installed base: 14,000 chassis and 280,000 ports world-wide. It handles millions of calls a day without fail. And its calculated mean time between failures is

somewhere in the neighborhood of 96.84 years.

Performance like this doesn't come easy. Our engineers tested virtually every modem brand over 164 line conditions and designed HDMS plus with V.34 modems, high-speed T1 Interface, extensive management capabilities, SNMP support and many other innovative features.

The result? Incredible peace of mind for you. Not-so-great peace of mind for our competitors. Call today for more information.

microcom®
Access Innovation.™



U.S.A. (617) 551-1000
U.K. Ltd. (44) 1 483-740763
France (33) 1 46 62 68 68
Singapore (65) 348-6628
Australia (61) 2 413-3302
Germany (49) 231 9026-610

1-800-822-8224



Fax connection: 1-800-285-2802
(Press #1 and select document #1260)
Internet: <http://www.microcom.com/>
Products available on GSA Schedule.

©Microcom, Inc. 1995. All rights reserved. HDMS and Access Innovation are trademarks of Microcom Systems, Inc.

The *highway*
is open.



Communicate
with vision.



Dial calls with your voice.

The *speed* limit
will be up
to you.



Get
integrated.

Unwire.

Where does your business want to go?
And what do you want to do?

Want to roll out a better way to work
in over 70 countries, without leaving head-
quarters? Go to a conference, right now,

on the other side of the country? Pop up
information on your customers, the
second you take their calls?

With a little help, *you can*.

AT&T Global Business Communications

Systems can give you the communications
equipment, expertise, and support to do
all these things today. And we can take
your systems and make them do things
you never imagined. Because the future of
business is about turning what's possible

into what's *real*. Telling a phone to do
something and watching it happen. Working
the way you *want* to, instead of how you have
to. Anytime, anywhere.

You can make great things happen for your
business. Starting now. Just call AT&T at
1 800 325-7466, ext. 670.

AT&T. Where innovation leads.



Client/Server Applications

Covering: Databases • Messaging • Groupware
Conferencing • Imaging • Multimedia • Development

Briefs

Collabra Software, Inc. of Menlo Park, Calif., has begun shipping Version 2.1 of Collabra Share, a new version of its group conferencing software with links to the World-Wide Web through Netscape Communications Corp.'s Navigator. Netscape purchased Collabra over the summer.

Collabra Share 2.1 automatically highlights incoming Web information, creating a hypertext link as the information is posted in Collabra Share. In addition, a new toolbar button allows users to launch Navigator from within Collabra Share.

Available this month for Windows, Collabra Share 2.1 costs \$69.95 per user for a 100-user license.

Collabra: (800) 474-7427.

Actuate Software Corp. in San Mateo, Calif., is now shipping its Actuate client/server reporting system. The software lets developers build business reports using **reusable objects**, which are stored and manipulated on a server via a graphical user interface-based client.

The software runs on Windows clients as well as on Unix and Windows servers. It has native interfaces to Sybase, Inc.'s SQL Server; Oracle Corp.'s Oracle 7, Informix Software, Inc.'s OnLine and Microsoft Corp.'s SQL Server.

Actuate system pricing

Developer Workbench	\$1,999
End User Workbench	\$599
End User Desktop	\$199
Administrator Desktop	\$599
Report Server	\$1,500+

Actuate: (415) 638-2000.

Persistence Software, Inc. in San Mateo, Calif., this week will announce Persistence 3.0, a tool that lets developers use C++ to build **object-based applications** that work with relational database systems. The new version now supports Windows and has an enhanced transaction manager for improved performance. Available this month, Version 3.0 also supports several flavors of Unix. An average configuration costs \$30,000.

Persistence: (415) 341-7733.

SQL Server 11 plugs key holes for Sybase

By Barb Cole

Emeryville, Calif.

Sybase, Inc. last week announced SQL Server 11, a new generation of its database that is substantially more powerful than earlier versions but still falls short on parallel processing compared to rival offerings.

With SQL Server 11, Sybase has improved the performance of its flagship database as much as threefold and greatly improved support for multipro-

cessor computers.

"With [SQL Server] 11, the performance issue will be put to bed and the scalability is now sufficient to support 16-processor computers," said Dan Kusnetzky, an analyst at International Data Corp. in Framingham, Mass.

The ability to move databases to multiprocessor systems is key for customers who are looking to deploy the software across the enterprise in support of

more users and data.

Databases can run faster on multiprocessor machines because work is divided among multiple processors working in parallel. The previous version of SQL Server maxed out at around four processors, the company has admitted.

SQL Server 11 achieves its impressive performance gains through more efficient use of memory and unique caching capabilities, said Wayne Kernochan, an analyst at Aberdeen Group, Inc., a market research firm in Boston.

In terms of its overall support for parallel processing, Kernochan said, "Sybase is getting there, but it still hasn't really

See Sybase, page 38

RealityCheck

Product
System 11

Company
Sybase

The benefits

- ▲ Includes improved support for parallel processing systems.
- ▲ Performs 2 to 3 times better than the previous version.
- ▲ Features better scalability and stability than earlier versions.

The drawbacks

- ▼ Lacks low-level locking needed for certain client/server applications.
- ▼ Cannot process queries in parallel.

The user view

"System 11 exceeded our expectations. It scales to eight processors with linear performance gains."

Ken Szczesny, vice president of advanced development, AC Nielsen Marketing Research Corp., Schaumburg, Ill.

Novell jazzes up Tuxedo to manage bigger nets

By John Cox

Florham Park, N.J.

The newest release of Novell, Inc.'s Tuxedo transaction processing (TP) system adds big changes in two key areas: managing large-scale distributed applications and triggering application activity based on live events.

The changes in Tuxedo System 6.1 announced last week are part of Novell's ongoing effort to recast the Unix TP monitor as an essential technology for supporting enterprise applications, according to Joe Menard, a vice president and general manager of Novell's distributed services division here.

Users say TP monitors — which can be employed to coordinate application components over a network, ensure reliable operations, protect data integrity and off-load key processing to a middle tier of servers — are as valuable for networked applications as for traditional on-line TP (OLTP) systems.

"To deploy large-scale, business-critical applications with lots of on-line users, you need a traffic cop — something that can oversee the operation of the application as a whole," said Paul Tocatlian, technology

director of distributed solutions at Tangent International Computer Consultants, a New York-based company that specializes in building large OLTP systems, and a Tuxedo 6.1 beta site. "I would say most of our customers are using Tuxedo for message-passing [among application components], as opposed to transaction control."

The new release, available now, includes what Novell calls the Application Management System (AMS), which replaces a terminal-oriented, command-line interface. AMS consists of a Management Information Base of data on clients, servers and hosted applications, a set of APIs and a graphical interface

for Tuxedo administrators. Via the API, developers can build their own management tools and connect them with third-party tools.

In the future, Novell will release Simple Network Management Protocol agents that will link Tuxedo with popular net management consoles.

"They were way behind in the management area [compared to rival products]," said Jim Johnson, chairman of Standish Group International, Inc., a

Dennis, Mass., OLTP consulting company. "[AMS] has made some giant leaps forward."

Also new is the Event Broker, which introduces yet another way for Tuxedo application components to communicate with one other. This asynchronous

See Tuxedo, page 38

Conferencing offerings aim for the desktop

By John Cox

A slew of new products are making desktop video and data conferencing more practical.

Among the new offerings is a desktop videoconferencing system that supports much faster video frame rates over Basic Rate Interface ISDN lines, while others aim at exploiting the International Telecommunication Union T.120 standard for sharing data, image and audio traffic over a network.

Companies with products include:

■ Dallas-based Vcon, Inc., which has unveiled the Armada Cruiser 100 System, a desktop videoconferencing system based on a patented video postprocessing technique to boost video transfer over ISDN from the typical 15



frame/sec to about 24 frame/sec. At that rate, video images move smoothly, even if low data rates are used for the actual transmission.

Armada includes a coder/decoder board, a camera, an audio handset and PC software at a list price of \$1,595. The system works over WAN links from 64K bit/sec up to 384K bit/sec with any H.320-compatible conferencing product. It will support T.120 in the future.

■ Westminster, Colo.-based ConferTech International, Inc., which has begun demonstrating the beta release of Prelude, a T.120 multipoint document conferencing bridge.

The product supports sessions over any combination of analog modem, TCP/IP or Novell, Inc. IPX networks. Prelude can be used to manage conferences on a corporation's internal network or to connect with external conferencing systems.

See Conferencing, page 38

French vendor targets U.S. enterprise apps mart

By John Cox
Reston, Va.

A French software vendor last week relocated to the U.S. and will soon introduce a tool set for building large-scale distributed applications.

Although unknown in the U.S., Nat Systems, Inc. expects to sell some \$30 million worth of its NatStar/Adaptable Development Environment (ADE) product this year.

That will pit the company against the likes of Dynasty

Nat Systems expects to sell some \$30 million worth of its NatStar/Adaptable Development Environment product this year.

Technologies, Inc. and Forte Software, Inc., which also sell tools for building large, complex business applications that span from desktop PCs to legacy mainframes.

Like rival products, NatStar/ADE includes a development repository, graphical development tools, code generators, communications middleware and transaction services. It also features tools for building data, object and process models, which are stored in

the repository and used to generate the final application.

NatStar/ADE-built applications are created as a set of services that are deployed on multiple computers and invoked at run-time as needed.

By contrast, some rival tools require developers to decide beforehand where the various parts of the application will run. Configuration changes to computer systems running these applications can require regenerating and redistributing the application, said Olivier Dellenbach, founder, chairman and chief technology officer for Nat Systems.

As part of its U.S. move, the company has hired John Burton as president and chief operating officer. Burton previously held the same titles at LEGENT Corp. since 1989.

©Nat Systems: (703) 620-9200.

Tuxedo

Continued from page 37

technique lets Tuxedo administrators define actions or events to which users or applications can subscribe.

The result is a higher level of interaction among applications. For example, changes in a stock's price could trigger an alert that is sent to a trader's workstation. The arrival of the alert could, in turn, prompt a database lookup for the stock's price history.

"[Event Broker] enables the concept of business events," said Mitch Kramer, consulting editor for Patricia Seybold Group, Inc., a technology market research company in Boston. "This lets you integrate applications and automate business processes, which is really significant."

Kramer likened Event Broker's potential to that of work-

flow products, though there are important differences. Because Event Broker is part of Tuxedo, its capabilities can be embedded in existing applications. And Event Broker can coordinate this application interoperability across an enterprise network, whereas many workflow products are focused on workgroups or departments.

The third main change in Tuxedo 6.1 is the introduction of Access Control Lists, which let administrators restrict users to access only specific Tuxedo services. In the past, Tuxedo offered only an authentication mechanism; once accepted, users could access any part of the application.

Novell also introduced a companion product, NetWare TransactionLink, that runs a subset of Tuxedo services on a NetWare LAN server. The software, which is fully integrated with Novell's NetWare Directory Services, lets NetWare clients access Tuxedo servers without additional networking software.

"Most of our clients are using Tuxedo 4.2," Tocatlinan said. "Version 5.0 had some problems. But 6.1 is rock solid."

The run-time version starts at \$395 per user, while the developer version starts at \$2,395 per developer. NetWare TransactionLink is available now for \$1,295.

©Novell: (800) 453-1267.

Conferencing

Continued from page 37

The product is expected to cost \$20,000 for a minimum eight-port configuration. A single bridge can have as many as 32 ports, and three bridges can be linked for 96 ports. No shipping date was disclosed.

Creative Technology, Ltd., based in Singapore, and Lexington, Ky.-based DataBeam Corp., which announced a joint licensing and development deal to create an application development tool kit for T.120 nets. The tool kit will let firms build programs for sharing Windows-based applications in real time across LAN or WAN links via T.120.

Among other products, Creative sells ShareVision, a desktop videoconferencing product that also lets users share desktop PC applications. DataBeam sells the Collaborative Computing Toolkit Series to build T.120 application-sharing solutions. No information was released on pricing or availability.

©Creative: (408) 428-6600; ConferTech: (303) 633-3000; DataBeam: (606) 245-3500; Vcon: (214) 774-3892.

Pack to help users extend imaging systems

By Jon Skillings and Barb Cole
Colorado Springs

Optika Imaging Systems, Inc. will ship by year-end a software suite to let users expand an imaging system from a workgroup to the enterprise without totally redesigning it.

The software combines imaging, workflow and computer output to laser disk technology, and is designed for quick installation, said Dave Mansen, Optika's vice president of marketing.

The two parts of the suite — Optika/WG for workgroups and Optika/EP for enterprises — are based on the same core technology and include a Windows cli-

ent component and server components that run on Windows NT.

However, the products' flexibility is somewhat limited, according to one analyst.

"It doesn't [let you] go from an ad hoc [imaging system] to a production system," said Paula Boyle, an analyst at BIS Strategic Decisions in Norwell, Mass. It is strictly a production system dealing with structured processes, she said.

Boyle described the software's WorkBook feature, which lets end users separate some data from the imaging system for dissemination via electronic mail or CD-ROM, as innovative.

Pricing was not available.
Optika: (719) 548-9800.


Skillings is an editor and correspondent with the IDG News Service in Boston.

Business Briefs

Vmark Software, Inc. in Westborough, Mass., last week reported falling revenue and a loss of more than \$1 million in the third quarter. The loss was attributed partly to costs related to the database company's merger with tools vendor Easel Corp. in June.

Client/server application development tool maker Blyth Software, Inc. of Foster City, Calif., continues to lose money but at a slower rate. The company reported \$3.1 million in revenue for its second fiscal quarter, down about 10% from the comparable period last year. Blyth has lost about \$4 million over the last two quarters, but at least that is down from about \$5.6 million lost during the first six months of its past fiscal year.

Earnings (in millions of dollars)



beta testing.

"I expect we'll move [to SQL Server 11] right away for the performance improvements," said Joel Martin, manager of information services at Bose Corp., a Marlborough, Mass.-based supplier of audio components that runs a data warehouse based on SQL Server.

"Sybase has spent a lot of time and money to ensure that this release is stable," he said.

Other offerings

While Sybase's leadership role in the client/server database arena has been severely diminished, analysts say they have high hopes for some of its offerings, which were also highlighted at the announcement

last week.

For example, SQL Anywhere, a low-end database aimed at mobile workers, will soon enable users to replicate data to the enterprise database from the road.

Oracle Corp.'s low-end database has similar capabilities, but it requires a lot more computer horsepower, Kernochan said.

SQL Server 11 will ship by the end of the year on Unix alternatives from Digital Equipment Corp., Hewlett-Packard Co., IBM and SunSoft, Inc., as well as on Microsoft Corp.'s Windows NT.

Pricing will range from \$995 to \$133,900.

©Sybase: (510) 922-3500.

NetworkWorld Fusion To tap into a virtual database on databases, visit Network World Fusion. Resources include:

- White papers and videos about System 11
- A searchable database of postings to the Sybase mailing list
- Listings of the enhancements users most want from Sybase

To access: Link to <http://www.nwfusion.com>. From the main menu, select News+ then Client/Server Applications.

ADAPTERS

STACKABLE HUBS

FAST ETHERNET ADAPTERS

BUILDING/CAMPUS

DONS PC CARD ADAPTERS

STACKABLE

WORKGROUP SOLUTIONS

REMOTE ACCESS SERVERS

EtherLink III Parallel Tasking PCI

Introducing the hottest adapter to

EtherLink III MCA

EtherLink III ISA

You might say we're on a roll. Presenting 3Com's EtherLink® III PCI adapter, the newest addition to our long line of powerful adapters for the industry's hottest new bus type. And the best performing Ethernet PCI adapter available. All at a price that makes it an extraordinary value.

The EtherLink III PCI Adapter Card.

Like the rest of the EtherLink III family, EtherLink III PCI comes with 3Com's patented Parallel Tasking® technology. So you're assured the fastest possible network performance. Always.

Plus, its bus master design offloads the system's CPU so both

CENTRAL SITE ROUTERS

WAN BACKBONE SOLUTIONS

TOKEN RING SOLUTIONS



come along since, well, our last five.



EtherLink III PCMCIA

EtherLink III EISA


Fast EtherLink PCI 10/100

clients and servers perform at optimal levels. And the EtherLink III PCI adapter card is guaranteed compatible with all PCI-compliant machines, or your money back.

Add full SNMP manageability and easy, virtually instant installation, and it's clear our newest member is fully living up to the

family name. For more information, and to get a \$59* EtherLink III PCI evaluation card, call 1-800-NET-3COM.





Production wants 3-D models off the server.

Marketing wants to add 62 users.

The CEO wants a video conference from his desk.

And they want it all at the same time.

At least they don't want the impossible.

They're just doing their jobs. It only feels like they're conspiring to overload the network. Fortunately, the switching hubs in our Nways™ product family can handle your growing network demands.

Take the IBM 8260. Its 17 slots provide more ports than any other hub. Unleash its fully integrated ATM power and you can simultaneously exchange vast alpha-numeric data, graphics, audio or even video throughout your whole network.

No other hub lets you manage as many segments. And the 8260 is scalable, which means you can grow the number of managed segments as you need them.

Can your hardware do this?



Considering moderate expansion through switching? The 8271 EtherStreamer™ and the 8272 LANStreamer™ are ideal. Like the 8260, each breathes new life into your existing equipment, while giving you the flexibility to add ATM in the future.

So if you want a switching hub to empower your entire network with high bandwidth communications, call 1 800 IBM-3333, ext. DA 105. Or visit our web site at <http://www.raleigh.ibm.com/netad.html> to learn more.

Because you can't afford to drop the ball on your network.

IBM
Solutions for a small planet™

Electronic Commerce

Covering: Tools and Techniques for Interenterprise Networking
and Doing Business On-Line

Briefs

This December, IBM will ship a World-Wide Web server for the MVS operating system priced on a monthly use basis of \$49 to \$220. IBM also plans to ship View API, an application developers' tool kit for the OS/2 Warp Web Explorer to provide an interface for client/server applications.

IBM will port its Web server to Windows NT by the first half of 1996, later porting the software to Unix platforms from Sun Microsystems, Inc., Silicon Graphics, Inc. and Hewlett-Packard Co.

IBM also plans to expand its San Mateo porting center to include an Internet-specific section where software developers can access IBM computers or work on-site to create Web-related software.

General Motors Corp.'s European division Opel-Vauxhall has selected Hughes Olivetti Telecom, a joint venture between Hughes Network Systems, Inc. and Olivetti Telemedia, to provide a 3,000-terminal pan-European very small aperture terminal network to link dealers through Lotus Development Corp.'s Notes and electronic mail.

Through the satellite network, dealers will forward orders, request spare parts and update stock databases. The network is expected to be expanded into Eastern Europe.

AT&T last week launched the AT&T Business Network, an on-line service that offers business news from a wide range of publishers, including Bunker Hill Consulting Group, CNN Interactive, Cowles Business Media, Dow Jones Business Information Services, Standard & Poor and Industry Support. The service, which includes links to the Internet, is priced at \$39.95 for 10 hours.

AT&T (800) 660-2299.

If you build a way cool Web site, they will come

By Ellen Messmer

Even with an estimated two million people in the U.S. and Canada using the World-Wide Web to purchase goods and services, setting up a site that draws a crowd takes careful planning.

In the most extensive demographic study of the Internet to date, survey firm A.C. Nielsen Co. and the CommerceNet Consortium industry group last week asserted that 18 million people have used the Web in the last three months, and 18% of those made purchases.

But Web design consultants

ON-LINE
Avoid Web design mistakes by reading an on-line style manual available on Network World Fusion. Link to <http://www.nwfusion.com>. From the main menu, select News+ then Electronic Commerce.

caution that careful planning is essential to avoiding costly technical and marketing mistakes. And unless a business can get its network department and sales division to work in harmony, a company's Web site can end up a gold-plated folly in cyberspace, said Jim Sterne, head of Santa Barbara, Calif.-based consultancy Target Marketing.

Web users mostly want information about your products, so give them what they want without pictures of your CEO, your building or statements about the corporate mission, Sterne said. "Frankly, they don't care about it," he added.

To attract users to your Web site, it should not only be mentioned in product literature, print and TV ads, but also on other Web sites. Cyberspace advertisements cost from \$14,000 per month on the Netscape Communications Corp. Web site to \$30,000 at the National Center for Supercom-

puting Applications' What's New home page.

A firm's own home page should include HyperText Markup Language (HTML) keywords about its business and products. These keywords, not visible to a Web user's browser, are picked up in the automated Web searches made by Web Crawler, Lycos and other services that offer a database-searchable compilation of Web links.

But before companies jump headlong into the Web, they first have to decide whether in-house staff is prepared to write HTML pages and manage a Web server with links to back-end systems.

If not, alternatives include hiring Web designers, outsourcing the Web server or leasing space on a communal server, said Mathew Cutler, director of business development at Bedford, Mass.-based net.Genesis Corp., a Web consultancy.

"Prices are all over the place for outsourcing to a Web server, with some charging \$10 per page or \$2 per megabyte of data transported," Cutler said.

Untold numbers of companies, ranging from large vendors such as IBM and Digital Equipment Corp. to smaller shops

Web site dos and don'ts

- ▲ Get sales and technical divisions involved up front.
- ▲ Decide what should be outsourced.
- ▲ Keep content succinct, making product information the centerpiece.
- ▲ Advertise the Web site in print, TV and on the 'Net.
- ▼ Don't use images that take time to download.

such as net.Genesis, are hanging out a shingle for Web consulting. With Web design in big demand, corporations looking for outside help need to look carefully at each consultant's strengths and limits, Cutler said.

Face-to-face meetings are important, he said, so companies may be inclined to use a Web design consultant in their geographic area. Not surprisingly, fees vary widely.

Companies should not overlook the possibility of training in-house staff to do content generation, Cutler advised.

"What we have found for large corporations is that employees have Internet experience from outside of work, and they are eager to learn new skills held in high esteem," he said. ■

BUSINESS SPACE

Wheelin' and dealin' on the Internet

I have been promising for the last two weeks to discuss a hot topic. So here we go...gird your loins...and let's talk about getting the best deal on-line.

There are many consequences to buying and selling in an on-line environment. One is that it becomes very easy to compare prices and identify the best deal. But before we look at comparing vendor pricing, we should step back and consider how pricing will be affected by the on-line environment.

Since, in general, all vendors are equally visible and accessible on-line, any pricing above market base level will be hard to justify. I say "in general" because there will be vendors with products that are distinguished by scarcity or added value that won't have to compete at the market's base level.

But if, for example, you currently sell widgets (and who wouldn't want to?) in the real world, you might be charging at or above the

notional base retail or wholesale price as appropriate to your market.

On the 'Net, however, it won't be hard for customers to compare prices. While I don't expect on-line pricing to be much lower over the next couple of years, it will take only one aggressive competitor in any given market to trigger a price war. Run that out to the turn of the century, and you'll see the bloodiest price battles you can imagine.

For consumer products, this will force vendors to redesign their organizations for the greatest level of efficiency so they can sell as near to cost as possible. This will probably result in a huge surge of interest in workflow software and more reliance in just-in-time production systems.

As a consumer, no longer will you have to schlepp your way around multiple stores or make scores of telephone calls to find the best price and terms.



Mark Gibbs

In the near future, you will be able to just point and click your way to the best price. And just watch for the explosion of consumer guides constructed by consumers themselves. It will become hard for an inadequate vendor to survive.

But it starts to get really interesting beyond the near future. A recent experiment in on-line consumer services allowed users to find the best price on-line. The service allowed users to enter the name of a compact disk, after which a number of vendors were scanned and the best price reported.

Not surprisingly, several vendors didn't appreciate this and filtered out access by the service. While this was a completely reasonable thing for the CD retailers to do, it won't work in the future. Why? Because if you block such services to try to keep prices high, you'll lose sales to those organizations that are willing to compete and are consequently more visible.

In short, the on-line world will belong to consumers, and getting the best deal will be much easier than it is today. And being a vendor will be much harder.

Gibbs is looking forward to Christmas even though it is a ways away. Tell him what you're asking Santa for. He's at mgibbs@gibbs.com, or call (800) 622-1108, Ext. 504.

Novell
Labs
Tested &
Approved



One laser printer.

One color inkjet printer.

One dot matrix printer.

One great big problem.

One network node.

One great little solution.

Introducing the HP JetDirect EX Plus3 print server.

Now you can connect up to three parallel printers to a single network node.

Your office has all kinds of printers, and all kinds of printer configurations, all of which can change daily. And it's your job to hook them all

up to the network. With a limited number of nodes, that can be a big problem.

Fortunately, there's an easy way out – and in. The new HP JetDirect EX Plus3 print server lets you connect up to three printers to the

network, using only one LAN connection. Best of all, it works with any parallel printer, and supports virtually every network protocol and NOS out there.

For fast faxed information, call 1-800-964-1066.* You'll discover that for every problem, there's a solution. At least when it comes to network printing.

NOS Compatibility: Novell NetWare; Microsoft® Windows™ 95, Windows NT, Windows for Workgroups, LAN Manager; IBM LAN Server; UNIX®: HP-UX, SunOS, Solaris, IBM AIX, SCO UNIX, Ipd; Apple EtherTalk
Management Support: HP JetAdmin print management software enables consistent installation and management of any HP JetDirect connected printer on the network;

- Supports SNMP-based network management software
- Flash memory for easy upgrades
- Multiple protocols with automatic switching
- Three high-performance IEEE 1284 ports
 - 3-year return to HP warranty
 - HP JetDirect EX and EX Plus3 print servers support all parallel printers
 - HP JetDirect cards support HP printers with I/O slots



**HEWLETT®
PACKARD**

Technology Update

Keeping Up with Network Technologies and Standards

NETWORK HELP DESK

Network World tracks down answers to your questions. Please submit them to Dana Thorat via phone at (800) 622-1108, via the Internet at djt@world.std.com or via fax at (508) 820-1103.

We run IBM's LAN Server on a token-ring LAN-based application server and have divided the hard disk into the S:, T: and U: drives.

We can only access the S: drive when we log on from Microsoft Corp. Windows NT and Windows 95 clients. We must manually connect to the T: and U: drives using the NET USE command. What can we do to connect to all three drives when we log on?

M. Jayakrishnan, India.

Use File Manager to establish a persistent connection to the T: and U: drives, says Glen Whittaker, a systems analyst with Stream International, Inc., a software reseller and support company in Norwood, Mass. Most likely, someone used File Manager and assigned the S: drive for a persistent connection.

We are running Microsoft's NETBEUI and Novell, Inc.'s NetWare on the same network. Many of our PCs hang several times a day. More frequently, though, they pause without accepting keystrokes. What's going on?

Conny Roussos, via Network World Fusion.

First, see if you can isolate the component that is causing the problem, says Ron Nutter, an Enterprise Certified NetWare engineer in the Lexington, Ky., area. To do this, load only the files required to talk to a NetWare server.

Then, if your workstation's configuration allows, load only the files needed to communicate with the network's Microsoft service.

You can also verify that the NetWare access drivers on your workstations are all the latest versions and boot your PC without memory management loaded, thus eliminating memory as the problem. In addition, ask affected users to record events in chronological order when their PCs hang.

You could also compare the configurations of machines with and without the problem to see if there are any differences.

Have wireless PBX standard, will roam

Impending TIA, ANSI standard will allow interoperability between multivendor wireless handsets and wireless PBXs.

By Neal King

For years, vendors have purposely kept the interface between digital desktop phones and private branch exchanges proprietary so customers would not turn to alternative sources for handsets. Fortunately, this is not the case when it comes to wireless systems.

Increasingly, workers who travel between sites are carrying wireless handsets, so these phones must be able to work with any wireless PBX.

The Telecommunications Industry Association (TIA) and ANSI are close to finalizing a standard that will ensure such interoperability.

The TIA TR41.6.1 Subcommittee based its development of the standard, called Personal Wireless Telecommunications (PWT), on the successful Digital European Cordless Telecommunications (DECT) standard.

Handsets that support PWT, which until recently was known as the Wireless Customer Premises Equipment standard, will interoperate with PWT-compliant wireless PBXs from any vendor.

What is compliance, anyway?

In order for a wireless handset to communicate with an arbitrary wireless PBX, makers of both pieces of equipment must agree on what comes over the air. The PWT air interface has several aspects, each of which must be met in order for interoperability to be achieved.

As part of the standard, the Customer Premises Access Profile defines the mandatory set of features that each side of the air interface must support to provide full, cross-vendor interoperability for voice services. Of course, vendors are expected to add proprietary extensions to allow additional features and product differentiation.

Much of the air interface can be described within the context of a layered protocol model, similar to the ISO's Open Systems Interconnection architecture.

The air interface comprises four protocol layers:

■ **Physical-layer protocol.** This

includes radio characteristics such as channel frequencies and widths, the modulation scheme, and power and sensitivity levels. For PWT, eight channels in the 1.92-GHz to 1.93-GHz band use pi/4-DQPSK modulation.

The physical layer also specifies the framing, so each handset can distinguish the bits to which it has to listen. PWT has 12 time slots in a 10-millisecond frame.

■ **Media access control (MAC)-layer protocol.** This specifies the procedures by which the handset and the base station, or antenna, negotiate the selection of the radio channels. It also combines the channels into bearers, which may be used for duplex, simplex or double-simplex transmissions.

■ **Data Link Control (DLC)-layer protocol.** This is responsible for the sequence and integrity of frames transmitted between the handset and the base station.

■ **Network-layer protocol.** This encompasses messages that identify and authenticate the handset to the wireless PBX.

In addition to these protocol layers, other agreements condition the content of the exchange. They include algorithms for authentication and for handset-to-base station encryption, speech coding and acoustic loss plan.

In practice

The layering principle used in PWT can be illustrated by examining the handoff from one base station to another. This occurs during a call when the mobile user wanders out of the range of one base station and into the territory of another.

When the handset notices that it is having trouble with signal weakness on its current channel, it will first check if it can get acceptable signal strength from another channel (either a different frequency or time slot) to the same base station.

If there is, an exchange of messages at the MAC level secures a simultaneous change so the base station and the handset continue to carry the conversation unbroken.

This channel change takes

place without notification to the DLC layer.

If no acceptable channel is available to the current base station, the handset looks for another base station. An exchange of messages at the DLC and MAC layers is used to secure a data link via a radio channel to the new base station, while the call through the original base station continues.

Full compliance may not be attained in the earliest products, in which case it is likely that a telecommunications manager can bring a deployed system into full compliance through an easy firmware upgrade or by exchanging an Application-Specific Integrated Circuit.

PWT supporters include major PBX vendors such as AT&T, Northern Telecom, Inc., Sie-

HOW IT WORKS


Keeping the conversation alive

Digital wireless systems provide a way for wireless handsets to work with PBXs from different vendors and for the transparent hand off of a wireless phone call from one base station to another.




1 When a handset detects that the signal to the current base station is weakening, it tries to find a stronger signal on another channel.

2 If it cannot find one, it looks for another base station, using the weakening link while setting up a connection to the new base station.



3 After switching to the new base station, the handset drops the link to the old one.



When the data link to the second base station is set up, the handset drops the old channel and begins processing the frames received through the new one.

This takes place without notification to the network layer, so the caller and the wireless PBX are not aware that a handoff has occurred.

Ready, set, action

Although the ink on the PWT standard is not yet dry, it is expected that PWT-compatible equipment will be available in mid-1996.

mens Rolm Communications, Inc. and Mitel Corp., as well as radio technology vendors such as Ericsson, Motorola, Inc. and Nokia Mobile Phones. Because changes from the DECT standard have been minimal, manufacturers of DECT equipment will be able to provide PWT-compliant equipment relatively inexpensively.

King is an engineer in the systems architecture group at Siemens Rolm Communications, a Santa Clara, Calif., PBX vendor. He also is a contributor to the TIA subcommittee on wireless premises equipment.

EDITORIAL INSIGHTS

The hollow crown

The second annual Enterprise Management Summit shoot-out is history, and IBM has been crowned the winner once again. The company is crowing about the achievement, but what does the shoot-out really prove about IBM SystemView as an enterprise management product?

Not much, really.

First, net management market leaders Hewlett-Packard Co. and SunSoft, Inc. didn't participate in the 1995 shoot-out. Nor did systems management heavy Computer Associates International, Inc.

IBM faced Bull HN Information Systems, Inc., Cabletron Systems, Inc. and Digital Equipment Corp.—hardly the "major systems management vendors" IBM claims to have gone "head-to-head" with in its advertising.

Only Digital shows up on International Data Corp.'s 1994 list of the top 10 system management vendors for all operating environments. Bull makes the list for Unix, but Cabletron isn't even on the radar screen.

Those that are on the radar screen are CA, BMC Software, Candle Corp., HP, Sterling Software and Boole & Babbage. Tivoli Systems, Inc. is also considered a major player in this market.

If those vendors, and SunSoft, were present, the tests might have been the "gueling client/server scenarios" that the IBM ads claim.

But even the judges acknowledged that the tests represent only basic operations that any management product should be able to handle before even being considered for mission-critical duty.

Moreover, vendors participating in the shoot-out had months to prepare for these "gueling" exercises. There was no real-world unpredictability; so does the shoot-out really typify the problems you face everyday?

Under such conditions, it seems unfair—or at least misleading to buyers—to crown a winner. Given the complexity of management technology and the myriad customer conditions in which the products will be deployed, it's unrealistic to give one vendor a marketing edge based on such a limited benchmark.


In the future, Summit officials might be wise to forego the crowning ceremony and let attendees judge for themselves what will work best in their environments.

Jim Duffy, Senior Editor

jduffy@nw.com

By Phil Frank and Joe Troise
guru@well.com

Teletoons



AT&T's missteps in Washington point to a political learning disability

Alan Pearce

AT&T's mishandling of the recent landmark communications legislation, which passed both the Senate and House with huge bipartisan majorities, highlights the fact that the carrier has not learned the lessons of its past political and policy-making mistakes.

It still doesn't understand that the political and policy-making establishments in Washington, D.C. play a pivotal role in the destiny of the communications industry.

AT&T's inability to learn its lesson dates all the way back to the MFJ in 1984. Had the company taken a more conciliatory posture then, it might have resolved things more favorably.

The carrier's current series of legislative missteps began last November when the Republicans unexpectedly seized power in the House for the first time in 40 years.

AT&T's first mistake was its failure to predict the involvement of House Speaker Newt Gingrich, a self-proclaimed futurist who wants to become one of the founders of the Cyber Age. When Gingrich did get involved, AT&T botched its relations with him by suggesting that there was some unethical link between the Speaker and the RBOCs.

This suggestion was based primarily on two facts: The Speaker had spent a weekend, or part of a weekend, with Phil Quigley, chairman of Pacific Telesis Group; and one of the Speaker's two daughters works for the cellular arm of BellSouth Corp.

AT&T's second mistake was that it failed to recognize that the House Republicans were new to power and, therefore, somewhat thin-skinned. So AT&T's slogan "Fix it or forget it," regarding bill H.R. 1555, was seen as offensive by the Republican leadership, which had not been subjected to hostile criticism for 40 years.

Third, AT&T compounded its problems by plunking down some \$1 million, according to some reports, to launch a telegram campaign against the House bill. Unfortunately, some of the telegrams were fictitious while others were from people who had died. Naturally, this tactic incensed both Republicans and Democrats. It was a waste of time and money.

Finally, just days before passage of the legislation, AT&T attempted to publicly humiliate and embarrass members of Congress by organizing demonstrations against the legislation and paying for three-page ads in the *Washington Post*, stating that, if passed, H.R. 1555 would result in a "train wreck."

This was not an apt analogy or metaphor because it simply cannot be supported by facts. Indeed, if the industry is on a collision course of any kind, it will be a competitive collision among the major entities.

AT&T has had a long history of unbridled hostility toward federal policy-making and political institutions. Traditionally, AT&T has played policy-making hardball, a tactic that may pay off in competitive markets but is seldom successful in politics.

When I served on the staffs of the FCC and the House of Representatives, AT&T was unusually combative compared to other companies. It always seemed to me at that time that if the company had been more conciliatory, it would have won more policy and political battles. Indeed, AT&T appeared to view the process in Washington as a war while most of the senior policy makers were creatures of the 1960s, with their favorite slogan being "Make love, not war."

Washington's policy-making and political establishments are by definition consensus builders. That implies conciliation; if you want something, you must give up something.

By contrast, AT&T tends to take strong, hard-line positions that it regards as absolutely correct and, therefore, nonnegotiable.

This type of policy-making and political posturing is doomed to fail in Washington, even under the so-called new politics.

Now that AT&T has lost this major battle on Capitol Hill, it must immediately conduct an in-depth analysis of its policy-making and political strategies if it is to turn failure into success. The carrier has made a number of powerful enemies in the first year of the 104th Congress. AT&T has to mend fences fast because Congress and federal policy-making institutions will continue to play a major role in industry fortunes for years to come.

A first step is AT&T's recent reorganization. This will certainly lessen political and policy-making interest in AT&T's domestic and global dominance in services (both wire and wireless) and equipment.

The reorganization permits AT&T to compete more vigorously in these two rapidly growing markets while at the same time giving politicians and bureaucrats fewer opportunities to snipe at a vertically integrated and powerful communications giant. It might be termed a case of divide and conquer.

Fortunately for AT&T, Congress has given the FCC the responsibility for resolving most of the major competitive policy issues stemming from the legislation. Of late, AT&T has developed a fairly good rapport with the FCC and is certainly better positioned to deal with the agency than it was in the '70s and '80s.

When it comes to companies developing their domestic and global business strategies, AT&T is among the best in the world.

But when it comes to political and policy-making strategies, the carrier has a lot to learn. In the future, AT&T should closely examine its policy-making game plan.

Then, as it so rudely told our nation's leaders over the past few months, the company should "Fix it or forget it."

Pearce is president of Information Age Economics, Inc., a telecommunications research firm in Washington, D.C. He can be reached at (202) 466-2654.

Battling bugs is every software developer's problem

Ben Rothke

A few months ago, an article in *Network World* detailed the copious number of bugs found in Cheyenne Software, Inc.'s systems backup product, ARCserve for NetWare. While the facts of the article were irrefutable, there was a very subtle supposition that Cheyenne is the only software developer to ship buggy software.

Complex software will always have known and unknown bugs.

Developers are not only responsible for making you aware of the known bugs, but also for fixing them. But the unknown bugs are often difficult or impossible to detect. In heterogeneous computing environments, testing is intricate due to the multitude of unknown possibilities.

The problem that third-party software developers such as Cheyenne face with software testing and bugs is that their products must be able to work with those of numerous other companies, including operating system vendors, tape drive makers, and controller and network card manufacturers. For example, to back up a single file from a remote NetWare file server, ARCserve must communicate with the core NetWare operating system, the controller card, the network card, various NetWare communications NLMs, the Btrieve database manager, numerous protocol stacks and the physical tape drive.

Unfortunately, vendors are often reluctant to release technical information about their products to other vendors. As a result, the combination of possible errors is so immense that many developers

would be hesitant to even attempt to write backup software.

I had horrendous problems with ARCserve 5.0 when it first came out in early 1994. I spent weeks on the phone with support specialists from different companies and on the Cheyenne forum on CompuServe. Finally, the problem was found to be incompatibility with the SCSI controller card. The SCSI card was replaced, and the problem was solved.

Was this bug Cheyenne's fault? Yes and no. Cheyenne did admit that ARCserve 5.0 should have had a longer beta-testing cycle.

However, Cheyenne can't reasonably be expected to test every piece of hardware in every different combination.

Software developers have never had it easy. They often face hard-to-solve technical problems where they have to deal with preposterous requests and irrational deadlines.

While that does not excuse them from writing good code and performing adequate testing, it's only fair to acknowledge the challenges software developers face and not make any one company seem like the lone perpetrator. Let he who has written bug-free software cast the first stone.

Rothke is a New York-based network engineer for Citibank, N.A. The opinions expressed are his own. He can be reached at 74710.3325@compuserve.com.



IN-BOX

Origin of 'No free lunch'

I enjoyed Mark Gibbs' column on favoritism at InterNIC (Sept. 25, page 66).

But I believe the phrase "There ain't no such thing as a free lunch" was wrongly attributed to Milton Friedman. I think it was coined by science fiction writer Robert Heinlein in his novel, *The Moon is a Harsh Mistress*, published in the mid-1960s. It's since been attributed to almost everyone.

*Roy Wilks
Manager of technology planning
The Kendall Co.
Mansfield, Mass.*

Pinch me

I thought I was dreaming when I read David Buerger's recent Back to Reality column (Oct. 2, page 71), which cited a story by "an ancient Greek essayist."

"Ancient" is the proper adjective to describe the archaic logic Buerger used to refer to over half this planet's population.

I understand the cuteness used to spice up the column on AT&T's recent divestiture within its ranks.

I also understand and accept the necessity for references in this world to men and women, and believe this to be a natural state of affairs. But I don't believe I am being hypersensitive when I choose not to accept the reference to how a man feels "pinched" in a divorce by being called to task in a world that typically favors him in all other rulings.

This quote was not appropriate to the subject matter of the column and smacks of a members-only humor. As a saleswoman and contributing member of a contract manufacturing organization in the electronics industry (which, I realize, is male-dominated), I was personally excluded by the implications of the reference. For me, it destroyed somewhat the credibility of Buerger's column.

Perhaps when the majority of women are more financially successful than men, or, better yet, when there is more balance between the two, we will understand the pinch mentioned in the column.

*Sherilyn Dyruff
Sales representative
Victron, Inc.
San Jose, Calif.*

Differs on Diffie-Hellman

The Diffie-Hellman approach mentioned in the article "Network security without keys" (Oct. 16, page 53) is actually the Diffie-Hellman approach. It refers to Whit Diffie of the Massachusetts Institute of Technology and Martin Hellman, a professor at Stanford University.

*Michael Tsai
Arroyo resident computer coordinator and computer systems specialist*

*Wilbur Hall
Cornerstone Research
Stanford, Calif.*

Managing the enterprise net

The article "OpenView House divides" (Oct. 16, page 1) clearly presents the difficult issue that users face in selecting, maintaining and developing enterprise management systems. Since IBM and AT&T walked away from the concept of systems of systems, users have realized that enterprise systems management is not one-stop shopping.

Vendors have also been struggling with product features and capabilities, pricing, distributed databases and customer support.

However, the enterprise requires systems and network management regardless of product capabilities, availability and pricing. Network managers should develop standards and internal processes to meet users' needs and increase staff knowledge, and select a management system or set of systems to help with the enterprise systems management.

Duke Power Co.'s choice of IBM's NetView for AIX in conjunction with Hewlett-Packard Co.'s OpenView is a good example of a limited set of systems. These systems are tools, and, in conjunction with enterprise standards, processes and staff knowledge, they can increase the effectiveness of enterprise systems management.

*Peter Alissandratos
Vice president of network engineering
The Bank of New York Company, Inc.
New York*

NetworkWorld

Editor in Chief

John Gallant

Editor

John Oix

NEWS

News Editor

Doug Barney

Associate News Editor

Bob Brown

Special Assignments Editor

Beth Schultz

Phone: (312) 283-0213; Fax: (312) 283-0214

Enterprise Editor

Charles Bruno

Phone: (407) 381-7801; Fax: (407) 381-7903

On-line Editor

Adam Gaffin

Phone: (508) 820-7433; Fax: (508) 820-3467

WANs & INTERNETWORKING

Michael Cooney - Senior Editor

Phone: (703) 830-8138; Fax: (703) 830-7963

Jim Ouffy - Senior Editor

Phone: (508) 820-7525; Fax: (508) 820-3467

Joanie Wexler - Senior Editor

Phone: (415) 712-8200; Fax: (415) 712-8333

Tim Greene - Senior Writer

Phone: (508) 820-7422; Fax: (508) 820-3467

David Rohde - Sr. Washington Correspondent

Phone: (202) 879-6758; Fax: (202) 347-2365

LOCAL NETWORKS

Kevin Fogarty - Senior Editor

Phone: (508) 820-7456; Fax: (508) 820-3467

Peggy Watt - Senior Editor

Phone: (415) 903-9519; Fax: (415) 968-3459

Michael Czenger - Senior Writer

Phone: (708) 359-4692; Fax: (708) 359-4693

Jodi Cohen - Staff Writer

Phone: (508) 820-7449; Fax: (508) 820-3467

Ben Heskett - Staff Writer

Phone: (508) 820-7491; Fax: (508) 820-3467

CLIENT/SERVER APPLICATIONS

Barb Cole - Senior Editor

Phone: (619) 484-4896; Fax: (619) 484-0069

John Cox - Senior Editor

Phone: (508) 834-0554; Fax: (508) 834-0558

ELECTRONIC COMMERCE

Ellen Messmer - Sr. Washington Correspondent

Phone: (202) 879-6752; Fax: (202) 347-2365

Managing Editor

Michelle Psychogios

ART

Rob Stave - Art Director

Susan Champaney - Design Editor

Susan Pulaski - Design Editor

Terri Mitchell - Associate Design Editor

COPY DESK

Karen Moltenbrey - Chief Copy Editor

Laura Mascharka - Copy Editor

John Robinson - Copy Editor

FEATURES

Features Editor

Paul Oesmond

Phone: (508) 820-7419; Fax: (508) 820-1103

Jim Brown - Managing Editor

Phone: (508) 820-7408; Fax: (508) 820-1103

Susan Collins - Associate Features Editor

Phone: (508) 820-7413; Fax: (508) 820-1103

Dana Thorat - Associate Features Editor

Phone: (508) 820-7451; Fax: (508) 820-1103

Kathy Scott - Assistant Features Editor

Phone: (508) 820-7489; Fax: (508) 820-1103

Reviews

Lee Schlesinger - Test Center Director

Phone: (508) 820-7416

William Rinko-Gay - Director, NetworkWorld/PC World

Server Test Center

Test Alliance Partners

Todd Coopé, Trinity College; Mark Gibbs, Gibbs & Co.; Steven Goldberg, Coopers & Lybrand; Interdisciplinary

Telecommunications Program, University of Colorado at Boulder; Bob Larribeau, Larribeau Associates; National

Computer Security Association; David Dorabaud, Venture

Computer Services; Joel Snyder, Opus One; TeleChoice, Inc.

Contributing Editors

Daniel Briere, David J. Buerger,

Mark Gibbs, James Kobilus,

Mark Miller, Alan Pearce

Buyer's Guide Contributors

Mary Petrosky, The Burton Group; Tony Croes, Linda

Musthaler, Josh Penrod, Currid & Co.; Mark Miller, OIGNet

Corp.; James Kobilus, LCC, Inc.; Mike Marburg, META

Group Global Network Strategies; Joel Snyder, Opus One; Daniel

Blum, Gary Rose, Rapport Communication; Daniel

Briere, Christopher Finn, Christine Heckart, Mark Langner, TeleChoice, Inc.

Teletoons

Phil Frank, Joe Troise

Assistant to the Editor

Cheryl Crivello

Editorial Assistants

Pauline Chouinard

Gienna Fasold

Colin Ungaro - President/Publisher

Mary Fanning - V.P. Finance & Operations

Nanci Farquharson - Office Service Manager

Mary Kaye Newton - Administrative Assistant

NetworkWorld TECHNICAL SEMINARS

Switching and the Virtual LAN

EFFECTIVE DEPLOYMENT & MANAGEMENT STRATEGIES

Presented By John McConnell

BRINGING MORE BANDWIDTH TO THE DESKTOP

Switching is truly a networking revolution—offering economical bandwidth while preserving desktop investments. However, switching also offers much more—greater control of bandwidth, access control and a new way of creating LANs. The Virtual LAN is changing the way we construct and modify networks. The services that switching and VLANs provide cannot be matched within the traditional shared media environment.

Whether you are a network planner, designer or administrator, *Switching and the Virtual LAN: Effective Deployment and Management Strategies* seminar will provide you with the skill and knowledge you need to evaluate and implement a switching strategy for optimum network performance.

This information-packed program, directed and taught by world-renowned lecturer and consultant John McConnell, will provide you with an in-depth understanding of the differences between switches and VLANs. You will learn which one will make the difference for your network and explore how VLANs offer simplified management, lower cost of ownership, stronger security and higher service quality.

Attend Switching and the Virtual LAN and improve your network performance.

"John, as usual, provided an excellent presentation. His presentation technique and style are both informative and insightful."

Vishal Desai,
Network Manager
NASA

"Good job of talking about the value of this technology relative to user requirements."

Bill Erdman,
Senior Product Manager
Cisco Systems

"John knows our pressing needs and addressed them."

Bryan Duemler,
Senior Systems Programmer
Steekase

1996 SEMINAR LOCATIONS & DATES

BOSTON, MA
JAN. 22

CHICAGO, IL
JAN. 24

ATLANTA, GA
FEB. 6

ORLANDO, FL
FEB. 8

PHILADELPHIA, PA
FEB. 26

DALLAS, TX
FEB. 28

IRVINE, CA
MAR. 5

SAN FRANCISCO, CA
MAR. 7

NEW YORK, NY
MAR. 12

WASHINGTON, DC
MAR. 14

12 KEY BENEFITS OF ATTENDING THIS SEMINAR . . .

1. Gain an in-depth view of developments in LAN from switching, Token Ring, Ethernet, FDDI and ATM cell switching
2. Determine which packaging options work best for you—stand-alone, embedded, stackable and chassis
3. Learn the differences in switching architectures and which design factors will have an impact on your network
4. Explore new developments in monitoring switched networks
5. Analyze when to use Layer 2 and Layer 3 switching
6. Learn about LAN Emulation as a means to interconnect LANs
7. Explore the complete scope of emerging Virtual LAN technologies. All VLANs are not the same: evaluate the tradeoffs and determine which one works for you
8. Learn about the newest developments in MPOA (Multi-protocol interconnections with ATM)
9. Find out what leading switching vendors products and strategies will work best in your environment
10. Learn about the new routing strategies for interconnecting switched workgroups and virtual LANs
11. Understand the new management requirements and opportunities required by switching and VLAN networks
12. Learn from early adopters—What switching strategies have they adopted?

Register for our
Remote LAN Access Seminar
the day after this seminar and learn
how switching and virtual LANs
can be integrated into your
remote access solution.

**REGISTER FOR BOTH
SEMINARS AND
SAVE \$100**

E-mail your request for information to
seminars@nwfw.com

to automatically receive an e-mailed version of our seminar brochure.

Please put the word "switch" in the subject field.

or
obtain full seminar information in the Professional Development area on Network World Fusion at

<http://www.nwfusion.com>

REGISTER AND YOU WILL RECEIVE ...

- Comprehensive seminar workbook
- Free 6-issue subscription to *Broadband Networking News*
- Luncheon and break refreshments
- All of the above included in your \$395 registration fee

Note: If you can't attend, call us and order this informative and useful attendee materials kit for just \$99.95!

Broadband Networking News

Business News & Analysis of Frame Relay, ATM, and SMDS

**Call 1-800-643-4668
Register today for
the seminar nearest you!**

Dial Our **FAX-BACK** Information Line at
1-800-756-9430
for a complete seminar
outline and registration form.
When prompted, request document #50.

OFFICIAL
SPONSORS



Bay Networks

proteon network with the pro™



LANOPTICS

CABLETRON SYSTEMS
The Complete Networking Solution™

"Switching and VLANs will reshape the enterprise, and network managers need to learn more about these technologies."
John Gallant, Editor-in-Chief, Network World





From NetWare to Eternity

*Surf the Internet with
one of these TCP/IP
gateways for NetWare.*

By James Gaskin



Your NetWare users want to cruise the Internet, but you don't have the time, budget or patience to install and configure TCP/IP for each of your IPX clients. Fortunately, there is an easier way: You can turn to an Internet gateway for your NetWare server.

The four gateways we examine this week are the only prod-

ucts we've found that run on the NetWare file server itself. They stratify into two levels: those with minimal connectivity with no frills — Micro Computer Systems, Inc.'s (MCS) Inetix and Internet Junction, Inc.'s Passport; and those with added features and management — Firefox, Inc.'s NOV*IX for Internet and Quarterdeck Corp.'s IWare Connect, which the com-

pany recently acquired when it purchased developer Internetware, Inc.

All the products funnel client traffic through a single IP address. They effectively screen all your NetWare resources from view by the Internet at large.

These products can connect as many as 50 concurrent NetWare clients to the Internet using a single IP address, while providing excellent security against outside hackers. And they use only IPX, the native NetWare protocol, for all communication between clients and the gateway, eliminating the need to add and manage TCP/IP for LAN users.

Each vendor provides its own support for WinSock, the standard software bridge between Windows and TCP/IP, and makes the necessary programs, primarily WINSOCK.DLL, available to all users (see story, page 54). You must load and configure translation NetWare Loadable Module programs on the NetWare server acting as your gateway host.

The components of a NetWare-to-Internet gateway are:

- Server-based software executing IPX-to-TCP/IP translation.
- WINSOCK.DLL and other client files.
- Internet applications.

Some products give you Internet applications such as World-Wide Web browsers, electronic mail clients and newsreaders. Others provide just a File Transfer Protocol (FTP) program and directions on gathering freeware and shareware.

If money is not a constraint, Firefox's NOV*IX for Internet provides the most complete package, including all necessary Internet applications and considerable management capability. You'll appreciate the multiple configuration utilities and control features provided, not to mention how well the gateway works with the other Firefox products.

Providing gateways of various kinds has been Firefox's only business since back in the days of NetWare 286. This experience shows in NOV*IX for Internet's range of features and options, reliability and control.

Just the basics

Inetix and Passport are the two lean, no-frills NetWare-to-Internet gateways. Both products should appeal to companies that require a single product to support multiple gateway server platforms.

Interestingly, both systems are available on a variety of other server platforms; Inetix has versions for Windows NT and multiple Unix flavors, while Passport covers the same list but also includes Windows 3.1 and more Unix platforms.

Internet Junction licenses its IPX-to-TCP/IP translation software to Sun Microsystems, Inc. (for Sun's Netra Internet gateway) and Frontier Technologies Corp. (for its new CyberJunction gateway).

Inetix includes an FTP program preconfigured to retrieve the most popular Internet

Continued on page 50

NetResults

Product	NOV*IX for Internet	Passport	Inetix	IWare Connect
Vendor	Firefox, Inc. (408)321-8344	Internet Junction, Inc. (415) 934-3600	MicroComputer Systems, Inc. (214) 659-1514	Quarterdeck Corp. (310) 309-3700
Price (concurrent users)	\$1,575 (5) \$2,725 (10) \$5,275 (25) \$8,750 (50) \$14,850 (100)	\$595 (5) \$1,095 (10) \$2,495 (25) \$4,495 (50) \$6,995 (100)	\$995 (5) \$1,995 (25) \$2,995 (50) \$4,995 (51 up to host's limit)	\$995 (5) \$1,495 (10) \$2,995 (25) \$4,995 (50) \$8,995 (100)
Key findings	<ul style="list-style-type: none"> ▶ Complete application suite included ▶ Flexible user management ▶ Multiple IP addresses available, assignable by user, group or machine ▶ Optional E-mail server software available 	<ul style="list-style-type: none"> ▶ Runs on multiple server platforms, including Windows NT and various Unix versions ▶ Bypasses SPX in favor of STREAMS-based network protocol ▶ Optional SuperHighway applications from Frontier Technologies available 	<ul style="list-style-type: none"> ▶ Runs on multiple server platforms, including Windows NT and various Unix versions ▶ Filters traffic by IP address ▶ Includes FTP application 	<ul style="list-style-type: none"> ▶ Time of day restrictions available ▶ Other restrictions based on Internet applications available ▶ Optional InternetSuite of applications available

Note: Beginning this issue, full vendor contact information, including fax number, address and URL, will be available through Network World Fusion.

Continued from page 49
 applications Passport gives you locations to find applications but doesn't include them. The upside of that is you won't have applications you don't want included in the gateway price.

The downside of these stripped-down gateways is that they don't offer much flexibility. Both can restrict client access by using NetWare security or denying access to critical client software. MCS

offers ways to filter IP traffic by either blocking some addresses while allowing others, or vice versa. This is a manual process today, but all gateway vendors are racing to add more management and control features.

Installation is a snap with both products. Inetix has a quick installation routine, while Passport has directions for copying a few files to the proper directories. There is little to configure for either

system beyond TCP/IP details.

The Internet Junction product is optimized for performance by bypassing Novell, Inc.'s SPX protocol and using the company's own STREAMS-based network layer running over IPX. This advantage is muted when the gateway accesses remote Internet resources since all gateways can keep up with WAN connections that are only as fast as a T-1 line (1.544M bit/sec).

If your network can use an IPX-to-

TCP/IP gateway for accessing local resources, however, the extra speed claimed by Internet Junction may be worth investigating.

We tested all the products on the Internet rather than in a lab, where fluctuating network traffic patterns make performance testing unreliable. We've found that testing over any WAN link of less than T-1 speed is dependent on the WAN, not the LAN or gateway.

Moving up the ladder

Firefox's NOV*IX for Internet is the only package of the four that includes a complete application suite as part of the gateway price. IWare Connect includes no applications, but the Quarterdeck InternetSuite is available at an extra charge.

NOV*IX for Internet and IWare Connect add considerably more management options. NOV*IX for Internet allows you to provide unique IP addresses per group, user or physical workstation (see Figure 1, page 54). Some secure applications require a specific IP address for each user for verification purposes; NOV*IX for Internet is the only gateway that can accommodate such applications.

Inetix, Passport and IWare Connect all use the Novell TCP/IP software that ships with each NetWare server. The NOV*IX TCP/IP suite can run in conjunction with Novell's software on the NetWare server, but it usually runs alone. No TCP/IP software is installed at any NetWare client.

You can tell by looking at NOV*IX for Internet and IWare Connect that NOV*IX was first to market and IWare Connect targeted specific areas that NOV*IX needs to upgrade. Where


Continued on page 54

HOW WE DID IT

All gateways were tested on a Gateway 2000, Inc. 75-MHz Pentium file server with 32M bytes of RAM, a 540M-byte IDE hard drive and a 3Com Corp. 3C509 Ethernet 10Base-T interface card connected to a 3Com LinkBuilder TP/8 wiring concentrator. The external router was an Ascend Communications, Inc. Pipeline 50 ISDN system, connected to the Internet via a connection supplied by On-Ramp Technologies, Inc. in Dallas. The primary client was an Acer Open 75-MHz Pentium system from Acer, Inc. with 24M bytes of RAM, an 820M-byte IDE hard drive and a 3Com 3C509 Ethernet 10Base-T interface card.

We installed each product on the server and clients, and explored their configuration and management utilities. We tested with popular third-party Internet applications such as Netscape. Since the Internet is a constantly changing environment, where file-transfer speed and other network performance tests are less an indication of product performance than network congestion, we did not report any quantitative testing.

Internetworking: DESIGNING LANs, WANs & BROADBAND NETWORKS



The ever-changing internetworking landscape, fueled by emerging broadband technologies, dramatically challenges traditional LAN and WAN architectures. Network professionals must now integrate local and wide-area networks with new technologies including fast Ethernet, ATM, frame relay and SMDS. These and other new technologies hold the promise of more efficient and ever-faster communications across enterprise networks.

Directed and taught by Mark Miller, author of seven best-selling books on internetworking technologies, this seminar will teach you how to architect and implement multiprotocol, multioperating system internetworks that seamlessly integrate legacy and emerging technologies.

This information-packed two-day seminar will help you . . .

- Evaluate internetworking hardware and software solutions for optimum network design and performance, and review over 40 available products
- Analyze repeaters, bridges, switches, routers and gateways to determine which one is appropriate for particular applications
- Prepare for the next generation of internetworking challenges: Frame relay/SMDS, frame relay/ATM and SMDS/ATM connections
- Understand key internetworking protocols, such as TCP/IP, IPX/SPX, X.25 and XNS
- Determine bandwidth requirements for both leased line and broadband circuits utilizing traffic studies

- Troubleshoot your environment through case studies that detail protocol operation, and illustrate typical internetworking problems and solutions, including Ethernet fragments, the token ring route discovery process, and FDDI station management
- Understand the key internetworking features of AppleTalk, Banyan VINES, NetWare, OS/2 LAN Server and Windows NT
- Discover some key applications for narrowband ISDN technology
- Compare the technologies and operation of ATM, frame relay and SMDS, and discover the role of the broadband implementers: the Frame Relay Forum, the ATM Forum and the SMDS Interest Group
- Understand the detailed operation of Ethernet, IEEE 802.3, token ring and FDDI, and key performance characteristics of these technologies
- Evaluate the differences between Transparent Bridging, Source Routing and Source Routing Transparent Bridging internetworking standards

Routing and Source Routing Transparent Bridging internetworking standards

- Utilize available software tools in the network optimization and modeling process
- Examine application gateways that connect LANs, minicomputers and legacy systems
- See how SNMP plays a key role in internetwork management including the management and operation of broadband networks
- Understand the operation of IP-based routing
- Match the appropriate LAN application with the WAN broadband technology
- Understand TCP/IP and the Internet protocol suite, including ARP, ICMP, UDP, SMTP, TELNET and FTP
- Explore the internetworking challenges of remote access and wireless communications

Locations and Dates

Boston, MA	October 16-17
Denver, CO	October 19-20
Atlanta, GA	October 25-26
Washington, DC	November 2-3
Chicago, IL	November 28-29
San Francisco, CA	December 5-6

Irvine, CA	January 17-18
Dallas, TX	February 12-13
New York, NY	February 27-28
Philadelphia, PA	March 12-13
Orlando, FL	March 14-15

\$895 Registration Fee Includes . . .



- Comprehensive seminar workbook
- Copy of best-selling *Internetworking*, 2nd edition, by Mark A. Miller
- Four exclusive protocol reference guides: Ethernet, Token Ring, FDDI and LAN Cabling
- Valuable course diskette containing reference information on internetworking implementation, documentation and standards

- Free 6-issue subscription to *Broadband Networking News* — the leading newsletter for news and analysis on broadband networks

Broadband Networking News

Business News & Analysis of Frame Relay, ATM, and SMDS

- Luncheon and break refreshments

Note: If you can't attend, a full attendee materials kit is available for just \$99.95!

Call **1-800-643-4668**
 Register today for
 the seminar nearest you!

Dial Our **FAX-BACK** Information Line at
1-800-756-9430
 for a complete seminar
 outline and registration form.
 When prompted, request document #80.

E-mail your request for information to
seminars@nwv.com
 to automatically receive an e-mailed version of our seminar brochure.
 Please put the word "lan" in the subject field.

OR
 obtain full seminar information via our Web server.
 Point your Web browser at
<http://www.nww.com/seminars>

Official Sponsors



proteon network with the PRO™

SYMPLEX COMMUNICATIONS

Unisys Network Enable.

The one source for the many resources your network requires.

Building a multivendor network is not for the impatient, the easily depressed or the faint of heart. Just ask anyone who's tried to find, choose and manage dozens of vendors themselves.


Unisys Network Enable is an easier, more efficient way to solve the problem.

With worldwide depth and expertise, we specialize in designing, installing and maintaining network solutions in multivendor environments.

This means that all you have to do is make one call and we can bring you the best possible solutions, no matter who happens to make them. And that includes over 9,000 products from over 130 vendors.

Besides providing you with the advantages of a single, fully accountable resource, there are many other reasons to call Network Enable.

For example, there's our impressive range of services. These include the creation and support of LANs, WANs and backbone networks. Preinstallation configuring and staging. And Unisys Desktop Services, our premier



enterprisewide support program.

Now that you know Network Enable is the

UNISYS

only name you need to know, there are two things you should do: Get rid of all those other business cards. And contact us today on the Internet at <http://www.unisys.com/adv> or by calling 1-800-874-8647, ext. 134.




What does a 3Com switch



**THE 3COM LANPLEX 2500
DELIVERS UP TO 10 TIMES THE
PERFORMANCE AND COSTS
UP TO 38% LESS THAN CISCO'S
CATALYST 1200 SWITCH.**

Before you commit to a Cisco Ethernet/FDDI switch, consider this: The LANplex® 2500 switch from 3Com® can perform at a whopping 10 times the speed of Cisco's Catalyst™ 1200 switch. At a price neither Cisco, nor anyone else, can match.

Now consider technology. 3Com has developed an ASIC that allows for unequaled switching performance and functionality. Only 3Com switches have it. So only

A photograph of a 3Com LANplex 2500 hub, showing its front panel with multiple ports and a dark blue faceplate. The word "Performance" is printed in gold on the top right corner of the faceplate.

Performance


A photograph of the same 3Com LANplex 2500 hub, now placed on a yellow surface. The word "Performance" is printed in gold on the top right corner of the faceplate.

Performance

give you that Cisco can't?

A photograph of the 3Com LANplex 2500 hub on a red surface. The word "Performance" is printed in gold on the top right corner of the faceplate.

Performance

A photograph of the 3Com LANplex 2500 hub on a green surface. The word "Performance" is printed in gold on the top right corner of the faceplate.

Performance

3Com can offer this unsurpassed power at such a low price. Not Cisco.

And the LANplex 2500 gives you features like two switched FDDI ports, virtual LAN support and Elastic Packet Buffering. Plus, you'll have a simple upgrade path to high-speed technologies. From FDDI today to 100BASE-T Fast Ethernet or ATM tomorrow, 3Com prepares you.

For more information on an unrivaled range of workgroup and data center switching products, and to receive a free copy of the LANplex 2500 performance report, don't call Cisco. Call **1-800-NET-3Com**.



Continued from page 50

Novell's excellent user management for controlling access to Internet resources, IWare Connect can limit user access to resources, depending on the time of day (see Figure 2).

NOV*IX for Internet has the edge with IP address flexibility, since it is the only gateway product available that controls a

range of IP addresses and can attach specific IP addresses to individuals, user groups or specific computer hardware addresses. IWare Connect cannot compete with that feature, but it uses Novell's TCP/IP rather than a third-party version of the protocol.

The only complaint we had about the NOV*IX for Internet

application suite is that it includes an Enhanced Mosaic Web browser rather than Netscape Navigator, a browser with more capabilities. However, you will soon be able to add your Netscape application icon to the NOV*IX toolbar.

Key things we liked about NOV*IX for Internet include:

- FTP software that is fully graphical, including drag-and-drop capability.
- Highly configurable telnet software with multiple keyboard mappings.
- Complete and flexible Gopher utility.
- A private-label version of public-domain WinVN newsreader, originally developed by Mark Riordan, and one of the most popular and comprehensive available today.
- Solid E-mail client.
- Optional E-mail server module runs a full Post Office Protocol Version 3 and Simple Mail Transfer Protocol on the NetWare file server. Using this optional software, a company can run a full Internet post office on its NetWare server.

NOV*IX for Internet is also the only gateway that supports Novell's NetWare Directory Services. In fact, the scheme Firefox uses to share gateways of all types across a large NetWare network should be studied by companies new to distributed computing.





Figure 1: Assigning an individual IP address is mandatory for some security-minded applications on large systems. Only NOV*IX for Internet provides this IP address flexibility.

WinSock it to me

Near the start of this decade, the "open systems" community of PC-based TCP/IP protocol stack vendors discovered an embarrassing fact: An "open" product from one vendor didn't work with an open product from another vendor. In other words, each TCP/IP suite only supported applications developed specifically for that suite.

At the Interop show in San Jose, Calif., in 1991, 30 vendors, including Microsoft Corp., pledged to work together to support Windows applications on all TCP/IP protocol stacks using a technique called Windows sockets, or WinSock.

WinSock was originally designed as the layer between an application (such as Netscape, Mosaic or Eudora) and TCP/IP that would enable application developers to make standard requests for network services. The protocol vendors designed WinSock software to fit their own TCP/IP stacks, but with the proper programming interfaces for all WinSock-compliant applications.

WinSock 1.1 is the current shipping version, and, technically, it accommodates only TCP/IP. So how do NetWare-to-Internet gateway products run WinSock over IPX?

The answer lies in another technique, called spoofing. Each gateway vendor writes its WinSock code to emulate the TCP/IP application interface details but connects the application to the PC client's IPX protocol for transport to the Internet gateway. At the gateway, the IPX packets are replaced by TCP/IP packets for the trip across the Internet. The process is reversed for packets returning from the Internet.

WinSock Version 2, for which specifications were released last May, builds in support for IPX and other protocols, including AppleTalk and Open Systems Interconnection. Vaguely named "new media" support for connection-oriented technologies such as ATM and ISDN is part of the new version.

When applications supporting WinSock 2 become available next summer, IP spoofing will no longer be required.

Windows 95 already implements some of the features of WinSock 2. In Windows 95, a gateway vendor can't simply overwrite WSOCK32.DLL (replacing WIN32.DLL) with its own version; the vendor must write a transport layer interface to slip in underneath the 32-bit Windows 95 WinSock. Unfortunately for gateway vendors, the details of Windows 95 WinSock support were not firm until late August, so today, all gateway vendors are scrambling to catch up.

Look for solid Windows 95 support early in 1996 for NetWare-to-Internet gateways.

TECH TIP: WIN32.DLL TO GO

Portable computers with remote node dial-up software also use a WIN32.DLL program. If you're not careful, the gateway client software will overwrite this dial-up WIN32.DLL, causing you considerable grief.

Copy the dial-up WIN32.DLL to the same subdirectory as your dialer software, and rename the existing WIN32.DLL in the WINDOWS subdirectory before installing the gateway client software.

In the office, use WIN32.DLL in the WINDOWS subdirectory for the gateway. When traveling, rename that WIN32.DLL so there is no file named WIN32.DLL in the WINDOWS subdirectory. This is messy, but it will work.

Windows 95 already implements some of the features of WinSock 2. In Windows 95, a gateway vendor can't simply overwrite WSOCK32.DLL (replacing WIN32.DLL) with its own version; the vendor must write a transport layer interface to slip in underneath the 32-bit Windows 95 WinSock. Unfortunately for gateway vendors, the details of Windows 95 WinSock support were not firm until late August, so today, all gateway vendors are scrambling to catch up.

Look for solid Windows 95 support early in 1996 for NetWare-to-Internet gateways.

ing the need to visit each client even when installing any gateway (except NOV*IX for Internet, whose client software can be downloaded by individual clients if you define a configuration template and record a sample download).

WIN32.DLL needs no configuration on each client, but Internet applications regularly need some setup.

E-mail clients, for instance, must have the name of the E-mail server and the user name, and the configuration files are kept locally.

A nice touch in NOV*IX for Internet is a master configuration template. During software installation on the server, you can configure the E-mail, Gopher and newsreader client details. Since the servers are likely to be the same for all users on your network, this preloads the information for each client.

Applications included with Internet gateways generally may be installed on the

server or on each workstation. But even NOV*IX for Internet, which can run the applications from the server, requires local storage space for personal details and workspace.

Since configuration details such as E-mail address and personal user name are unique, local installation is the default option.

Of the four gateways discussed here, NOV*IX for Internet requires the most time for installation because it has the most features. Fortunately, it has an excellent configuration program interface.

Where's Novell?

Good question. Novell, Inc. has floated some rumors about a NetWare-to-Internet gateway to be shipped along with a forthcoming Web server, but has released no solid specifications or details.

Novell has a spotty history with gateways of any sort. The company looked outside for an SNA gateway in the late '80s and recently spun off that product line, SAA Server, to IBM. Firefox, one of the leaders in the NetWare gateway market, now does all the work for Novell's Open Systems Interconnection gateway products.

Novell has plans to make TCP/IP more important in future versions of NetWare. This could mean that Novell's Internet gateway will push part of the TCP/IP protocol suite down to the client. This causes more management and security headaches for network managers accustomed to dealing with IPX alone, but it makes Novell look good for the TCP/IP crowd.

Another option is for NetWare to provide basic IPX-to-TCP/IP translation as a standard server function. This would go a long way in blunting criticism about mixing IPX and TCP/IP in a single company. As Microsoft's inclusion of TCP/IP in its Windows 95 product forces traditional TCP/IP vendors to focus on their applications, Novell's inclusion of IPX-to-TCP/IP translation would focus attention on gateway management, control and security.




Figure 2: Denying the ACCOUNTING group access to parts of the Internet during work hours. INETIX can configure the time settings separately for weekdays and weekends.

Configuration confabulation

After you install any of these gateways on your server, you must set TCP/IP details, including the IP address of the host NetWare server, the IP address of the external router connecting your network to your Internet service provider (ISP) and IP addresses of your ISP's Domain Name System servers.

While WIN32.DLL can be installed on a server, it tends to work more reliably when installed on each client.

There are sometimes extra Windows support programs loaded on each client, reinforcing

Security details

Concern over Internet misuse is forcing more gateway vendors to add management and control features.

Ranging from the general to the specific, management and control capabilities on Internet gateways include:

- Controlling which NetWare clients have access to the gateway.
- Blocking IP addresses from all NetWare clients or client subsets.
- Blocking Internet servers by domain name.
- Stopping internal computers from running server software and accepting outside client connections.

MORE ON-LINE

Hackers are less of a threat than you might gather from reading the general press — if you have a firewall in place. Read why on Network World Fusion. Point your browser at

http://www.nwfusion.com. From the main menu, select NetRef, then Reviews and "TCP/IP gateways for NetWare."



- Filtering newsgroups using wildcards (such as alt.*, *.sex.*).
- Controlling client access by time of day.

Part of the configuration task should include setting user access privileges. Want to block out alt.* newsgroups, but allow comp.*? That's no problem for NOV*IX for Internet. In fact, you can filter down as narrowly as you want using wildcards and even provide exceptions to your own rules. That makes it simple to limit your clients to viewing only the comp.os.* groups, block the alt.* and rec.* newsgroups, but allow rec.humor.

IWare Connect can restrict not only newsgroups, but also all telnet and X Window System sessions, E-mail, Gopher, logon and most other Internet applications. IWare Connect also has the ability

The alliance is a cooperative of users, consultants, educators and integrators that applies its technical and business skills to analyze and compare strategic network products. A list of alliance partners can be found on page 47.

Gaskin is vice president of Gaskin Computer Services, a Dallas-area consulting, integration and programming firm, and the author of two books on NetWare. The material in this review is derived from research for his forthcoming Prentice Hall book, *NetWare to Internet Gateways*, to be released in January 1996. Gaskin can be reached at jgaskin@mcimail.com.

to control access by time and date, making it simple to restrict newsgroup access until after business hours, for example. NOV*IX for Internet can't do that, but it offers complete IP address flexibility, by dint of providing its own TCP/IP stack rather than using Novell's.

Inetix and Passport control user access through traditional methods only: If your client has WINSOCK.DLL and the accompanying DLL programs loaded, it can use

the gateway. Inetix allows you to either block some IP addresses and allow all others, or allow some IP addresses and block all others. Passport currently has no blocking available.

Four for NetWare

All four of these Internet gateways do a good job. NOV*IX for Internet is the most complete and flexible, followed by IWare Connect from Quarterdeck. Inetix from

MCS and Passport from Internet Junction take the "just the facts, ma'am" approach: They are small, tight gateway products. Your organization's needs will determine which is most suitable for you.

What if you're not running NetWare but want to take the same gateway approach to Internet access? Later this month, we'll look at products that do just that for Windows NT, Unix and other platforms. ■

computing • Understand the role of message-oriented middleware • Develop data warehouse applications • Find the right IT solution

Client/Server & Middleware

DB/EXPO New York

**The Most Important
Database,
Client/Server,
& Data Warehousing
Conference & Exposition**

Go to DB/EXPO • Select the right middleware solution • Manage a distributed computing environment • Test and tune client/server applications • Learn about distributed object

Yes, I'd Like to Catch Up on IT!

1-800-2DB-EXPO

Please send me:

- My DB/EXPO '95 Conference Brochure
- Complimentary Exhibit Passes
- Information on becoming an exhibitor


2111NY

Name: _____	Title: _____
Company: _____	Mail Stop: _____
Street: _____	City: _____ State: _____ Zip: _____
Telephone: _____	Fax: _____
E-Mail Address: _____	

24 HR FAX FORM (415) 966-8934

**Exposition • 5-7 December 1995
Jacob K. Javits Convention Center, NYC
Conference • 4-8 December 1995**





YOU HIRE US TO
MANAGE YOUR DATA
NETWORK, THE ONLY
CRASH THAT'LL GET
YOU OUT OF BED AT
4 A.M. IS YOUR CAT
KNOCKING OVER
THE FLOWER VASE.

Data network *problems* can arise at any time of the day or night. That's why Southwestern Bell Telephone created BTAC, or Business Technical Assistance Center, as part of our Building Distribution Service/Local Area Network Services. When you subscribe to BTAC, you'll receive remote system monitoring and diagnostics 24 hours a day, 365 days a year. BTAC includes technical support that will help you avoid network operations and compatibility problems. Direct access to technical assistance for immediate analysis and *solutions* to minimize down time. And administration assistance that includes a complete inventory of your entire network stored in our BTAC database. In effect, BTAC will become your single point of contact for system troubleshooting and maintenance. Which means if you do get awakened in the middle of the night, at least it won't be due to a problem with your data network. For more information about BTAC, call at 1-800-859-SWBT.

 **Southwestern Bell** Telephone



Last in a five-part series

The Berlin Wall of technology is starting to crumble. By this time next year, you should have options aplenty for doing what today is all too rare: connecting frame relay and ATM services.

You may be skeptical, having heard service providers sing this song for well over a year now. But Sprint Corp. already has frame relay-to-Asynchronous Transfer Mode service interworking available, and other carriers are responding to the pressure, promising to follow suit by the end of this year or early next.

As with other broadband capabilities, some providers' promises will be checked by equipment availability — many frame relay and ATM platforms will not support service interworking before 1996. And there are engineering and implementation issues that must be resolved once interworking capabilities are in place.

But carriers have been aware of these issues for some time, so a speedy rollout of these key capabilities is well within reason.

The term "interworking" generally has been used to describe how one technology interoperates with another. There are two types of interworking: network and service.

Network interworking is when one protocol is used on each end of a transmission but another is used in between. For example, with frame relay-to-ATM network interworking, two frame relay sites send traffic across an ATM backbone. At some point in the service provider's network, the frame relay packet is segmented into ATM cells and then reassembled into a frame relay frame before being delivered to the destination. All this is transparent to end users.

Frame relay, meet ATM

ATM

You'll soon see carriers marry these two great data services.

By Beth Gage

Service interworking, on the other hand, allows two sites using different protocols to communicate directly. The protocol conversion is handled by the network.

The Frame Relay Forum defines several options for the protocol conversion. For example, congestion information and discard eligibility can be mapped from frames to cells and vice versa. So if congestion occurs during the transmission of a frame, information may be mapped between the explicit forward congestion indica-

tor (EFCI) bit in ATM and the forward explicit congestion notification (FECN) bit in frame relay.

Similarly, if a frame is marked as discard-eligible by the frame relay network, this information can be translated to the corresponding cell loss priority bit in the ATM network.

All these mappings are optional and may or may not be implemented depending on how the service provider manages its nets.

There are also two optional modes of service interworking: transparent and translation. The difference lies in the way upper layer protocol information is handled in the protocol conversion process.

With transparent mode, the frame relay header is stripped off and the entire user payload is encapsulated in ATM cells, without regard for what type of data or protocol may be in use. This mode is best used when proprietary protocols are being transported.

With translation-mode service interworking, upper layer bridging and routing protocols are mapped between frame relay and ATM. The interworking function determines if an Ethernet or a token-ring protocol is being carried and handles the conversion appropriately. While the additional

software processing does add some latency, it is generally negligible (on the order of microseconds) and will not adversely affect applications.

The question of when to use translation vs. transparent mode depends largely on your network topology. If two routers that use the same encapsulation methods are communicating over a wide-area ATM connection, then transparent mode will probably be sufficient since the routers will handle the upper layer protocols similarly.

Continued on page 58

Continued from page 57

If you're at a frame relay site is communicating across the ATM WAN to an ATM hub, then translation mode will be needed to pass along the upperlayer protocol information.

How they do it

Service interworking may be available for protocols other than frame relay and ATM, although it may never occur between some services. For example, to provide service interworking between Switched Multimegabit Data Service, a connectionless technology, and ATM, a connection-oriented technology, may be extremely difficult.

Network interworking where SMDS uses ATM as a backbone network is more likely, at least in the short term. But service interworking between connection-oriented technologies is more straightforward.

The advantage that service

interworking has to offer is the ability for you to choose the appropriate networking technology on a site-by-site basis without the headaches of making it all work together. This lets you optimize the network on a location-by-location basis and get the best overall price/performance.

There are basically two approaches that service providers take when providing service interworking: One is a tiered architecture, using one platform for frame relay and another for ATM. The other is to use a single, multifunction platform for both the frame relay and ATM (or time-division multiplexer) network.

In both cases, the interworking function often takes place on the frame relay port card,

although some switching platforms perform protocol translation in a distributed fashion. From a technology perspective, the final result is the same with each, but there are other differences.

Platforms used in a tiered architecture tend to be highly scalable, capable of supporting large numbers of users. But the cost is likewise high, given the burden of managing, planning and engineering two networks. Still, most interexchange carriers (IXC) will likely follow Sprint's lead

and implement service interworking in this manner since ATM nets have been architected in a tiered fashion.

The multifunction platform approach, which is often deployed in a flat architecture, allows service providers and enterprise net managers to deploy networks in a more controlled way.

While the upper end of the scalability spectrum may not be as high, the lower end, which corresponds to network start-up costs, may be more reasonable.

There also is less real estate taken up using only one switch and less resources required to manage a single platform. Local exchange carriers are more likely to use this approach since their frame relay and ATM networks are usually much smaller than those built by IXCs.

Other issues vendors have to address in solving the interworking problem are providing common signaling, provisioning and net management between the two protocols.

For the most part, there are no technical limitations with converting a frame relay committed information rate (CIR) to an ATM sustained cell rate. Most switch vendors even support mapping a zero CIR frame relay permanent virtual circuit (PVC) to any ATM class of service the carrier chooses.

But the ability to reroute PVCs from end to end is an important consideration. While rerouting is generally supported within service "clouds," verify with your service provider that there is no single point of failure at the point where the protocol conversion is accomplished.

If your provider is performing service interworking across a multivendor platform, make sure it can still provide rerouting end to end.

Other issues vendors have to address in solving the interworking problem are providing common signaling, provisioning and net management between the two protocols.

Who'll have what when

Here is a snapshot of where the major switch vendors are in terms of providing interworking support.

AT&T Network Systems. AT&T is taking the tiered approach — its Globeview 2000 provides a high-speed ATM backbone while its BNS-2000 and other devices act as edge vehicles.

AT&T currently provides network interworking for frame relay and SMDS through BNS-2000 ATM trunk modules, and plans to provide service interworking through a family of edge vehicles, including the BNS-2000. AT&T is also planning to provide a global network management system to assist service providers in the provisioning of frame relay-to-ATM connections. It has not yet given rollout dates for those enhancements.

Cascade Communications Corp. Cascade has been supporting network and service interworking between frame relay and ATM since early this year on its BSTDX-9000 platform. Both transparent and translation modes are supported for service interworking. An ATM interworking module on the BSTDX-9000 provides either service or network interworking.

Eventually, support for service interworking between frame relay and ATM will also be provided on the Cascade 500 platform, which will be released at the end of the year.

Carrier frame relay-to-ATM interworking scorecard

Carrier	Switch platforms	Delivery
AT&T	AT&T Globeview 2000; StrataCom BPX	By end of this year
LDDS WorldCom	NEC NEAX-61E; StrataCom BPX	Controlled delivery this year; general availability Q1 1996
MCI	GDC APEX-NPX	Early 1996
Sprint	NEC Model 10; Hitachi AMS 5001	Available now

Cascade also plans to support service interworking between SMDS and ATM protocols, although its approach to interworking the connectionless SMDS protocol and connection-oriented ATM is not yet solidified.

General DataComm Industries, Inc. GDC's APEX products, which include the NPX, DV2, MAC and MAC1, are multifunction platforms with support for both frame relay and ATM. The interworking is done on the frame relay card in the APEX switch. Network interworking is supported now, and service interworking between frame relay and ATM is planned for early 1996.

Newbridge Networks Corp. Newbridge approaches service interworking using a single platform — either the MainStreet 36120, Newbridge's frame relay platform, or the MainStreet 36170, its ATM backbone switch. From the 36120, a frame relay-to-ATM module provides the conversion for an entire frame relay trunk rather than one connection or port at a time. Newbridge currently supports network interworking on the 36120; service interworking will be provided early next year.

On the 36170, the conversion is done on a card level rather than on the aggregate. Service interworking between frame relay and ATM on the 36170 will be available with the addition of frame relay cards, which will be released for service trials in December.


Northern Telecom, Inc. Nortel provides frame relay-to-ATM interworking at the edge of the network in its multifunction Magellan Passport platform. Protocol translation is provided on the frame relay card, while the ATM card provides the segmentation and reassembly of frames into cells.

Today, Nortel supports network interworking on the Passport, which can be deployed in a flat architecture or a tiered one with Magellan's Vector and Concorde switches. Nortel's direction is to support translation-mode service interworking first, with transparent mode to follow if demand warrants.

StrataCom, Inc. StrataCom has a tiered architecture approach for interworking, with its BPX acting as the core ATM platform and the IGX or Axis shelf acting as the frame relay access platform. StrataCom recently unveiled support of service interworking between frame relay and ATM, and it is available now. Network interworking has been supported for some time.


Choose your weapon

Network interworking




With network interworking, frame relay packets are transported across an ATM backbone between two frame relay sites. Frame relay PVCs are mapped directly to ATM virtual connections.

Service interworking



Service interworking allows a frame relay site to communicate with an ATM site. The interworking unit — often part of the frame relay switch — provides the translation, mapping information in the frame relay header to the ATM cell header.

ATM FUNI



The ATM frame-based user network interface (FUNI) provides functionality similar to service interworking but with the same signaling and management functions since only one network is used. There is little difference from the end-user perspective.

GRAPHIC BY SUSAN PULASKI

Where does FUNI fit?

A recent arrival on the ATM scene is the frame-based user network interface, or FUNI. FUNI, simply put, has muddied the waters for end users, carriers and vendors. It was designed to provide ATM functionality for data transport at T-1 levels and below, making it an alternative to frame relay interworking.

Basically, FUNI yields the same results as service interworking but with a few additional capabilities. Because it is an ATM interface protocol, FUNI will support common signaling as well as network and traffic management functions between cell-based and frame-based sites.

But FUNI's biggest advantage is that it will support ATM switched virtual circuits (SVC), whereas work on standards for service interworking between frame relay and ATM SVCs may not be finalized for another year.

Most equipment vendors are planning to provide FUNI support by mid-1996 along with frame relay-to-ATM interworking, which will allow customers to take their pick.

Others are hanging back to determine what the demand for FUNI will be before committing to delivery.

When FUNI should be chosen instead of service interworking is still a matter of debate. The question is not so much the bandwidth required, but rather the functionality required by network locations.

If you have hundreds of existing frame relay sites, it may not make sense to upgrade routers to support FUNI. In more ATM-centric networks, providing full ATM functionality at low speeds for data transport may be necessary.

The deciding factor between frame relay and FUNI is the type of signaling needed. In the short term, each probably will be supported on an ATM network. In the longer term, the functionalities of frame relay and FUNI may merge, leaving no distinction between the two.

First on the scene

Service providers have been putting off the delivery of service interworking for

two main reasons: The first is a lack of finished standards for interworking and a corresponding lack of equipment that supports it.

Second, it has taken considerable development effort to provide operational and administrative support for service interworking in carrier provisioning, billing and net management platforms.

But Sprint has hit the streets using a rel-

Continued on page 60

Put it to your provider

*Reprising the five-part series:
Key questions to ask your ATM
service provider.*

- Do you offer application-based Asynchronous Transfer Mode services that include equipment, management and maintenance options targeted at solving specific business problems?
- What ATM classes of service are offered, and which classes do you assign for what applications (for example, constant bit rate assigned for circuit emulation, variable bit rate-real time for video broadcast)? Can you help with the assignment of quality-of-service parameters based on the application?
- Is oversubscription of the ATM port supported?
- How is automatic rerouting of virtual connections accomplished should an equipment or line failure occur?
- What platforms are used to support frame relay-to-ATM service interworking? What modes are supported for service interworking, and when should one be used vs. another?
- How is automatic rerouting of a frame relay-to-ATM service interworking connection accomplished?
- For service interworking with frame relay, what ATM class of service is the frame relay permanent virtual circuit mapped to?
- What customer network management capabilities are offered?
- What performance reports are provided with the service?
- How does the ATM network handle policing and traffic management? How are these functions supported for service interworking connections?

NetworkWorld TECHNICAL SEMINARS

Remote LAN Access

Strategies & Solutions FOR HIGH-PERFORMANCE REMOTE COMPUTING

PRESENTED BY HANK ALLARD



"Well organized and covered the topics completely!"

Chris Stokes,
General Manager
Infinibyte Technologies, Inc.

"Very impressive, very informative – excellent presentation. Obviously a great deal of research and preparation went into this."

Jon Inge,
Manager of Systems & Installation
Westin Hotels & Resorts

1996 SEMINAR LOCATIONS & DATES

BOSTON, MA

JAN. 23

CHICAGO, IL

JAN. 25

ATLANTA, GA

FEB. 7

ORLANDO, FL

FEB. 9

PHILADELPHIA, PA

FEB. 27

DALLAS, TX

FEB. 29

IRVINE, CA

MAR. 6

SAN FRANCISCO, CA

MAR. 8

NEW YORK, NY

MAR. 13

WASHINGTON, DC

MAR. 15

12 REMOTE ACCESS BENEFITS TO TAKE BACK TO YOUR COMPANY . . .

1. Determine the most successful application opportunities for Remote LAN Access in local, metropolitan and wide-area networks
2. Evaluate different remote access technologies such as dial-up routing (remote node), remote control and terminal emulation
3. Learn how the integration of local and wide-area switched connectivity products and services will enhance Remote LAN Access solutions
4. Assess the opportunities for Remote LAN Access and Internet access integration. Opportunities include equipment and service cost savings, security firewalls, management and control
5. Examine over 10 case studies of companies who have successfully implemented dial-up, ISDN, Frame Relay, wireless and switched connectivity solutions
6. Learn how to develop your own remote access business plan
7. Consider the significant remote access security issues and solutions including user identification, privilege definition, encryption and audit
8. Analyze how remote client applications run on a range of physical connections (dial-up, POTS, ISDN, X.25, Frame Relay, T-1, cellular and other wireless media)
9. Examine how emerging CTI (Computer Telephony Integration) capabilities like Novell's TSAPI and Microsoft's TAPI can be integrated into your remote access strategy
10. Understand remote access network management, training and control options including private network management, switched connectivity management and outsourcing
11. Compare and analyze the existing range of remote access products, standards, operating system issues and vendor strategies
12. Understand the strengths and weaknesses of the various TELCO and service provider offerings for remote access Managed Data Services

REGISTER AND YOU WILL RECEIVE...

- Comprehensive seminar workbook including all seminar slides, graphics and case studies
- Copy of *Remote LAN Connections* textbook by William Wang
- Luncheon and break refreshments
- All of the above included in your \$395 registration fee

Note: If you can't attend, call us and order this informative and useful attendee materials kit for just \$99.95!



**Call 1-800-643-4668
Register today for
the seminar nearest you!**

Dial Our FAX-BACK Information Line at
1-800-756-9430
for a complete seminar
outline and registration form.
When prompted, request document #60.

E-mail your request for information to
seminars@nwfusion.com
to automatically receive an e-mailed version of our seminar brochure.
Please put the word "remote" in the subject field.
or
obtain full seminar information in the Professional Development
area on Network World Fusion at
<http://www.nwfusion.com>

OFFICIAL
SPONSORS



digital™

Shiva

CUBIX

TELEBIT

Continued from page 59

etively new edge switch from Hitachi Telecom (USA), the AMS 5001, to provide the frame relay-to-ATM service interworking function.

Frame relay traffic is aggregated from Sprint's frame relay network, based on Alcatel Data Networks, Inc.'s 1100 TPX, onto a T-1 frame relay interface on the AMS 5001.

The AMS 5001 then aggregates frame

traffic as well as T-1 ATM traffic onto high-speed ATM connections to be carried over the core ATM network.

Burst Express PVCs — which are zero CIR PVCs, the only type Sprint supports with service interworking — are mapped one-to-one to ATM virtual connections using translation or transparent mode of service interworking.

The result is an end-to-end service for wide-area LAN interworking with port

speeds that range from 56K to 155M bit/sec.

Other carriers are giving only delivery dates for service interworking (see graphic, page 58).

Bottom line

The reality of today's network requirements is that few customers have high-bandwidth multiservice ATM networks. Of all the digital bits that are transported

in a day, the overwhelming majority are for voice traffic, and ATM has a long way to go before it penetrates that market.

Another reality is that frame relay has taken off while ATM is still in its infancy. But many frame relay network managers are finding that 1.5M bit/sec is not enough for central locations that support many remote sites.

The bottom line is that there is more need for service interworking to solve this problem than there is demand for "pure" ATM networks.

Service interworking supports the star network topologies still in use by most corporations, which makes frame relay and ATM work together to support the underlying applications.

It provides flexibility in network design and optimization, investment protection and allows carriers to offer a smooth migration path between frame relay and ATM.

And it's time is now. Service providers have had over a year to get their operational systems in order.

Now that equipment vendors are finally delivering support for service interworking, there is no reason for commercial availability to be delayed any longer.

The bottom line is that there is more need for service interworking to solve this problem than there is demand for "pure" ATM networks.

Gage is a consultant at TeleChoice, Inc., specializing in ATM and other broadband services and equipment. She can be reached at (201) 239-0700 or at beth_gage@mail.telechoice.com.

The first four installments of this series can be found on Network World Fusion, along with hotlinks to other sites with additional information on relevant ATM topics.

There's also lots more general information on ATM all over the Web — we killed a good two hours looking for stuff without even trying.

Among the better sites we stumbled upon is one operated by David Blight at the University of Manitoba in Winnipeg. It has links to Web sites with info on various telecommunications issues, including ATM. We found another called ATM Information Resources that has links to ATM-specific Web pages on everything from standards to test beds with names like BATMAN (Boulder ATM Area Network). And not to be missed is a paper titled, "Why ATM is like a Nose," a tongue-in-cheek look at technical complaints and objections about ATM.

All this and more can be yours if you point your browser at <http://www.nwfusion.com>. From the main menu, select NetRef, Technology Resources and then Broadband Networks.

INTENSE.

Effective operation of your enterprise network is mission critical. Effective documentation about your network is equally mission critical. NetDraw® and NetDraw Plus will help you diagram and document your network infrastructure quickly, effectively and professionally. In fact, NetDraw makes your diagrams intense.

NetDraw Plus v2.0 integrates a powerful, comprehensive library of over 1,100 highly detailed networking images into a robust Windows™ drawing application.

Drag and Drop the images you need right from the on-screen templates onto your drawing. In full color and richly detailed, NetDraw will help you prepare professional diagrams and presentations. Choose from hundreds of vendor-specific images or from hundreds more general network images and symbols. We even include complete map libraries to diagram your network geographically. Over 1,100 total images!

SmartDrawings™ make the difference. All NetDraw images have intelligence built in. Preset line connect points, text handling and image sizing properties make drawing your network a snap. And since NetDraw remembers how your component images are connected, you can move them around without redrawing a single line! You can also easily customize all image properties to your own needs and specifications.

Multi-Level diagrams and topologies are no problem with NetDraw Plus. Define any image or symbol to link to any other NetDraw Plus diagram. And, NetDraw Plus supports Object Linking and Embedding so you can link your NetDraw diagrams to documents in other Windows applications.

Priced at just \$199.95, NetDraw Plus does more than just make your diagrams look good, it makes them intense.

NetDraw

the power of NetDraw. The complete 1,100 image NetDraw v3.0 clip art library is available separate from our NetDraw Plus application package. NetDraw for Macintosh comes in both EPS and AI formats and NetDraw for Windows comes in Windows Metafile format. Either way, NetDraw images are a breeze to import into almost all applications.

Available now for just \$129.95, the NetDraw clip art library provides you with the most comprehensive, highest quality collection of network images and symbols available.

Order your copy today!

800-643-4668
OR (508) 820-7493


Dial our **Fax-Back** information line at 800-756-9430 for complete product information and an order form! (When prompted, request document #10)

E-mail your request for complete information to netdraw@idg.geis.com.

NetworkWorld

IDG
The World of Information Technology

Network World, Inc., 161 Worcester Road, Framingham, MA 01701-9172. NetDraw® is a registered trademark of Network World, Inc. SmartDrawings™ is a registered trademark of SmartDraw Software, Inc. All other brand or product names are trademarks or registered trademarks of their respective holders.



NetworkWorld
Fusion



COMNET®
WASHINGTON, D.C.

January 29 to February 1, 1996
Washington, D.C. Convention Center
Washington, D.C. Renaissance Hotel

Keep Your Enterprise Afloat With...

- How-to tutorials through advanced engineering sessions for every interest and level of expertise
- More hands-on and interactive classes, including multimedia and switching technologies
- Hundreds of new products to see and try
- Advice on riding the wave of new Information Superhighway technologies
- Industry visionaries and top educators sharing insights and answers with you

For a complete brochure and to find out how you can register now and save!

Call 800-545-EXPO

Get more information on the WWW at:
<http://www.mha.com/comnet/>

SPONSORED BY

COMPUTERWORLD

FEDERAL
COMPUTER WEEK

The Greater Washington Board
of Trade

COMMUNICATIONS WEEK

NETWORK
COMPUTING

Hold On, Help Is On The Way!

**ComNet '96 Will Help Keep
Your Enterprise Afloat!**

If you feel swamped by the unrelenting surge of networking and communications technologies, ComNet '96 is about to turn the technology tide in your favor.

Whether you design, build, or manage the enterprise network, this year's ComNet gives you more of what you need to make informed technology decisions in virtually every area of corporate networking and communications.

With the industry's finest minds giving insight and answers to your most pressing network-related problems, ComNet '96 is the most comprehensive, ambitious, and enlightening event of its kind. It's your once-a-year opportunity to learn how to navigate complex technology currents in order to reach your IT destination.

It's ComNet '96. And it's a life-saver.

Hear Visionary Keynote Speakers

- Nicholas Negroponte, Founder and Director of MIT Media Laboratory
- James Barksdale, CEO of Netscape
- Edward Bennett, CEO of Prodigy Services
- Eric Schmidt, Sun Microsystems' Chief Technology Officer
- Plus, compelling Plenaries, Spotlight Sessions and Industry Forums!

A Sea of Exhibits and Solutions

- Over 450 exhibiting companies
- Debuts of hundreds of leading-edge products plus Computerworld's New Product Achievement Award
- Exhilarating introductions to multimedia applications, network security, ATM switching, network management, the Internet. And much more.



Save Me! I want more information on ComNet '96

I am interested in: Attending Exhibiting

Name _____ Title _____

Company _____

Address _____

City/State/Zip _____

Phone _____ Fax _____

eMail _____

Mail to: MHA Event Management
1400 Providence Highway, Norwood, MA 02062
Or Fax to: 617-440-0300

COMNET
WASHINGTON, D.C.

Management Strategies

Covering: Career Insights and Innovations
in Managing Staff, Budgets and Technology

Electronic monitoring breeds employee mistrust

By Mark Gibbs

Digital Tools, Inc. has released **AutoPLAN II 3.0**, a new version of its client/server-based project management software for workgroups.

The new version can notify users of project delays, resource overallocations, cost overruns and other key events via an internal Inter-Project Bulletin Board or via the Internet. Other features include a multiproject interactive resource Gantt chart, a report writer with 40 predefined reports and shared chart layouts.

Digital Tools: (408) 366-6920.

Andersen Consulting has created a **Foundation Software Organization (FSO)** that will help customers build client/server applications.

The 600 FSO professionals worldwide will help customers use a number of Andersen Consulting offerings, including its:

- ▶ **Method/1** application development methodology
- ▶ **Foundation** for Cooperative Processing client/server development tool
- ▶ **Design/1** tracking and validation tool
- ▶ **Install/1** mainframe development environment for IBM CICS.

Andersen Consulting: (312) 580-0069.

Learning Tree International has developed a **Windows NT Systems and Networks** certification program, scheduled to be offered for the first time in January.

The program will teach students to install, configure, troubleshoot, optimize, support and upgrade Microsoft Corp. Windows for Workgroups, Windows NT and BackOffice-based networks. Students will also learn to use Windows 95 net features, establish network and resource security, and integrate Windows nets with Novell, Inc. NetWare- and TCP/IP-based internetworks. To receive a certificate, students must successfully complete five courses and associated exams.

Learning Tree International: (800) 635-5610.

Establishing a workable level of trust with employees is among the most profound of people management problems and one compounded by the computerized surveillance that networking technology makes possible.

The nets and computer-based processes that have made organizations more nimble are now looked upon by management as something for workers to abuse. The fear is that employees will waste time playing computer games, transmit confidential material to outsiders or inappropriately use communications systems in some other way.

As a result, management has extended the use of networks and computers to monitor pro-

cesses that traditionally were not amenable to supervision. Now it is possible to monitor telephone calls, data transmissions, the location and use of vehicles, access to data services, and even the rate and content of individual keystrokes at every computer in the organization.

Add groupware to these automated surveillance techniques and management can monitor workflow in a way that ensures that even the smallest deviation from the norm or lapse in performance can be identified automatically and instantaneously.

In this kind of environment, it is hardly surprising that many workers say they feel the heavy hand of big brother. People tend to respond vehemently to any

Surveil yourself

Here are a few actions to take as you craft an electronic surveillance policy.

- ▶ Ensure that surveillance is not used to make up for inadequate management skills. If it is, surveillance will drive another nail in the coffin of your attempt to build trust.
- ▶ Explain why surveillance is being introduced. Be sure to run a draft of the explanation by key staff for reaction and modify it as needed to avoid having it misinterpreted as a license to invade privacy.
- ▶ Create a bill of rights that explains how surveillance records will be used. An oversight committee comprised of staff and management can help create an atmosphere of cooperation.
- ▶ Ensure that the surveillance scope and level of detail is defensible. Remember, the staff will rarely find it acceptable to collect anything beyond the highest level of detail.

kind of control that is outside of a normal bureaucratic process and frequently interpret surveillance as a breach of privacy.

Readers responding to a *Network World* article that asked whether a firm should be able to track the location of its trucks were equally divided, but those against the practice were more impassioned. (See the Network World Fusion graphic on this page for how to access the original story and reader responses.)

What if a similar question about whether a company should engage in keyboard monitoring or electronic mail scanning were asked? Would we get the same split? (Let us know by jumping into the Forum area on Network World Fusion.)

I suspect we'll get a large vote against. Why? There is not much workers can say about monitoring as an employment condition. Employees are usually required to clock in and out, produce progress reports and prove they are doing their job.

So why not use computerized monitoring to make sure the clocking-in gets done and reports get generated? Because even though there seems to be logic behind engaging in electronic surveillance, it is an insult to do so in most businesses. The practice leaves staff feeling demeaned and humiliated. In effect, staff is being told they cannot be trusted. Worse, that mistrust extends down to the level of every press of a key and every byte of data sent and received. It is mistrust by the millisecond.

But there are business environments in which monitoring may be appropriate. For example, a firm developing products

might use E-mail monitoring to prevent intellectual property from being compromised. Even then, the implications of monitoring may well damage team spirit and staff commitment.

Nonetheless, if you feel staff must be monitored, keep staff emotions in mind and develop a policy that explains why the firm is doing it, how far it will go and what is done with the information (see graphic).

If you devise a good policy, you stand a chance of making a computerized surveillance scheme work. But do not expect the plan to be happily accepted.

Gibbs is a consultant and writer based in Ventura, Calif. He can be reached at (800) 622-1108, Ext. 504, or on the Internet at mgibbs@gibbs.com.



Tap into Network World Fusion to see what fellow readers had to say about whether a trucking company should be able to use networks to keep tabs on the location of their trucks. Select Forums, [nwfusion.talk](#), then "Truck 54,

"where are you?"

While you're there, let everyone know how you feel about whether a company should engage in such activities as keyboard monitoring and E-mail scanning. When is it permissible and when isn't it? What does management get out of the practice, and what's the risk?

NetworkWorld
Fusion



MOLI's course catalog home page.

Some 60 courses offered by more than 30 organizations are already available via MOLI — most at a great cost savings. For instance, Microsoft says a classroom course that costs \$2,800 is being offered for \$395 on MOLI.

Developed in conjunction with the Masie Center, an instructor training outfit in Cambridge, Mass., the Learning Advisors program will help training firms develop interactive courses that enable students to learn at

will not only learn instructional and motivational techniques to use in the on-line world, but also how to evaluate student progress on-line and set up student tutoring groups.

In addition, teachers will learn to use MSN software, such as forum management tools and software templates for on-line curriculum development.

For more information on MOLI, send E-mail to moli_mktg@msn.com. ■

A ▶

◀ B FOLD THIS SECTION OVER LEFT SO A MEETS B

WHEN YOU'RE READY TO PICK YOUR NEXT ADVENTURE THINK ABOUT THE OBVIOUS

There's no standing still in our business. Just one year after Bay Networks was created through the visionary merger between SynOptics and Wellfleet, our market valuation has doubled, making Bay Networks the place to be in an industry predicted to grow by 25% over the coming year. With new energy and new enthusiasm, we are asserting our position as the most dynamic force in switched internetworking.

Helping businesses and professionals alike to visualize their options, Bay Networks stands strong as a \$1+ billion company. We are the only company to provide a single, integrated solution of shared media connectivity, routing, switching, WAN access and network management. We are also the only company to provide the kind of continuous career adventure you're seeking. Clearly positioned to expand our market share, we're capitalizing on our leadership in switching and hubs...our dominance in high-performance multiprotocol internetworking products...and our strength in network management. We're becoming even more highly valued as an end-to-end technology resource, by moving to add Xylogics to our team — a key component for offering enterprise remote access to corporate information and services such as the Internet.

FIELD SUPPORT NETWORK ENGINEERS

BILLERICA, MA AND SANTA CLARA, CA

Opportunities at a variety of experience levels to deliver on-site service to customers on short-term assignments around the U.S. Install, configure, upgrade, maintain, and troubleshoot products. BSCS/EE, networking technical expertise, understanding of the following networking standards and protocols: Ethernet, Token Ring, Fast Ethernet (100BASE-T), FDDI, ATM, Routing, Switching, UNIX®, and SNMP and RMON network management. **Code FSE**

ENGINEERING GROUP LEADER — NETWORK MANAGEMENT SOFTWARE ENGINEERS

SANTA CLARA, CA

Design/develop network management applications for switching technologies, integrating existing applications into our Optivity system and creating new features for switched network environments. BSCS/EE, MSCS/EE, or equivalent, with 5+ years' experience working in a LAN/internetworking environment. Requires C++, UNIX and Motif UI, familiarity with network management systems/applications, SNMP, LAN and/or internetworking protocols. Familiarity with ATM desirable. 2+ years in a leadership role is a must for the Group Leader position. **Code JH/EGL**

STRATEGIC NETWORK ARCHITECT - SANTA CLARA, CA

Introduce new technologies/strategies to the IS department. Must have extensive network experience, including implementation, design, and strategy for LANs/WANs. Requires knowledge of circuits (ATM, Frame Relay, ISDN, etc.); WANs (Voice/Data/Video Mux); LAN (Routers, Hubs, Switches, ATM, Remote Access Servers); Protocols (TCP/IP, PPP, OSPF, RIP, IPX, AppleTalk, ARA). Applications and Tools (Protocol Analyzers, Sniffer). **Code JH/SNA**

For a complete listing of all openings,
see us on the World Wide Web at
<http://www.baynetworks.com>
under "Corporate Information".



SYSTEMS ENGINEER - ALEXANDRIA, VA

Provide technical pre and post-sales support in the Civil and DOD areas of the US Government. Includes product presentations, network designs, writing proposals, and customer support. Requires data communications experience and knowledge of networking standards and protocols; background in design, installation, operation, and management of large-scale networks at the physical data link and network layers of the OSI model. **Code KM/SE**

UNIX/NETWORKING TECHNICAL INSTRUCTORS

IL, CA, MA, VA, TX AND THROUGHOUT THE U.S.

Deliver 1, 3 and 5 day courses to customers and employees. 50% travel — local and overnight. 3+ years' experience teaching UNIX courses is a must — in one of these areas helpful: AT&T/Sun/HP AIX. Strong data communications understanding with some knowledge of several networking standards and protocols. Knowledge of OSPF and RIP is plus. **Code KM/UN**

RESIDENT ENGINEER

NY, VA, MI, IN, NC, GA AND THROUGHOUT THE U.S.

Deliver on-site post sale service concerning our equipment and software. Install, configure and maintain products at the customer site. Requires data communications design and troubleshooting experience; excellent knowledge of network diagnostic tools; and expertise in networking standards and protocols. **Code KM/RE**

PROTOCOL DEVELOPERS - BILLERICA, MA

OSPF — Working on OSPF implementation, you'll add new features within the OSPF protocol to our current implementation. Knowledge of TCP/IP is important, but not required. Experience with OSPF and embedded systems is a major plus. **JS/OSPF**

QoS — With a focus on IP multicasting/QoS, the initial project involves developing features for RIP, and transitioning over QoS work. Knowledge of TCP/IP is a must, along with systems experience. Experience with traffic shaping and multicasting is a plus. **JS/QoS**

ISP — Develop new features, fix bugs found by the ISPs, and potentially work with ISPs to define new protocols that solve problems not addressed by current protocols. Must be highly knowledgeable about TCP/IP and the related routing protocols. Experience with BGP is a major plus. Embedded development experience is also required. **JS/ISP**

CS NEW PRODUCT INTRODUCTION ENGINEER - BILLERICA, MA

Provide technical expertise with a focus on supportability to the new product development cycle. Specify product serviceability requirements, technical support strategies, and processes for new and existing product lines. Requires BSEE/CS or MSEE/CS, a minimum of 7 years' experience in data communications, and exposure to software development. Technical experience in product development with a customer support function preferred. **Dept. GR/NPI**

AGENT APPLICATIONS SOFTWARE ENGINEERS - SANTA CLARA, CA

Design and develop network management agent applications software for hubs, residing in an embedded system environment with multi-tasking kernel, network management engine, and 68K or 80X86 equivalent microprocessors. Requires a BSEE/CS, MS preferred; 3+ years' software development experience. Background in RMON or related SNMP agent applications is preferred. UNIX/C skills is a must. Knowledge of internetworking issues with bridges and routers is a plus. **Code JD/AE**

LAN FIRMWARE MANAGER - SANTA CLARA

Manage development of firmware for LAN hubs, residing in an embedded system environment with multi-tasking kernel and 68K or 80X86 microprocessors. Integrate existing firmware modules working with hardware engineers to debug firmware. BSCS/EE or equivalent and 3+ years' related management experience required. Experience with real time operating system(s) and in writing device drivers. Requires recent work on embedded systems working with ICE, cross compilers, debugging, and a working knowledge of BOOTP, TFTP, SNMP protocol and LAN technologies. **Code JD/LFM**

SOFTWARE AGENT INFRASTRUCTURE ENGINEER - SANTA CLARA, MA

Reorganize and rewrite code into reusable modules. Assess existing products, define code relationships, coordinate re-engineering or reverse engineering efforts. Requires a BSCS or equivalent, MS preferred and a minimum of 3 years' experience working with reusable software, reverse/re-engineering, code library development, and source code control systems such as PVCS, RCS or SCCS. Background with source browsers, lmake, make, shell scripts, MRI and/or Gnu compilers. **Code JD/SAI**

It's not just our customers who place such value on our products and services. When IBM needed to strengthen their communications product line, they chose Bay Networks. IBM will now remarket our 100 backbone Token Ring switch, a product from our Centillion Unit. Yet another Bay Networks' strategic partner, AT&T Global Business Communications Systems now sells, services and supports our equipment. And, Microsoft Corporation's Windows NT Server will feature our routing services and interfaces for third party network solutions. As one technology leader after another puts their trust in us, we're building a solid reputation for innovation on a global scale.

If you simply want to get from point A to point B in your career, then we suggest you follow the traditional path. But if you want to make the leap to a dynamic future with a company that's poised for ongoing growth, challenge and success...a company that's seriously dedicated to your professional development, put A and B together, and picture where that choice — the obvious choice — can lead you.

For Billerica and other opportunities throughout the U.S., please mail, fax or E-mail your resume, referencing department code, to: **Bay Networks, Inc., Human Resources, 8 Federal Street, Billerica, MA 01821; fax: (508) 436-3510. Email: resume@baynetworks.com (send text only).**

For Santa Clara opportunities, please send resume, referencing the department code, to **Bay Networks, Inc., Human Resources, 4401 Great America Parkway, P.O. Box 58185, Santa Clara, CA 95052-8185; fax (408) 764-1898. Email careers@baynetworks.com (send text only).**

We are proud to be an equal opportunity employer. All trademarks are property of their respective companies.



Bay Networks

◀ B FOLD THIS SECTION OVER LEFT SO A MEETS B

CONTINUE

The Powerhouse In Automated Banking Technology Is Looking For A Few Bright Lights

Banc One Services Corporation, a division of the multi-billion dollar BANC ONE CORPORATION, is responsible for implementing and supporting all telecommunications for the nation's 7th largest bank. Join us for all the challenges and rewards our expanding institution has to offer.

NETWORK SYSTEMS PROGRAMMER

You'll implement and maintain network software in an MVS host environment. Responsibilities include software installation and testing, project planning, troubleshooting, documentation, and research and development of new networking technologies. We have multiple positions open ranging from entry level to senior level.

To qualify, we require experience with VTAM, NCP, NetView, and/or SuperSession. Experience in the following areas are considered a plus: assembler or other high-level programming languages, APPN, TCP/IP, Frame Relay, LANs, routers, network performance and tuning, or customizing network management platforms. The ability to communicate effectively is a must. On-call availability is also required.

Bank One offers competitive compensation, full benefits and excellent opportunities for professional growth. For consideration, send your resume and salary requirements to: **Bank One, Columbus, NA, Human Resources, Dept. GL, 800 Brookside Blvd., Columbus, OH 43271-0610.** Bank One is an equal opportunity employer and we support diversity in the workforce m/f/d/v.

BANK ONE.
Whatever it takes.

People who need people to...

Plan, design, implement, manage, secure, service or sell Enterprise Networks can look to:

NETWORK WORLD'S NETWORKING CAREERS SECTION

- ◆ 150,000 qualified networking pros
- ◆ 409,000 pass-along readers
- ◆ largely unduplicated readership
- ◆ Networking Careers On-Line Web Information Service to extend ad exposure

Call Pam Valentinas, Director/Networking Careers for more information on advertising in the Networking Careers Section

800-622-1108

SENIOR CONSULTANT NETWORK ENGINEERING SUPPORT required. Provide support for the IBM server hardware product line & network operating systems (Novell Netware & OS/2 LAN Server) using expertise with TCP/IP, Windows for WorkGroups, Windows NT, & Microsoft & WordPerfect Office E-Mail packages. Provide technical off-line assistance to hardware engineers on LAN design, use of bridges, routers & gateways for interconnection to other networks & engineering design/configuration help in the areas of security, communications network control utilities, systems fault tolerances & Ethernet, Token Ring, Arcnet & wireless LAN technologies. Three years experience required in the job duties described above. Must have obtained Novell Certified Netware Engineer status. Must have proof of legal authority to work in the U.S. Salary - \$40,000/year for a 40-hour work week. Interested applicants apply at the nearest Job Service office or submit a resume (must include social security number) to: Job Service, 1105 Briggs Avenue, Durham, NC 27703. Refer to J.O. Number NC3051281, DOT code 032.262-010.

Four past weeks of Networking Careers can be found under Job listing.

<http://www.nwfusion.com>



NETWORKING CAREERS NETWORKING CAREERS NETWORKING CAREERS NETWORKING CAREERS

CAREERS CAREERS CAREERS CAREERS

FREE PRODUCT INFORMATION

Reader Service

Use this coupon or prepaid post card in the November 13th and November 20th issues. Circle Reader Service numbers of ads that interest you and complete the information below.

Expires 2/26/96

Name:	217 218 219 220 221 222
Title:	223 224 225 226 227 228
Company:	229 230 231 232 233 234
Phone: ()	235 236 237 238 239 240
Street:	241 242 243 244 245 246
City:	247 248 249 250 251 252
State: Zip:	253 254 255 256 257 258
	259 260 261 262 263 264
	265 266 267 268 269 270
	271 272 273 274 275 276
	277 278 279 280 281 282

Mail to: NW P.O. Box 5090, Pittsfield, MA 01203 or,
Fax to: NW at (413) 637-4343

11/6/95

FaxNET

Here's how it works:

- Dial 1-800-664-8271, wait for the prompt and follow instructions.
- Key in advertisers' 5 Digit Number listed below.
- Information requested will be faxed to you immediately.

CYBEX CORPORATION	30770
DATATECH	30710
INTERNET SECURITY	34450
TGV INCORPORATED	30810
WEST HILLS LAN SYSTEMS	30410
COMPLETE INDEX OF ADVERTISERS	99999

There is no cost to you to receive information on these network products and services!

Up to 4 Users can Access Multiple PC, Macintosh and Sun Computers from a Central Location!

• Multiuser

Up to 4 users can access different computers simultaneously!

• Multiplatform

Supports any combination of PC, Macintosh and Sun computers; use any platform's peripherals to access any type of computer in the system.

• Multimedia

Every user has full multimedia capabilities; supports keyboard, mouse, video, speakers, microphone and high speed serial port.



AUTOBOOT COMMANDER 4XP™

Cybex Corporation
4912 Research Drive • Huntsville, AL 35805 USA
(205) 430-4000 • FAX (205) 430-4030


 CYBEX™

PC is a registered trademark of International Business Machines Corp. Macintosh is a registered trademark of Apple Computer, Inc. Sun is a trademark of Sun Microsystems. Cybex, Commander, Autoboot and 4XP are trademarks of Cybex Corporation.

Made in USA

SNMPc

Network Manager for Windows



New!
Version
4.0

- Full RMON Support
- Integrates with HP OpenView
- TCP/IP, Telnet, TFTP, BOOTP
- WinSNMP/WinSock/DDE APIs
- SNMP, ICMP, IPX Polling
- Node Discovery
- Long Term Statistics/Thresholds
- Custom Event Actions/Forwarding
- Over 100 Device Specific GUIs
- MIB Compiler/Browser

 Castle Rock
Computing

408-366-6540
Fax: 408-252-2379

Reader Service No. 227/FaxNET No. 30770

Reader Service No. 252

NOW YOU CAN AFFORD TO GIVE EVERYONE THE BANDWIDTH THEY'VE BEEN CRAVING.



Introducing **AmberSwitch™**.
The only full featured Ethernet switch
you can buy at a price competitive
with shared LAN hubs.

If bandwidth hogs are causing bottlenecks on your network, check out the new *AmberSwitch*. It's the high performance, cost-effective way to make sure there's plenty of bandwidth to go around.

Adaptive Cut-Through combines speed with the packet reliability of store-and-forward. Modular design allows you to expand from 8 to 32 ports. 4096 MAC addresses are available for use by any port.
And the price per port is the lowest of any switch on the market.

Give us a holler for more information on our 30 day money back guarantee and our free white paper, DESIGNING HIGH PERFORMANCE WORKGROUP NETWORKS.



Starting At \$1,995

amber wave

S Y S T E M S

Call: 508.266.2900 Fax: 508.266.1159 e-mail: info@amberwave.com Web page: <http://www.amberwave.com>

Amber Wave Systems, Inc., 42 Nagog Park, Acton, MA 01720-3409. Amber Wave and *AmberSwitch* are trademarks of Amber Wave Systems, Inc. All other registered and unregistered trademarks are the properties of their respective companies. © 1995 Amber Wave Systems, Inc.

Reader Service No. 233



Enterprise TCP/IP

MultiNet For The Enterprise. Powerful. Reliable. Sleek. Fast.

TGV's MultiNet® is the only TCP/IP solution to deliver the performance, reliability, and ease of use that corporate networks demand. MultiNet is *first* to let you run Microsoft Windows for Workgroups networking over a superior TCP/IP stack. *First* to let you select and pay for just the TCP/IP applications you need, thereby reducing software and support costs. And MultiNet is *first* with supernet support so that IP address limitations are no longer an administrative nightmare. MultiNet further simplifies IP address configuration with DHCP and Bootp.



MultiNet for Windows TCP/IP Stack & Applications

TCP/IP Stack	File Sharing	Network Printing
32-bit VxD	FTP client and server	LPR
DHCP and Bootp	32-bit VxD NFS client	PCNFS
NetBIOS/NDI interface	Internet Applications	Stream (reverse Telnet)
RIP & Router Discovery	Enhanced Mosaic V2.1	Network Utilities
Supernet support	Pronto Mail V2.0	Ping
Multicast	Terminal Emulation	Traceroute
Ethernet, Token-Ring	Telnet and Rlogin	Host lookup
PPP and SLIP/CSLIP	VT320 and TN3270	Whois
	Kerberos authentication	Finger

FREE Trade-In Offer

Now through December 31, 1995 you can trade in your current TCP/IP for Windows software for MultiNet. Call TGV today for details.

Call 800-TGV-3440
or 408-457-5200



The Enterprise TCP/IP Experts

*Developer tested only. Novell makes no warranty with respect to this product. MultiNet is a registered trademark of TGV Software, Inc. All other trademarks are the property of their respective owners. ©1995 TGV Software, Inc. 017

Reader Service No. 261/FaxNET No. 30810

100 Mbps Fast Ethernet and Ethernet Switches

100 Mbps Fast Ethernet Adapters

Intel

Ether Express PRO/100 32-bit (PILA8465)	\$185/870/3,100
Single/5PK/20PK	
Ether Express 10/100 PCI (PILA8465B)	\$148/695/2603
Single/5PK/20PK	
Ether Express PRO/100 32-bit EISA (EILA8265)	\$235



New Intel Smart 100 Nitro High Performance Server Adapter (PILA8485) \$745

Networth

10/100 Mbps EISA (UTP100E)	\$370
10/100 PCI (UTP100P)	\$235

3COM

10/100 PCI (3C595TX) Single/5PK/20PK	\$169/754/2,740
10/100 EISA (3C597-TX) Single/5PK	\$251/1228

Cogent

PCI Quartet, Full Duplex, 4 RJ45 Ports (EM400)	\$1,137
SMC	

10/100 EISA (SMC9230ST)	\$240
10/100 PCI (SMC9330ST)	\$212

West Hills

10/100 PCI (WH500-TX)	\$145
National Semi Conductor	

10/100 PCI Adapter ISA (NI7000-TI-01)	\$160
Asante	

10/100 PCI Adapter for PC/MAC	\$199
Thomas Conrad	

100Base-TX PCI Adapter (TCTX048)	
Single/6PK/50PK	\$195/1,115/9,251

100VG AnyLAN Adapter

Thomas Conrad

100VG-AnyLAN ISA Adapter (TCVG045-UTP)	
Single/6PK/50PK	\$195/1,115/9,720

100VG-AnyLAN EISA Adapter (TCVG047-UTP)	
Single/6PK/50PK	\$195/1,115/9,720

Katron

100VG ISA Adapter (DP-161)	\$149
100 VG EISA Adapter (DP-32E)	\$192

100 Mbps

Hewlett Packard

100VG 16-bit ISA 10/100 (J2573A HP)	
Single/6PK/24PK	\$200/1162/4,434

100VG 32-bit EISA (J2577A HP)	
Single/6PK/24PK	\$246/1,428/5,437

100VG 32-bit PCI (J2585A HP)	
Single/6PK/24PK	\$216/1,268/4,094

100Mbps Macintosh

Farallon

Fast Ether TX-10/100 NuBus (PN990)	\$328
Fast Ether TX-10/100 PCI (PN994)	\$240

FDDI Adapters

Cogent

PCI-SC Connector (EM100FX)	\$499
PCI-ST Connector (EM100FX)	\$499

Network Peripheral

EISA (SAS) FDDI Adapter (NP-EIS-050)	\$1,510
Efficient Networks	

155.52Mbps PCI ATM Adapter with 512K Memory (ENI-155P-MF-C)	\$1,200
NBASE	

Multimode to Singlemode ATM Converter, 20KM Single Link (Node Attach) (N420ATMI)	\$3,995
NBASE	

100 Base-TX Fast Ethernet Hubs

NBASE

100Base-TX 8-Port Hub (NH108)	\$1,425
Plaintree	

WaveSwitch 100

16-10Mbps 10Base-T Ethernet Ports, Two High-Speed Ports, Supports Standard SNMP Management Using SNMP, MIIIB, and the RFC 1493 Bridge MIB.	\$1,600
Base Unit 16 Ports (PTP110A)	\$6,700
100Base-T Interface Port (PTC217A)	\$2,250

Visa & MasterCard

Fast Delivery

Most Orders Ship The Same Day

Prices Subject To Change Without Notice

Networth

100Base-TX 8-Port Hub (MICRO100)	\$1,350
Dual Speed Fast Ethernet Hub 24-Port (MICRO10/100)	\$3,565

SMC

Tiger Hub 100 16-Port 100Base-TX Hub (SMC5116TX)	\$2,398
100 Base-TX 12-Port Hub (DFE-812TX)	\$1,475

D-Link

100 Base-TX 12-Port Hub (DGE-812TX)	\$1,475
Asante	

Bay Network

12-Port 100Mbps Hub (AT2202-001)	\$1,740
3Com	

100 Base-TX 12-Port Stackable Hub (3C250-TX/1)	\$2,028
VG-AnyLAN Port (PTC218AO)	\$2,250

VG-AnyLAN Port (PTC218AO)

FOO1 Interface, Single Port

ISDN Got Your Attention?

GET ALL OF THE FACTS ABOUT...

- Availability in Your Geographic Area
- Cost Justification
- Support for Your Existing Analog Technology

FREE COST/BENEFIT ANALYSIS

For Ascend's Pipeline Family of ISDN Access Routers
and MAX Analog/Digital WAN Access Switch

Telecommuting • Branch-Office Access • Internet Access Solutions

MAXNET Offers EXPERT Integration Services for Ascend:

- Network Design, Installation and Management
- 24 x 7 Help-Desk and Network Control
- Custom Maintenance



1-800-4-MAXNET

Opening the Door to a World of Communications



Trademarks are the property of their respective owners. ©1995 MAXNET Communication Systems, Inc.

Reader Service No. 267




LOOKING FOR INTERNETWORKING
THAT PAYS FOR ITSELF?
LOOK TO DATATECH.

Is your enterprise-wide network saving you money on long distance phone, fax and data/LAN communications? If not, you need to talk to **Datatech**.

With **Datatech** as your internetworking partner, you'll get the best internetworking products and services. Count on us for your LAN/WAN network design and implementation and cost-saving data/voice/fax integration.

HERE'S HOW YOUR NETWORK CAN PAY YOU BACK



CALL TODAY FOR A COST-SAVINGS ANALYSIS OF YOUR NETWORK
AND LET YOUR NETWORK START PAYING FOR ITSELF!

Call 1-800-930-9999 in Western U.S.
1-800-438-7458 in Eastern U.S.

micom
Products That Pay for Themselves™

DATATECH
Specialists in Data Communications Equipment

Reader Service No. 236/FaxNET No. 30710

INTERNET SECURITY

PREVENT UNAUTHORIZED ACCESS

ACCESS CONTROL/FIREWALLS

- Application level security
- Supports all Internet Services
- Transparent to end users
- Powerful auditing and alerting

AUTHENTICATION

- Challenge-response algorithm
- Advanced optical user interface
- Over one million sold
- User replaceable batteries

ENCRYPTION

- No key distribution or management
- High performance >12 Mb/s
- Application level encryption
- User transparent

CALL NOW: FREE WHITE PAPER ON
FIREWALL AND NETWORK SECURITY 1-800-325-9870


THE MAJOR PROVIDER OF SECURITY SOLUTIONS TO FORTUNE 2000 • TELECOMMUNICATIONS • GOVERNMENT • FINANCIAL • HEALTH CARE

Internet Security


info@security.com
http://www.security.com

Reader Service No. 277/FaxNET No. 34450





Now, here's a switch!



On-Screen Configuration and Activity Reporting lets you quickly view current information on direct system connections.

User-definable system nomenclature lets you name servers anything you want, for a more intuitive sense of what's happening where.

Select from 8 or more systems instantly on-screen.

Introducing the first and only screen-based concentrator switch — OutLook, from Apex PC Solutions, Inc.

OutLook gives you instant visual feedback on attached systems or any systems you want to select from anywhere on your computer screen. An intuitive on-screen menu lets you select and switch to 8...16...or even 64 systems with a few keystrokes.



The actual switch is just 1-3/4" high, so it can be neatly tucked away out of sight.

See it all—all in one place.

Instead of looking at boxes, buttons, or blinking lights, *OutLook's* menu-driven commands take you wherever you want to go, in *your* terms. Now you can input system names that make sense to you, right on screen. That way,

you can locate and switch to applications without having to figure out someone else's pre-defined numbers.

Total control at your fingertips.

OutLook's non-volatile memory offers a safety net in the event of power outages or accidental switch shutdowns. *OutLook* remembers the system configurations and goes right on performing flawlessly.

Improve your OutLook at work.

See the future now. Call Apex PC Solutions, Inc. for a first-hand look at *OutLook* - and get ready for quite a switch. 1-800-861-5858 or (206) 402-9393.

Innovation &
Technology
by Design



APEX
PC SOLUTIONS

20031 142nd Ave. NE • Woodinville, WA 98072 • (206) 402-9393 • Fax:(206) 402-9494 • e-mail address: info@pcsol.com

OutLook is a trademark of Apex PC Solutions, Inc. All Apex products are made in the U.S.A.

CellAccess Products - Guaranteed!

T1/E1 Frame Relay SMDS

Integrated ATM/Frame Relay/SMDS Gateway

- Complete line of T1/E1 Access products
- Simultaneous voice, video and data transport
- Built-in migration path for investment protection
- Extensive diagnostics, traffic generation and SNMP
- Reliable, aggressively priced



CAT700 DSU/CSU

ATM DXI, SMDS DXI, Frame Relay, T1/FT1

1 or 2 Ports
Optional Ethernet and "Drop & Insert"
LCD Display & keypad

Starts at \$995

CAT1200 MUX

ATM, Frame Relay, SMDS, T1/FT1

LAN to WAN protocol conversion
Up to 4 ports
V.35/RS449, Ethernet, FT1
E1 version available

Starts at \$2495

CAT1500 MUX

ATM, Frame Relay, SMDS, T1/FT1

Built-in migration path
LAN to WAN protocol conversion
Up to 4 ports
V.35/RS449, Ethernet, FT1
E1 version available

Starts at \$4995

CellAccess
Technology, Inc.


761B University Avenue, Los Gatos, CA 95030
Phone (408) 395-8490 FAX: (408) 395-8270

Access the Future Today™

Reader Service No. 275

TECHNICAL FURNITURE SOLUTIONS

...for LAN Management



LMS II™

- Unmatched strength and stability
- Countless configuration choices
- Lifetime Warranty
- QuickShip Program

NTWD

For new Brochure

CALL 800-225-7348
or FAX 508-853-8904

W R I G H T • L I N E

Reader Service No. 279

REFURBISHED

SynOptics®

Largest Inventory of Refurbished SynOptics in America!

- SynOptics Trained
- SynOptics Authorized
- One Year Warranties

- Proven Track Record
- We Stock What We Sell!
- We Buy Used Equipment

Cabletron NOVELL IBM

Proteon 3COM Wellfleet



National LAN Exchange
800-243-LANS


1403 W. 820 N., Provo, UT 84601 Voice 801-377-0074 FAX 801-377-0074

Circle Reader Service No. 231

DIRECT RESPONSE ADVERTISING

Sales Territory Map

Response Card Decks • Formatted Marketplace




Western U.S., British Columbia, Alberta, Saskatchewan
Clare O'Brien, Sales Manager

Central United States, Manitoba, Ontario
Heather Fairbanks, Account Executive

Eastern United States, Quebec
Richard Black, Account Executive

Inch Marketplace - entire country
Carla Cappucci, Account Executive

Call your sales representative or Joan Bayon Pinsky, Director,
to place your ad today! 800-622-1108 or 508-875-6400



MODULAR COMPUTER RACKS

- Custom-tailored
- Space Saving
- Expandable
- Easy set up



321 5th Avenue
New York, NY 10016
TEL: (212) 684-4666
FAX: (212) 684-6853

1-800-434-3746

Circle Reader Service No. 280

NOVELL NETWARE SPECIALS

	v4.1	v3.12
5 user	\$ 330.00	\$ 425.00
10 user	\$ 785.00	\$ 1045.00
25 user	\$ 1,035.00	\$ 1,195.00
50 user	\$ 1,450.00	\$ 1,895.00
100 user	\$ 1,750.00	\$ 2,625.00
250 user	\$ 2,750.00	\$ 3,995.00

NOVELL UPGRADES UP TO 50-60% OFF LIST

We will beat or match any
Advertised price & Free Shipping

Netware for SAA v2.0

16-Session	\$1,145.00
64-Session	\$3,475.00
128-Session	\$5,340.00
254-Session	\$7,995.00

NIC's and HUBS

SN2000-Combo	\$25.00
3C509B-Combo	\$94.00
5 Port Hub	\$95.00
9 Port Hub	\$125.00
12 Port Hub	\$245.00
16 Port Hub	\$285.00

We CARRY 3COM, SMC, INTEL, D-LINK AND OTHER MAJOR MFG'S. CALL FOR QUOTE!

3Com 800-373-2485



VANDY MICRO CORP.

Fax 1-714-768-1063 VISA - MC - A.E.

Circle Reader Service No. 221

For details on how to put your ad here



**Carla Cappucci
1-800-622-1108**

INFORMATION DATA PRODUCTS CORP.

Modems

Multiplexers

DSU/CSU's

T-1/FT-1

Voice/Data

Bridges/Routers

New - Refurbished

"Data Communications Specialists"

1-800-362-3770

wan-info@planet.net

http://www.planet.net/idpc

Circle Reader Service No. 217

NETWORK HARDWARE

ROUTERS • HUBS • BRIDGES • MODEMS • MUXES
DSU/CSU • FRAME RELAY • T1 • ISDN

BUY/SELL/LEASE

CISCO SPECIALISTS

MOTOROLA/CODEX • MICOM • IBM
SYNOPTICS • CISCO • HP • 3COM

800-230-6638

Fax: 805-964-5649

STRAND COMPUTER RESALE
1800 Tai Strand • HERMOSA BEACH, CA 90254

Circle Reader Service No. 244

LAN - WAN - NEW - USED

3Com...CABLETRON...PROTEON...CISCO...SMC...NOVELL...NETWORTH...BICC

HUGE 3Com NEW/USED INVENTORY

MULTICONNECT, IB, CS, 3Com NETBUILDER I-II, FMS I-II, ECS, MCS, M\$H, LANPLEX

SUPER NIC DEALS!!
3C509B-TPO\$75*
3C509B-COMBO\$95*
3COM 8BIT TP\$30*
INTEL 8110/20\$60*
MINIMUM QTY 3

LINKBUILDER M\$H

18120 REPEATER\$900
18121 12 PORT TP\$900
18122 24 PORT TP\$1195
18135 FIBER RPT\$1695
18500 MGT MOD\$2000

CABLETRON (U)

TPMIM-24\$995
THINMIM\$500
MT800\$125
MMAC3FBN#350\$150
IRBM\$800
TPMIM-34\$1200
MR9000C\$495
IRM2\$750

NETWARE

#users	3.12 / 4.1
5	\$475
10	\$995
25	\$1425
50	\$1775
100	\$2650
250	\$4600

CISCO (U)

IGS/R\$700
AGS/3000/4000/7000

SUPER HUB DEALS!

3Com 24 PORT HUB\$700
3Com 12 PORT\$400/250
EAGLE 8 PORT HUB\$100
3Com 10 PORT COAX\$900

NETWORTH (U)

UTPM-SMART\$495
4000/6 CHASSIS\$600
MORE! PLEASE CALL!

3Com LINKBUILDER 3GH

9001A CHASSIS\$8500
9013 FDDI MOD\$5000
9015-FO SWITCH\$8000
9020B MGT MOD\$5800

MUCH MUCH MORE!!

3Com NETBUILDER 1

5803 LOCAL ROUT\$950
58XX T1 RTR u\$1250
8200 V35 BRDG u\$800

WE WARRANTY!

WE BUY YOUR USED LANS/WANS QTY DISCOUNTS!

VISAMC/AMEX
COD & Terms

FOR SALES ONLY CALL TOLL FREE OUR 14TH YEAR!

800-AKA-3Com (800-252-3266) U=Used

Circle Reader Service No. 221

LAN/WAN • BUY/SELL

FULLY WARRANTED

NEW/REFURBISHED

RENTAL

LEASE

MODEMS

DSU/CSU's

MULTIPLEXERS

T-1 EQUIPMENT

HUB, BRIDGES, ROUTERS, ETC.

RENTAL

LEASE

WE CARRY ALL MANUFACTURERS, CALL JOHN, EXT. 101.

PHONE

800-783-8979

FAX (916)

781-6962

Circle Reader Service No. 240

For More Information About Marketplace

1-800-622-1108

NEW REFURBISHED BUY SELL NEW REFURBISHED BUY SELL

MSI Communications

Nationwide Services • 24-Hour Technical Support
CNE Services • Trade-In Credit

WAN Products

Adtran
AT&T Paradyne
BAT
Digital Link
INC
Microm
NET
Newbridge
Verilink

Distribution Products

Codex
Datatel
GDC
IBM
Microm
Racal Milgo

LAN Products

Spectron
Sympex
Tellabs
Timeplex
UDS
Vitalink

Bay Networks
Cisco
Cubix
Develcon
Invision
Lannet
Livingston
Multi Access
Xyplex

Specialized Products

Refurbished

CISCO SYSTEMS
AGS+, 2500's, 4000's, 7000's

Data, Voice & Video Networking

7 Waterloo Road, Stanhope, NJ 07874

800-866-3282 • 201-347-3349 • FAX 201-347-7176

<http://www.msic.com>

NEW REFURBISHED BUY SELL NEW REFURBISHED BUY SELL

Circle Reader Service No. 232

Internet Access

DIRECTORY

BBN Planet

(800) 472-4565 National

net-info@bbnplanet.com

Leased Lines, Frame Relay,

Web Services, Security Services

NETCOM Online Comm.

(800) 353-6600 National

info@netcom.com

SLIP, PPP, Shell, Leased Lines, UUCP,

Frame Relay

SuperNet Inc.

(303) 298-8202 Colorado

info@csn.net

SLIP, PPP, ISDN, UUCP, Frame Relay,

T1, Web Dev. Training/Consulting

US Cyber

(715) 387-1700 National

info@free.org

SLIP, PPP, Shell, World Wide Web,

UUCP, Frame Relay, Leased Lines

UUNET Tech. (AlterNet)

(800) 258-9690 National

info@uu.net

Web Svrs, Frame Relay, ISDN, PPP,

Leased Lines, Security, SLIP, UUCP

For information on listing your service here, contact Carla Cappucci at 800-622-1108 x465, ccapp@nww.com

FREE PRODUCT INFORMATION

Reader Service

Use this coupon or prepaid post card in the November 13th and November 20th issues. Circle reader service numbers of ads that interest you and complete the information below.

Mail to: Network World, PO Box 5090, Pittsfield, MA 01203 or
FAX Network World at 413-637-4343

Expires 2/26/96

Name: _____
Title: _____
Company: _____
Phone: () _____
Street: _____
City: _____
State: _____ Zip: _____

109 110 111 112 113
114 115 116 117 118
119 120 121 122 123
124 125 126 127 128
129 130 131 132 133
134 135 136 137 138

NOVEMBER

FaxNET

Free Fast Information about the following advertisers.

- Call 1-800-664-8271, wait for prompt, follow instructions.
- Key in advertisers "5" digit number listed below.
- You will receive requested information within minutes.

COMPANY

	PIN
CNT/Brixton Systems Inc. (3270).....	34210
CNT/Brixton Systems Inc. (PU2.1).....	34550
Dataprobe Inc.	34080
Network Dimensions	30020
Outlink Inc.	34600
TyLink	34580
Complete index of advertisers	99999

Connectivity - Circle #109

MANAGE ACCESS TO SNA APPLICATIONS. FROM ANY PLATFORM.

GET MORE FROM 3270 EMULATION. AND PAY LESS.

Trying to manage access to SNA applications? Then use the most manageable *and* the most open SNA server—the BrxPU2.1 SNA Server from CNT/Brixton Systems.


This powerful software gateway is the first and only cross-platform solution for *all* your open clients.

- Centralizes configuration and management, reduces costs, and increases operational control.
- Provides SNMP manageability without the mainframe overhead—security, point-click, audit trails, charge-back and more
- Runs on virtually any Unix platform, plus Windows NT
- No vendor lock-in
- Distributed, fault-tolerant architecture with load-balancing
- Scales to thousands of users
- Easily migrate current mainframe policies to Open Systems

Find out how Brixton's software gateway/server can help you ease the transition to Open Systems. Call today for complete information.

When other client software has "hit the wall", the Brx3270 from CNT/Brixton Systems is just getting started. Our emulation tools give you all the features you want for *less than the leading alternatives*:

- Full-featured toolbar facility with multiple toolbars, pop-up help and more
- Configure multiple hotspots for any function
- "Drag and drop" keyboard mapping to support any keyboard
- Define macros with Brixton's BASIC language to automate common tasks
- File transfer and TN3270E Telnet print support
- Cut and paste between applications
- Scalable fonts and up to 16.7 million colors
- GDDM support for full graphics
- TN3270 support for use with any gateway
- API developer's kit for custom interfaces



Brixton clients work across all platforms, from most Unix workstations to Windows PCs, so you reduce your costs, simplify management and training, and get one "look and feel" for your whole enterprise.

Call today for complete information.


CNT
BRIXTON

1-800-274-9866

Computer Network Technology, 125 Cambridge Park Drive, Cambridge, MA 02140 USA

(<http://www.cnt.com>)
All trademarks are the property of their respective owners.






STRING ALARM CODE SWITCH DATA TRAP PORT SELECTOR STUNT Box ??

No matter what you call it, Dataprobe has the product that does the job for you.

When ACTION is required; triggered by a data code, call the code that gets RESULTS.....201-967-9300

Dataprobe; When Every Bit Counts.



MATCH CODE
↓
TAKE ACTION

A/B Switch Power ON/OFF Page Re-Boot Back-up Alarm Report

11 Park Place / Paramus, New Jersey
201-967-9300 Fax: 201-967-9090



Ethernet Switching System - Circle #111

**Dramatically Improve Overall Ethernet Performance,
While Future-proofing Your Network . . .**



... With a Telenex 2710 Ethernet Switch.

The 2710 uses advanced ASIC technology to enhance overall performance: standards based switching, increased internal throughput, decreased latency, and full wire-speed forwarding and filtering.

A variety of uplink options provides flexibility and accommodates migration via high-speed backbone connectivity.

For details, call: 1-800-222-0187



13000 Midlantic Drive • Mount Laurel, New Jersey 08054
Phone: 609-234-7900 • Fax: 609-778-8700 • Internet: <http://www.telenex.com>

Internet Security/Market Research - Circle #112

THE FIREWALL REPORT™

THE MOST COMPREHENSIVE RESOURCE AVAILABLE

WHAT'S INCLUDED:

- Over 40 Product Profiles
- Over 40 Supplier Profiles
- Comparative Charts
- Over 500 pages of structured information
- Detailed, objective due diligence
- Saves months of market research
- Expedites the decision making process

BENEFITS:



FOR MORE INFORMATION AND ORDER PLACEMENT:

Toll Free: 800.242.9639 • Phone: 516.759.5000
Fax: 516.674.2458 • e-mail: firewalls@outlink.com
URL: <http://www.outlink.com>

OUTLINK, INC., 49 Glen Head Rd., Glen Head, NY 11545
©1995 OUTLINK, INC. All Rights Reserved.

T-1 DSU/CSUs Lowest Prices!

TY 3400

\$2095



- 2-port DSU/CSU for T1/FT1 applications
- 1 PBX port and 1 data port
- Flash download
- Supports +24/-48 VDC and 110/220 VAC

ONS 150

\$1295



- 1-port DSU/CSU for T1/FT1 applications
- Data rates of 56 Kbps. to 1.536 Mbps.
- Ideal for router applications
- Compact size
- Comprehensive diagnostics

The TY 3400 and ONS 150 come with a standard **5-year warranty** and feature no charge, next-day replacement for 6 months.




To order or obtain more information, please call 1-800-828-2785 ext. 620 or 508-285-0033 ext. 620, or FAX 508-285-2738.

ISDN/Frame Relay/X.25 Access - Circle #114

How can you substantially reduce your X.25 network access cost \$\$?

Install an ISDN-X.25 Transactor!



Benefits:

- ✓ Reduced monthly X.25 network access bill
- ✓ Completely digital service at up to 16Kbps over ISDN lines
- ✓ No changes to your application — Plug & Play

Ask about our Frame Relay & X.25 Access products



microtronix


200 Aberdeen Drive, London, Ontario, Canada N5V 4N2
Tel: (519) 659-9500 Fax: (519) 659-8500 Tel: 064-5642

Network Design & Documentation - Circle #115

The "COMPLETE" software for network planning, documentation and display

- Connectivity diagrams for all topologies from WANs, MANs to LANs
- Integrated database for reports and analysis
- Real-time displays plus APIs for front-end integration

LANs – Track PCs and equipment



Database

Module	OS	Host	Type	Comments
Windows	Windows	PC-A	PC	
Windows	Windows	PC-B	PC	
Windows	Windows	PC-C	PC	
Windows	Windows	PC-D	PC	
Windows	Windows	PC-E	PC	
Windows	Windows	PC-F	PC	
Windows	Windows	PC-G	PC	
Windows	Windows	PC-H	PC	
Windows	Windows	PC-I	PC	
Windows	Windows	PC-J	PC	
Windows	Windows	PC-K	PC	
Windows	Windows	PC-L	PC	
Windows	Windows	PC-M	PC	
Windows	Windows	PC-N	PC	
Windows	Windows	PC-O	PC	
Windows	Windows	PC-P	PC	
Windows	Windows	PC-Q	PC	
Windows	Windows	PC-R	PC	
Windows	Windows	PC-S	PC	
Windows	Windows	PC-T	PC	
Windows	Windows	PC-U	PC	
Windows	Windows	PC-V	PC	
Windows	Windows	PC-W	PC	
Windows	Windows	PC-X	PC	
Windows	Windows	PC-Y	PC	
Windows	Windows	PC-Z	PC	

WANs – Track and price circuits



GrafBASE for Networks offers...

- Multiple layered views
- Smart objects
- Professional world wide maps
- Circuit costing
- Geographical zoom
- Lat/Long placement
- NPA/NXX data
- Reports & Tables

Price starts at \$595. plus map data options

N D Network Dimensions, Inc.

1600 Saratoga Ave. #403-281, San Jose, CA 95129

Call today for a FREE demo disk
(408) 366-8444

Email: Grafbase@Product.com

Network World Advertising

Colin Ungaro, President/Publisher
 Mary Kaye Newton, Admin. Assistant to the President
 Evely Thibault, Vice President/Associate Publisher
 Eleni Brisbois, Sales Associate
 61 Worcester Road, Framingham, MA 01701
 (508) 875-6400/FAX: (508) 879-3167

Sales Offices

NEW YORK/N. NEW JERSEY
 Carol Lasker, Eastern Regional Sales Manager
 Tom Soveyn, Manager, Demographic Editions
 Datti Reid, Sales Assistant
 36 SW Passaic St., Rochelle Park, NJ 07662
 (201) 877-0090/FAX: (201) 712-9786

BOSTON

Donna Pomponi, Senior District Manager, N.E. Region
 Nancy Robinson, District Manager
 Jolene Springfield, Sales Assistant
 61 Worcester Road, Framingham, MA 01701
 (508) 875-6400/FAX: (508) 651-1853

S. NEW JERSEY/PHILADELPHIA/D.C.
 Jacqui DiBianca, Senior District Manager
 Rick Groves, District Manager
 Barbara Stewart, Sales Assistant
 351 E. Conestoga Road, Wayne, PA 19087
 (610) 971-1530/FAX: (610) 975-0837

CHICAGO

Dan Gentile, Midwest Regional Sales Manager
 Sherwin Horowitz, District Manager
 Anna Gabriel, Sales Assistant
 1011 E. Touhy Avenue, Suite 550, Des Plaines, IL 60018
 (708) 297-8855/FAX: (708) 827-9159

SAN FRANCISCO

Sandra Kupiec, Western Regional Sales Manager
 Lisa Hall, Senior District Manager
 Paula Connor, District Manager
 Cynthia Schaeffer, District Manager
 Beverly Davis, Sales Assistant
 Carol Stiglic, Sales Assistant
 894 Ross Drive, Suite 200, Sunnyvale, CA 94086
 (408) 541-8630/FAX: (408) 541-8640

ATLANTA

Don Seay, District Manager
 Terry Sanders-Preston, Sales Assistant
 Lakeside Commons, 990 Hammond Drive,
 Suite 600, Atlanta, GA 30328
 (404) 394-7509/FAX: (404) 255-5123

LOS ANGELES

Amy C. Bartulis, District Manager
 Tracy Pennell, Sales Assistant
 2171 Canyon Drive, Suite 100, Irvine, CA 92715
 (714) 250-3006/FAX: (714) 833-2857

DIRECT RESPONSE ADVERTISING

Response Card Decks/Action Center/Marketplace
 Joan Bayon Pinsky, Director Direct Response Advertising

Clare O'Brien, Sales Manager

Richard Black, Account Executive

Carla Cappucci, Account Executive

Heather Fairbanks, Account Executive

Sbaron Cbin, Sales/Marketing Operations Coordinator
 Chris Gibney, Sales Assistant
 (508) 875-6400/FAX: (508) 628-3976

RECRUITMENT ADVERTISING

Pam Valentini, Director of Recruitment Advertising
 Tarji Murray, Sales Assistant
 FAX: (508) 820-0607

ADVERTISING OPERATIONS

Karen Wallace, Manager of Advertising Operations
 Cathy Sampson, Sr. Advertising Account Coordinator
 Ann Jordan, Advertising Account Coordinator
 Marlo Matoska, Direct Response Ad Coordinator

MARKETING

Virginia Lehr, Director of Marketing
 Joanne Wittem, Senior Marketing Services Manager
 Kristin Wattu, Marketing/Promotions Manager
 Barbara Sullivan, Market Research Analyst

PROFESSIONAL DEVELOPMENT GROUP

William Reinstein, Vice President of Business Development
 Debra Maher, Marketing Manager
 Ann Roskey, Product Manager/Online Services
 Christie Sears, Finance/Operations Manager

William Bernardi, Product Specialist

Tina Pescaro, Operations Assistant

FAX: (508) 820-1283

RESEARCH

Ann MacKay, Research Director
 CIRCULATION

Deborah Winders, Vice President Circulation
 Richard Priante, Director of Circulation
 Bobbie Cruse, Assistant Circulation Director
 Mary McIntire, Circulation Assistant

PRODUCTION SERVICES

Jeff Pennet, Vice President Network/Production Services
 Ann Finn, Production Director
 Greg Morgan, Production Coordinator
 FAX: (508) 875-3090

REPRINTS

Donna Kirkey, Reprint Manager/Graphic Designer
 Nancy Vickers, Graphic Designer

LIST RENTAL SERVICES

Christine Cabill, List Rental Sales
 P.O. Box 9151, Framingham, MA 01701-9151
 (800) 343-6474/(508) 370-0825, FAX: (508) 370-0020

NETWORK INFORMATION SERVICES

Jeff Pennet, Vice President Network/Production Services
 Jack McDonough, Network Manager
 Eric Powers, Network IS Support Specialist

Ed Garabedian, Systems Specialist/Online Services
 DIGITAL IMAGING SERVICES

Anne Nickinello, Digital Imaging Manager
 Deborah McKenna, Imaging Specialist

DISTRIBUTION

Bob Wescott, Distribution Manager
 (508) 879-0700

ADMINISTRATION

Mary Fanning, Vice President Finance and Operations
 Nanci Farquharson, Office Service Manager
 Paul Mercer, Billing Manager

IDG

Patrick J. McGovern, Chairman of the Board
 Kelly Conlin, President
 Jim Casella, Chief Operating Officer
 William P. Murphy, Vice President Finance

Network World is a publication of IDG, the world's largest publisher of computer-related information and the leading global provider of information services on information technology. IDG publishes over 200 computer publications in 63 countries. Forty million people read one or more IDG publications each month. Network World contributes to the IDG News Service, offering the latest on domestic and international computer news.

NetworkWorld's Editorial Index

3Com.....	1,27
A	
A.C. Nielsen.....	43
Actuate.....	37
Agile.....	27
American Internet.....	8
Ameritech.....	1
Andersen Consulting.....	62
Apple.....	6
AST.....	14
AT&T.....	1,6,14,17,43,46
AT&T Network Systems.....	58
Attachmate.....	17,27
Axon.....	27
B	
Banyan.....	6,27
Bay Networks.....	33
Bell Atlantic.....	1
Blyth.....	38
Business Objects.....	38
C	
Cascade.....	20,58
Cisco.....	1,25,28
Collabra.....	37
Compaq.....	14
Component Integration Laboratories.....	8
CompuServe.....	20
ConferTech.....	37
Creative.....	37
D	
DataBeam.....	37
Digital.....	30,43
Digital Tools.....	62
E	
EMC.....	6
EPR.....	10
F	
Fastlane.....	27
Firefox.....	49
Fivemere.....	25
Fore.....	25
G	
GDC.....	58
H	
HP.....	17,27
Hughes Olivetti Telecom.....	43
I	
IBM.....	6,8,10,43,46
Incognito.....	27
Integrix.....	27
Intel.....	14,27
Internet Junction.....	49
ISDN*tek.....	27
L	
LANNET.....	28
LANshark.....	27
Learning Tree International.....	62
LEGENT.....	25
Livingston.....	25
Lotus.....	10
M	
McAfee.....	27
MCI.....	1
Micro Computer Systems.....	49
Microsoft.....	6,8,12,27,62
N	
Nashoba.....	1
Nat Systems.....	25,38
net.Genesis.....	43
Netlink.....	20
NetPro.....	28
Netwise.....	12
Network Express.....	25
Network Translation.....	25

NetworkWorld's Advertiser Index

Advertiser.....	Reader Service#.....	Page#
3Com Corp.....	18-19,40-41,52-53	
Adaptec.....	4	
Adtran.....	80	
Apertus.....	33	
AT&T.....	25,36	
Bay Networks.....	15	
Bruno Blenheim Inc/DB Expo.....	55	
Cabletron Systems Inc.....	22-23	
COMNET.....	61	
Digital Equipment Corp.....	11	
Fore Systems.....	24	
Hewlett-Packard.....	44	
IBM.....	2-3,31,42,78-79	
Intercon Associates.....	39	
Microcom Inc.....	35	
NetManage Inc.....	16	
NetVantage.....	26	
Newbridge Networks Inc.....	13	
NORTEL.....	9	
Novell Inc.....	17	
StrataCom Inc.....	21	
Sun Microsystems Inc.....	29	
UB Networks.....	7	
Unisys Corp.....	51	
Regional/ Demographic		
Ads appear in selected issues only.		
Belden Wire & Cable.....	56	
Distinct Corp.....	32	
Southwestern Bell.....	56	
UUNET.....	32	
Marketplace Advertiser Index.....	R.S.#.....	Page#
Amber Wave Systems.....	233	6
Apex PC Solutions.....	266	6
Castle Rock Computing.....	252	6
Cell Access Technology.....	275	7
Cybex Corp.....	227	6
DATATECH.....	236	6
Internet Security.....	277	6
MaxNET.....	267	6
TGV Inc.....	261	6
West Hills LAN Systems.....	253	6
Wright Line.....	279	7
ActionCenter		
CNT/Brixton Systems Inc.....	109	7
Dataprobe Inc.....	110	7
Microtronix.....	114	7
Network Dimensions Inc.....	115	7
Outlink Inc.....	112	7
Telenex Corp.....	111	7

These indexes are provided as a reader service. Although every effort has been made to make them as complete as possible, the publication does not assume liability for errors or omissions.

NETWORK WORLD DIRECTORY OF SERVICES

NetworkWorld TECHNICAL SEMINARS

Network World Technical Seminars are one and two-day, intensive seminars in cities nationwide covering the latest networking technologies. All of our seminars are also available for customized on-site training. Our current seminars include:

*Internetworking: Designing LANs, WANs and Broadband Networks - *Fax-Back Document #80*


*Fundamentals of Networking and Data Communications - *Fax-Back Document #90*

Call 800-643-4668 to register today!

NetDraw

Diagram your network infrastructure quickly, effectively and professionally with Network World's NetDraw v3.0 and NetDraw Plus v2.0 software. At your fingertips, you will find over 1,100 full color, vendor specific network images in the areas of LAN's, WAN's, internetworking, personal computing and much more! New product features in NetDraw Plus v2.0 include "Smartdrawings" with built-in connect points, "Drag and Drop" drawing, multi-layered hierarchical diagramming and customizable image libraries.

Call 800-643-4668 to order your copy today!
 *Fax-Back Document Code #10.



R E P R I N T S

Publicize your press coverage in Network World by ordering reprints of your editorial mentions. Reprints make great marketing materials and are available in quantities of 500-10,000.

To order, contact Reprint Services at 612-582-3800 or 315 5th Ave. N.W., St. Paul, MN 55112.

Newbridge.....	58
Nortel.....	58
Novell.....	6,8,10,27,37,54
O	
ON Technology.....	27
Optika.....	38
Oracle.....	6,14
P	
PacBell.....	1
Palindrome.....	30
PeopleSoft.....	1
Persistence.....	37
Premisys.....	25
Progenet.....	17
PSI International.....	20
Q	
Quarterdeck.....	49
S	
Sagent Technology.....	10
SBC Communications.....	1
Seagate.....	17
Sequent Computer Systems.....	14
Sprint.....	1,14,57
StrataCom.....	1,12,20,58
SunSoft.....	17
Sybase.....	14,37
T	
Time Warner.....	14
Tricord.....	14
U	

Cisco

Continued from page 1

at Great-West Life and Annuity Co. in Englewood, Colo. Varey, who uses Cisco's Catalyst 1200 switches and is evaluating the 3000s, said Cisco has not disclosed how it will deal with the RMON differences.

Observers say Cisco's strategy lacks the consistency and comprehension of the RMON and RMON2 plans of rivals Bay Networks, Inc. (NW, Sept. 25, page 1) and 3Com Corp. They also note that 3Com's recent alignment with Axon might force Cisco to migrate Catalyst 3000 users to Frontier gear.

Cisco seems to lean that way.

"We're in the process of working out a strategy to focus on a single set of [RMON] products" for Catalyst switches, said Ben DeBolle, a Cisco product manager. "We have to be sensitive to customers out there who have existing products. Once we have all of these products available, then I'll be in a position to actually provide a migration path."

Falling victim

Analysts say Cisco's RMON plan has fallen victim to the company's buying binge. "These product lines they have acquired really aren't integrated yet," said John McConnell, president of McConnell Consulting, Inc. in Boulder, Colo.

The Grand Junction switches, for example, contain a private Management Information Base (MIB) that provides per-port statistics, DeBolle said. Users have to figure out when to use RMON and when to use the private MIB for gathering data from those switches, he said.

As for the LightStream ATM switches, Cisco is looking at adding RMON or RMON-like capabilities, but DeBolle said it is too early to discuss a strategy.


In the meantime, Great-West's Varey would also "love to see" RMON agents in Cisco's 2500 routers, but the vendor has not discussed plans to add RMON to them. Cisco officials say they will disclose an RMON strategy for routers in early 1996.

And that's about the time Cisco will deliver much of its RMON gear. Under the Frontier deal, Cisco will offer Frontier probes for fast Ethernet, FDDI, token-ring and Ethernet links under the name SwitchProbe.

Cisco will also offer a SwitchProbe that connects to a switch port so traffic flowing through specific ports can be monitored in more detail. In addition, Cisco will provide Frontier's NetScout Manager application under the

Exploring the management frontier

Cisco will resell Frontier's probes, RMON agents and analysis applications under the SwitchProbe and Traffic-Director brand names, enabling customers to perform detailed analysis of their switched internets.



GRAPHIC BY TERRI MITCHELL

name TrafficDirector for graphical depiction of net behavior.

Cisco plans to equip its switches with RMON2-compliant agents next year. SwitchProbes will be available in De-

cember at prices ranging from \$3,500 to \$19,000. TrafficDirector will be available in first-quarter 1996 at prices ranging from \$3,000 to \$5,000, DeBolle said.

©Cisco: (408) 526-4000.

MCI

Continued from page 1

dently and had to handle things such as credit card authorizations separately," said Jeff Arnold, senior systems analyst with MCI. "We needed to complete transactions faster and tie together the resources we already had into a cohesive unit."

KEYS TO THE MOVE

- ▶ Doing custom programming on standard DCE applications to fit specific needs
- ▶ Adapting DCE applications to run more efficiently on multiprocessors
- ▶ Testing DCE packages from multiple vendors to ensure interoperability
- ▶ Working closely with engineers at DCE vendors

The Open Software Foundation, Inc.'s DCE—a collection of security, directory and communications technologies that let unlike computer systems share data, processors and applications—has done the trick.

The long-haul carrier's conversion to DCE-based applications has helped customer service reps cut in half the time it takes to complete transactions and has made it easier to track customer service calls company-wide. Also, MCI has used DCE tools from IBM and Digital Equipment Corp. to build over a span of 10 months applications for telemarketing, credit card authorizations and tax services.

"We wanted to build and distribute applications easily and rapidly," Arnold said. "There really was no other technology that could do what DCE promised and now delivers in a real live production environment."

MCI has made particularly good use of two central DCE components: remote procedure calls (RPC) and Cell Directory Service (CDS).

RPCs provide the standardized communication links between clients and servers that support DCE applications. The CDS defines all files and authenticated users in a DCE network, or cell, enabling the RPC calls to get to their proper destination.

For example, end users invoking the new customer service application can kick off multiple RPC calls to servers across the MCI cell. The CDS directs the calls and routes the data back to the customer service representative's desktop.

"Now customer service reps can gather information from one server, obtain credit authorization from a server at the bank, track customer profiles from another server and have all that information appear on an integrated screen simultaneously," Arnold said.

One reason the new applications run so fast even though they are distributed nationwide is that DCE programs are multi-threaded. That means they can be broken down into many small tasks that one or more servers can run simultaneously.

Getting with the program

While DCE is making life easier for MCI customer service reps, it is by no means a simple technology to deal with from a programmer's perspective, according to Arnold.

"DCE applications do a lot of caching internally, which initially pushed our CPUs to about 95% utilization. But we've cut that figure by a factor of 10 since the initial rollout," Arnold said. "We had to do a lot of reprogramming to make sure the

3Com

Continued from page 1

rings—possibly via full-duplex, 32K bit/sec links—and feature a 100M bit/sec FDDI uplink useful for tying in servers or providing a backbone connection.

The device will likely sell for about \$800 per port, although pricing was not settled at the time sources were briefed.

Analysts said a homegrown switch could be a real asset for 3Com in competing with rivals, such as Cisco Systems, Inc., Bay Networks, Inc. and Cabletron Systems, Inc., that are marketing token-ring switches they have either bought or borrowed. "There'll be a very tight integration story behind this, inherent management features and capabilities the others are struggling to integrate into their offerings," said Katherine Korostoff, president of Sage Network Research in Natick, Mass.

3Com would not comment on its plans.

3Com has forged itself into a one-stop network shop by snapping up Chipcom Corp. and other network vendors. Rumors were flying that the company would buy its way into the nascent token-ring switching market by acquiring Nashoba Networks, Inc. Such a deal would not only have hastened 3Com's arrival into the market, but also would have jolted rival Cabletron, which markets Nashoba's token-ring switch.

But Robert Rosenbaum, vice

cache would empty quicker and would refresh faster.

"If I had to do it again, I'd make sure everyone on our group got DCE training," Arnold said. "We had five people working on one application, and none of us had any training."

Despite that, DCE proved not impossible to use for deploying new applications since it works independent of underlying communications protocols. MCI's applications are running over a TCP/IP and DECnet backbone, which consists of a T-1 mesh network supported by Cisco Systems, Inc. 7000 routers.

"We didn't want to address the routers, TCP/IP or DECnet [during the application development process] because it was too complex and costly," Arnold said.

Complexity, however, was not entirely missing. Among other things, MCI had to deal with integrating DCE applications running across a variety of operating systems, including Windows, OS/2 and Digital VMS. ■

president of marketing and sales at Nashoba, said nothing was doing regarding a 3Com acquisition. "The best we can determine is that those rumors came from 3Com salespeople attempting to discourage potential end users from purchasing the Cabletron token-ring switch," he said.

3Com has traditionally focused on Ethernet, but last January it announced a comprehensive token-ring switching strategy, pieces of which have arrived a bit behind schedule. The Token Ring Switching Module (TRSM) for the LANplex 6000 hub shipped just last month, four months behind schedule. Some sources said the LinkSwitch-TR should ship by the end of this year, while others do not expect it until the first quarter of 1996.

"I don't think it makes any sense at all," said Glenn Gabriel Ben-Yosef, president of Clear Thinking Research, a consultancy in Boston. "People interested in token-ring switching are going to companies like IBM or Centillion with a history in token ring. It isn't a technology you can offer as a sideline."

Other analysts noted that 3Com actually has about a three-year history in token ring, with the acquisition of Star-Tek, Inc. in early 1993. "They said their products would be based on internally developed token-ring silicon," said a 3Com competitor who asked not to be identified. "That adds a lot of credibility. You need customized silicon to build a token-ring switch that has any impact."

But just how much demand there is for a token-ring workgroup switch is unclear at this point. Ethernet workgroup switching is booming, but token-ring users don't face the same performance problems that have driven Ethernet switching out to end users. Token ring inherently avoids many of the congestion problems Ethernet switching solves, and thus far, token-ring switches have been aimed at the LAN backbone.

However, Val Sribar, program director at META Group, Inc. in Reston, Va., said, "You're starting to see segmentation creep farther out into the network. What you'll see develop in the market is the ability to deliver multiple tiers of token-ring switching. When you start building switched networks, you need the ability to scale both ways."

©3Com: (408) 764-5000.

COMMENTS?

See "How to reach us" on page 5.

ATM

Continued from page 1

an individual-case basis. BellSouth Corp., Pacific Bell and US WEST, Inc. plan to offer it next year. Nynex Corp. is the only RBOC holding off on ATM altogether until sometime next year.

On the long-distance side, MCI Communications Corp.

NetworkWorld

161 Worcester Road
Framingham, Mass. 01701-9172
(508) 875-6400

Second-class postage paid at Framingham, Mass., and additional mailing offices. Posted under Canadian International Publication agreement #0385662. *Network World* (USPS 735-730) is published weekly, except for a single combined issue for the last week in December and the first week in January by Network World, Inc., 161 Worcester Road, Framingham, Mass. 01701-9172.

To apply for a free subscription, complete and sign the qualification card in this issue or write *Network World* at the address below. No subscriptions accepted without complete identification of subscriber's name, job function, company or organization. Based on information supplied, the publisher reserves the right to reject non-qualified requests. Subscriptions: 1-508-820-7444.

Nonqualified subscribers: \$5.00 a copy; U.S. — \$95 a year; Canada — \$117.70 (including 7% GST, GST #126659952); Central & South America — \$110 a year; Europe — \$165 a year; all other countries — \$245 a year (airmail service). Four weeks notice is required for change of address. Allow six weeks for new subscription service to begin. Please include mailing label from front cover of the publication.

Network World can be purchased on 35mm microfilm through University Microfilm Int'l., Periodical Entry Dept., 300 Zeb Road, Ann Arbor, Mich. 48106.

Network World is distributed free of charge in the U.S. to qualified management or professionals who meet ALL of the following criteria:

- 1) Have site purchasing influence.
- 2) Are involved in the purchase of network products and services.
- 3) Have multi-platform networks installed or planned (including network architectures, LAN operating systems and LAN environments).

PHOTOCOPYRIGHTS: Permission to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Network World, Inc. for libraries and other users registered with the Copyright Clearance Center (CCC), provided that the base fee of \$3.00 per copy of the article, plus 50 cents per page is paid to Copyright Clearance Center, 27 Congress Street, Salem, Mass. 01970.

POSTMASTER: Send Change of Address to *Network World*, P.O. Box 3090, Northbrook, IL 60065.

Copyright 1995 by Network World, Inc. All rights reserved. Reproduction of material appearing in *Network World* is forbidden without written permission.



Reprints (minimum 500 copies) and permission to reprint may be purchased from Reprint Services, 315 5th Ave. N.W., St. Paul, MN 55112 (612) 582-3800.

ISSN number: 0887-7661.

and Sprint Corp. offer T-1 ATM now, AT&T plans to offer it by the end of the year and LDDS WorldCom by next spring.


AT&T is confident enough of user demand to rush its service to market before T-1 user port cards are available from its switch vendor, StrataCom, Inc. An AT&T spokeswoman said the firm will use a workaround to deliver the service until the StrataCom cards are available at the end of the year.

For its part, StrataCom is bullish on T-1 ATM. In addition to the T-1 ATM interfaces, next year it will roll out support for inverse T-1 ATM multiplexing. The company view: Carriers are installing ATM backbones for their frame-

Big bandwidth means big money

Figure 1

Although the market is waking up to the demand for T-1 ATM, the bulk of service revenues will ultimately come from high-speed services.



SOURCE: VERTICAL SYSTEMS GROUP, OEDHAM, MASS.

relay nets, so give them as many ways as possible to deliver ATM, said Andrew Greenfield, StrataCom's product-line manager for ATM market development.

T-1 gives net managers more ATM deployment flexibility, saving them from having to justify a 155M bit/sec OC-3 link, he said.

US WEST, perhaps the most aggressive RBOC in marketing ATM, lacks a T-1 offering but is working on it. A panel of ATM users told the company T-1 ATM is their No. 4 priority.

Spokesmen for US WEST and Ameritech said they believe ATM demand would be driven by higher bandwidths than T-1 but recognize some users want less.

An AT&T spokeswoman put it this way: "Will the T-1 ATM offering increase the potential for that market to grow quicker? Probably. Is it necessary for the market to grow, period? No. It's just a matter of how quickly you would see the growth. Customers are saying, 'I just don't need that T-3. Can I get away with a T-1?'"

That falls in line with predictions that sales of T-1 ATM ports will outstrip sales of T-3 and OC-3 ports over the next three years (see Figure 1). But at the same time, revenues from the higher speed services will far outweigh

revenues from T-1 (see Figure 2).

That has some vendors betting on high-speed ATM to carry their product lines. Ascom Timeplex, Inc., for example, is augmenting its multiplexers with ATM access devices but not at T-1. "Our customers are interested in the higher speeds," said Hava Zernik, a product manager for Ascom Timeplex.

Zernik said Ascom Timeplex customers with leased-line networks have considered migrating directly to ATM, but most are now back to considering frame relay instead as a less expensive alternative.

"As long as you have competing technologies — ATM and frame relay — you won't see T-1 ATM take off," she said.

Beth Gage, broadband consultant for TeleChoice, Inc., a Verona, N.J.-based consultancy, acknowledged that frame relay is a stiff competitor with T-1 ATM, but pointed out that use of one doesn't preclude use of the other. "If you have frame-to-ATM service interworking, you can start to migrate the network to ATM starting with the central site without worrying about your remote sites until they need more bandwidth," she said.

Pricing pitch

While bandwidth and application needs help drive demand, price plays a major role. Carriers generally have priced ATM close to frame relay rates, and that is good from the network manager's perspective, Gage said.

"If you're trying to consolidate voice, video and data, then you go with ATM. If it's strictly data, then frame relay is always going to be a better choice," she said. ATM overhead — 10 times greater than that of frame relay — means lower throughput over the same size pipe, she said.

With the advent of T-1 ATM inverse multiplexing, users will be able to grow bandwidth gradually. But Thomas Nolle, president of CIMI Corp., a technology assessment firm in Voorhees, N.J., said that is of limited use. Pricing is such that after five to seven T-1 ATM connections, it pays to buy T-3 instead.

That made it worthwhile for Branch Banking & Trust Co. in Winston-Salem, N.C., to get OC-3 ATM connections between some of its offices, according to Dennis Breen, the bank's network services manager.

Breen said he would like to install T-1 ATM to more branches, but it is too expensive. The only way to get T-1 ATM from BellSouth is to have the carrier nail up an OC-3 line and pull 1.544M bit/sec out of its capac-

ity. The installation and monthly line charges rule this option out.

"If I could get [ATM] into an individual premise at a lower rate, then I'd certainly use it," Breen said. As it is, Breen still has excess bandwidth on the OC-3 service into the bank's headquarters, and he'd like to do something with it.

Wyndham Hannaway, president of Wyndham Hannaway and Associates in Boulder, Colo., used ATM in a US WEST trial earlier this year but probably won't pursue it further until there is a T-1 option.


"What we see is two extremes — the power users at one end, who can never get enough bandwidth, and at the other end, the people who want to get into this because they know they're going to be there in the future but don't have the traffic today for T-3," Hannaway said.

Nolle agreed with that assessment. He expects every manager

ATM growth

Figure 2

The ATM market is projected to double next year and continue to make dramatic increases through 1998.



SOURCE: VERTICAL SYSTEMS GROUP

of a T-1 leased-line network to grapple with ATM within the next five years, and he said T-1 ATM is a way to ease into it.

"It's a given," Nolle said. "You may not be doing it on a large scale, and you may not be doing it totally, but you're going to be doing it somewhere." ■

dor, based here, for several potential security breaches. In addition to the unencrypted password, the report also pointed out that PeopleSoft applications do not exploit all the security features that exist within its back-end databases from Oracle or Sybase, Inc.

PeopleSoft officials said a maintenance release that shipped last week minimizes the potential risks associated with storing a password in memory on the client.

"We have taken steps to encrypt and then destroy the password on the client in our maintenance release," said John Cate, PeopleSoft's director of public relations. "The security issues are particularly disconcerting because the PeopleSoft applications work with databases that contain an organization's most confidential and proprietary records."

Although PeopleSoft admitted that some work needs to be done to boost security in its software, it insisted that users had no problems.

Indeed, several users were unaware of the security issues. Others who knew of the possible glitches were not too concerned.

"For us, the fact that the password is stored in memory on the client is a nonissue," said John McCarthy, security manager at Toronto's York University, which runs PeopleSoft financial and human resources applications.

Of greater concern to McCarthy is the fact that passwords are sent unencrypted over the net. "Being a university, we have users who want to experiment," McCarthy said. ■

Back to Reality

Networking industry could be gagged by anti-immigration bogey

I was famished, waiting in line recently to buy a slice of pizza. Oblivious to the line was a mob of Guess jeans-clad teenagers and moims, jabbering in a foreign language usually not heard within 10 time zones of America. The only word I recognized was "pizza."

My stomach was glad when they finally jabbered off down the hall. So was the kid serving pizza. He was relieved no one had asked for pepperoni and mushrooms. We might have waited all day for a translator.

Immigrants, English-speaking or not,

in the network and electronics industries. It could also inhibit development of products designed to give your business an edge (or give you job security figuring out how to install and run the darn stuff).

Sound far-fetched? Read on.

Reacting to populist fears that foreigners on temporary visas are unfairly stealing "good" jobs from American workers, Alan K. Simpson (R-Wyo.), chairman of the Senate Immigration subcommittee, has proposed to limit H-1B visas. These visas allow employers to sponsor "specialty occupation" foreign nationals to work in the U.S. He wants to chop this group from 140,000 to 75,000. About one-fourth of these requests last year were for computer-related workers.

Simpson also wants business sponsors to pay new "taxes" to discourage hiring foreigners in the U.S. Wages for foreign national workers would be 10% higher than those of U.S. workers, plus 30% of the foreign national workers' annual compensation would go to a fund for retraining Americans. Ouch.

Being a skeptical kinda guy (Can journalists ever trust politicians?), I decided to poll several network, electronics and software companies to gauge Simpson's the-sky-is-falling assertion.

I learned that the industry hopes Simpson will take his proposal and stuff it in the Senate's cloak closet.

Foreigners working in the U.S. for companies such as Bay Networks, Inc.,

3Com Corp. and Intel Corp. make up less than 1% of total head count. Microsoft Corp. clocked in higher: About 5% of its 12,000-person U.S. workforce has a visa. (It figures—Seattle is really green.)

Tom Waldrop, a spokesman for Intel, said, "We are hiring talent." He noted that of the 4,000 people hired during the first half of 1995, 300 had advanced degrees in electrical, mechanical, computer and chemical engineering, or material science. About 100 of those workers have visas.

"Those 100 people are a critical part of our workforce," he said. "We're quite concerned about the proposed legislation because it could prevent us from moving certain project teams forward." He said some slots can be filled only by a handful of people in the world.

The shortage is caused by the failure of Americans to earn advanced technical degrees. A National Science Foundation report states that foreigners constituted 49% of the Ph.D.s in computer science during 1993, up from 36% a decade before. (I guess American graduates are searching for their kind of green in places like Wall Street.)

Engineers in other parts of the world are plugging the gap. A good example is in Bangalore, located in South India.

India is a poverty-stricken place jammed with 900 million people, many of

whom fill charming Oriental bazaars and swim naked in filth called the Ganges River.

The population density is 693 people per square mile — all crammed into a space about one-third the size of the U.S.

No wonder some want out. But other entrepreneurs have stayed put and opened their own shops in Bangalore. This mecca for technoids rivals talent found in Silicon Valley and on Route 128. The skilled locals are fluent in English and comfortable with Yankee chic, making this a sacred hunting ground for big American employers scouring the globe for increasingly hard-to-find talent.

But if Simpson's legislation makes it to President Clinton's desk, it will be harder for domestic firms to turn to Bangalore and other talent treasure troves.

(The ban on decent encryption software could also compromise plans to start foreign shops and E-mail work back to the states. Thank Uncle Sam for the jam.)

National borders are becoming less relevant, thanks to network technology. People like Sen. Simpson should stop their jabbering and let the electronics industry — by far the nation's largest gainful employer — get on with its work.

Buerger is an Atlanta-based writer and industry consultant. He can be reached at dbuerger@pipeline.com.



DAVID J. BUERGER

are part of America's heritage. They built this country. Most of our family trees include relatives who believed the foliage was greener in America. (It is, except in Newark, N.J.)

There's a legislative movement afoot, however, that aims to cut immigration. If enacted, the result could hamper growth



CyberSpeak

Voices from the reader network

NEXT QUESTION

Is there a need to upgrade to Pentium Pro machines right away?

Responses due by 8 p.m. Thursday, Nov. 16.

You'll get a T-shirt if we print your response. Please include your name, title, company and address.

Is Cisco stretching itself too thin with all its acquisitions?

"Cisco has acquired an awful lot of different products, and how well they can meld it together remains to be seen. They certainly have a challenge ahead when it comes to integrating the acquired companies with their own operations. But if Cisco lets the acquired companies benefit from its deep pockets while allowing them to progress on their own, Cisco has a better chance of being successful."

Jerry Zickrick, director of internal information systems, ProBusiness, Inc., Pleasanton, Calif.

"No. Cisco, by gobbling up smaller companies, can effectively walk in and say, 'You will do it this way, here's our support structure, here's how we go about it.' There's really a lot fewer questions [compared to merging with a big company as Bay Networks, Inc. and 3Com Corp. have done]."


Allen Hsu, systems support team leader, Phoenix Newspapers, Inc., Phoenix

"For the most part, the acquisitions have been positive for both Cisco and its customers. However, I'm still trying to figure out the Grand Junction acquisition.

"Cisco's biggest challenge will be integrating all the various network management applications into CiscoWorks. But to date, I haven't seen any evidence of them spreading themselves too thin."

Donald Varey, senior network specialist, Great-West Life and Annuity Co., Englewood, Colo.

NEXT WEEK: Don't miss Abend, our back-page column that alternates with CyberSpeak and brings you humorous items, oddities, marginalia and other insights from the Internet and elsewhere. Send items to network@nwu.com or get in touch with us any other way listed on page 5.



Ah, the joys of networking.
Keeping up with standards.
Dealing with multiple protocols.
Connecting various OS's.
Enforcing high security.
**Pity the person who has to
make it all work.**

Oh. It's you, isn't it?


Can your
network
do this?

"Connect everything to everything." You probably have one of the simplest job descriptions in your company. And at the same time, you also have one of the most impossible jobs to do.

The fact is, with the complex maze of components and systems you have to deal with, it takes much more than the latest and hottest technology to unify a network. It takes vision. And that's something you're not very likely to get from a narrowly focused manufacturer.

The good news is, IBM has been dealing with the ins and outs of interconnectivity since the first networks were born. So we can help you connect existing platforms and operating systems with just about any kind of hardware and software solution out there. We can also make sure you're ready to exploit new standards like ATM, which represents the high-bandwidth future of networking.

We not only understand the trend to switch-based networks—we're leading the industry by integrating high-speed switching



technology into our full line of network products. This Switched Virtual Networking strategy is part of our Nways™ family of switching products, as well as our workgroup hubs, concentrators and wireless LAN technology. It's also part of our line of adapter cards that can integrate computers of any breed into your network.

No question, the days of single vendor solutions are long gone. But it can certainly be helpful to have one partner who brings a depth of experience and a wide range of product offerings, to make sure

that your diverse network continues to perform at the highest level.

So give us a call today at 1 800 IBM-3333*, ext. DA 108. We'll show you how we've helped companies all over the world gain a true competitive advantage by building a smarter, more efficient network. Or visit our web site at <http://www.raleigh.ibm.com/netad.html> to find out more. After all, you have a world of technology to deal with. And we can help you bring it all together.



Solutions for a small planet™



**T H E O N L Y H O L E S Y O U ' L L F I N D
I N O U R P R O D U C T L I N E .**

THAT MAY SOUND A LITTLE BOLD. BUT OUR LINE OF DSU/CSUs, TERMINAL ADAPTERS AND MULTIPLEXERS FOR T-1, ISDN, DDS

AND SWITCHED 56 IS NOT ONLY COMPREHENSIVE, IT'S ALSO DESIGNED FOR UNEQUALED RELIABILITY, FLEXIBILITY AND

COST-EFFECTIVENESS. FOR EXAMPLE, WITH OUR TSU 600, YOU CAN SEGMENT UP TO TWO T-1 LINES INTO AS



MANY AS 48 USER-PROGRAMMABLE CHANNELS. YOU CAN COMBINE UP TO FOUR BRI LINES TO CREATE

A HIGH-BANDWIDTH VIDEO CHANNEL USING OUR ISU 512. AND YOU CAN SQUEEZE UP TO 256KBPS

OUT OF YOUR 56KBPS SERVICE USING THE INNOVATIVE DATA COMPRESSION CAPABILITY OF OUR DSU III DBUc.

SO IF YOU NEED TO PLUG A HOLE IN YOUR DIGITAL NETWORK, GIVE US A CALL OR ACCESS OUR

WORLD WIDE WEB HOME PAGE AT [HTTP://WWW.ADTRAN.COM](http://WWW.ADTRAN.COM). 1-800-326-3700, EXT. 006

ADTRAN



WE KNOW DIGITAL TRANSMISSION INSIDE AND OUT